

New warning for Albanian airspace

David Mumford
14 April, 2021



On April 8, Albanian airspace (the LAAA/Tirana FIR) along with LATI/Tirana Airport was **forced to close**, after a number of local air traffic controllers declared themselves temporarily unfit to work. Several international organisations, including IFALPA and IFATCA, have since issued statements warning pilots to **exercise extreme caution while operating in Albanian airspace due to a heightened risk of degraded ATC services**.

Why? Two reasons:

1. **Local controllers** are now back at work but under significant duress, having been threatened with being fired (or worse – being arrested and jailed) if they do not declare themselves fit for duty.
2. **Foreign controllers** have reportedly been brought in to replace some local controllers who were arrested, despite the fact that they are not trained or rated on any of the local positions.



What happened?

Mid-2020

- Albcontrol (the National Air Traffic Agency) cut the salary of the controllers by up to 70%.

Early April 2021

- Some controllers declared themselves temporarily unfit to work due to stress caused by these pay cuts. They were fired by Albcontrol.

April 6

- A large number of local controllers (estimated at around 60-70% of ATCOs) declared themselves temporarily unfit to work due to stress, in line with the EASA regulations and the international standards. *What these regulations essentially say is that being 'fit for work' is a personal assessment by the controller to avoid undue pressure from management to perform safety critical tasks when unfit for duty.*

April 7

- LATI/Tirana Airport issues closed at 1000z due to lack of ATC staff. Albanian airspace (the LAAA/Tirana FIR) closed at 1800z. Both stayed closed until 0659z on April 9, with a few exceptions when they reopened for short periods of time to allow humanitarian and medevac flights to operate.
- Albania's government sent troops and police to clear the "protesting" controllers out of the

tower and their offices. About two dozen controllers were questioned by police. Three were arrested, charged with 'abuse of office'. Two remain in jail; the third is under house arrest.

April 8

- Several reports emerged that the Albanian Government had brought in Turkish controllers to replace the local ones. No official announcement was made, so their status as to training and local ratings is unknown.

April 9

- LATI/Tirana Airport and Albanian airspace reopened at 0659z.
- The Albanian Government issued an order officially recognising foreign ATCO licenses, allowing for foreign air traffic controllers to take over in emergency situations in Albania – an attempt to justify its actions the previous day and establish legal authority for the foreign controllers already installed.
- Local controllers returned to work (except those still in jail/under house arrest) and were forced to sign a "fit for work" declaration.

What's been the response?

The international response has been **unequivocally damning**, with IFALPA, IFATCA and ATCEUC all issuing several statements denouncing the action of the Albanian authorities (both the government and Albcontrol).

IFALPA have published a Safety Bulletin advising pilots to exercise extreme caution while operating within Albanian airspace, providing more detail in a Press Release calling on the Albanian authorities to adhere to international regulations. **IFATCA** have published similar info [here](#), and **ATCEUC** has also issued a statement which can be found [here](#).

Advice to operators

Reminiscent of the Ethiopian ATC strike and subsequent cover-up by the authorities in 2018, the action of the Albanian authorities should be seen for what it is – **a terrible misjudgement, creating a safety risk across Albanian airspace**.

IFATCA define it best, in their April 10 press release –

"The International Convention on Civil Aviation prohibits an air traffic controller from exercising the privileges of their licences and related ratings at any time when they are aware of any decrease in their medical fitness which might render them unable to safely and properly exercise these privileges. It is considered unsafe to have a person perform air traffic control that is physically or mentally impaired in any way, or unqualified and untrained for the position."


It is the obligation of the Service Provider to provide a safe and functional workplace environment that supports the personnel to perform these complex safety roles free from distraction and duress.

The Albanian authorities continue to have disregard for the safety critical nature of these roles...

Albanian authorities have taken an irresponsible gamble on safety and stability of the air traffic services over their territory and the Network by attempting to continue operations with unlicensed and unqualified

staff to operate, masquerading as a safe and functional service."

At SafeAirspace.net we are now listing Albania as "**Level 3 - Caution**" following these events. Pilots should exercise extreme caution while operating in Albanian airspace (the LAAA/Tirana FIR) due to a heightened risk of degraded ATC services.



Further reading:

- IFALPA April 13 Statement
- IFATCA April 8 Statement and April 10 Statement
- ATCEUC Press Releases on April 7, April 8 and April 10
- IFATSEA April 11 Press Release

Eruption in the Caribbean: The La Soufrière Volcano

Chris Shieff
14 April, 2021



A tiny island in the **Southern Caribbean** has made headlines this week after a volcano, dormant for decades, suddenly erupted on Friday almost without warning. It ejected ash as high as **FL440**.

The **La Soufrière volcano** is found on the main island of **Saint Vincent and the Grenadines**, a small country nestled amongst the southeast Windward Islands of the Lesser Antilles. It is neighbours with Saint Lucia to the north, Barbados to the east and Grenada to the South.


The volcano first made headlines on Thursday when scientists detected large seismic tremors – an ominous sign that the La Soufrière volcano was stirring. It had last erupted back in 1979.

Evacuations began for people living near the volcano which is found only 10nm north of the country's main airport, **TVSA/Argyle**. Scientists believed an eruption was imminent.


Then on Friday La Soufrière literally exploded back to life with **several violent eruptions** producing massive amounts of ash. Since then, sporadic eruptions have continued. The latest was on Monday, and scientists believe there is no end in sight. It may continue to erupt (and produce ash) for weeks.

What's the current operational impact?

The initial VAAC advisories indicated a large ash cloud extending up to FL440 and moving in an easterly direction away from land and into the Central Atlantic:



However, the most recent VAAC Advisory, dated 1358z on April 14, only shows a small area still affected by volcanic ash up to FL280, forecast to dissipate by 1930z:



Two main airports have been shut down by the eruption:

TVSA/Argyle has been **closed until further notice** having been coated in thick ash. TVSA Notam

A0591/21 has that info and is due to expire at 00z on April 15 however it is very likely to be extended.

Further east, winds carried ash toward **Barbados** closing down **TBPB/Bridgetown**. It is due to reopen at 1600z on April 16, but further disruptions are possible (TBPB Notam A0585/21 refers).

Outlook

The La Soufrière Volcano remains at Aviation Colour Code Red, meaning a major eruption is underway with **significant ash emissions**.

The amount of ash it produces depends on the strength of each eruption which is **difficult to predict**. So far they have been many and varied.

Airports in neighbouring **Saint Lucia** and **Grenada** have remained open but may be impacted by further eruptions depending on prevailing winds. Disruptions and closures are possible throughout the **South-Eastern Caribbean**.

Scientists have seen no sign that the volcano is slowing down and it appears to be following the same patterns as previous eruptions that lasted for extended periods of time - so **things may get worse** before they get better.

More info

- You can view the latest VAAC advisories for La Soufrière [here](#).
- For the dangers of flying in volcanic ash along with operational advice, see our recent article [here](#).

Squawk 7800 for Hacked

OPSGROUP Team
14 April, 2021



An airplane is circling over Seattle. Onboard, the Captain, Reece Roberts, is desperately trying to control it, but cannot – she is locked out from the flight control systems because the main computer has been hacked. It is a race against time for the crew to regain control before they run out of fuel. Dom Dom DOOOOMMM!!

This might sound like the plot from a terrible movie (it is), but how possible is this, and are there any mechanisms in place to prevent it?

Hack attack

Back in 2015, a cyber security expert, Chris Roberts, was detained by the FBI after making some claims on social media about hacking into an aircraft computer and briefly assuming control of it. According to Roberts he had hacked into several planes over a four year period, using the in-flight entertainment system as his way in.

On this particular occasion, Roberts claims he managed to **overwrite some code and issued a “climb command** to the airplane which then caused one of the engines to increase thrust. His actual statement was that he made the airplane “fly sideways” (which possibly discredits the whole story just a little).

This is not the only claim of aircraft hacking though. In 2016, a **Boeing 757's system were also breached**, and this one was slightly more disturbing because it actually, definitely happened. It was also less worrying because the aircraft was on the ground and the whole thing was carried out by the US Department of Homeland Security as an exercise to see how possible a hack attack actually would be.

The Aerospace sector **is the fifth most targeted sector for cyber-attacks**. A high level then, but while some of those attempts are aimed at aircraft flight control computers, and an equally small number at infiltrating airport infrastructure systems, **the large majority are of the data gathering nature** – attempts to steal sensitive passenger info, credit card data and that sort of thing.

How serious are we talking?

Our aircraft are intelligent. The computer brains that run them are complex beasts made up of multiple data generating sensors, and just as many parts giving out orders to various aircraft systems. Take the FADEC on an engine – this is a self-monitoring, automated system. It controls the engine start, deciding when to open valves up, when to add fuel. It also monitors parameters and can stop a start, run a cooling cycle, and try all this again without pilot intervention. The system also controls inflight restarts.

Rolls-Royce launched an ‘intelligent engine’ concept in 2018 – an engine so connected that it has the basic AI algorithm “intelligence” to assess, analyse and learn from its experiences, as well as those of its “peers” (other engines that all share their data).

All this level of automation is great, but **what if it is no longer in control**, and is being controlled with the pilot effectively locked out?

Then there is the connectivity

Aircraft are increasingly digitalized and increasingly connected, and these connections might be less secure than we think. One highlighted “weakness” in aircraft onboard systems is the encryption levels within the comms and reporting systems. You might point out that aircraft are fairly visible on Flightradar, but this only gives general whereabouts, and transponder data is no longer shared. Being able to **pinpoint exact locations in real time** has far greater consequences if the wrong people are able to access this information.

There is growing speculation that Malaysia Airlines Flight 370 may have been electronically hijacked, or at the very least had its position spoofed leading to the initial confusion over its whereabouts, and later the difficulty finding the crash site.

The good news

The good news is there are protections within aircraft systems. First up, there is **no way to access a critical system via a non-critical one**. Network architecture prevents this and various experts have stated it is impossible to move from, for example, the in-flight communications system to the avionics.

Airbus incorporate a switch in the flight deck – the NSS (Network Server System) gatelink pushbutton is effectively an added **‘disconnect’ which separates all cockpit systems from the ‘open’ world**, cutting off any potential link to the aircraft flight management systems should a threat be perceived.

Then there is the risk of **“locking” the pilot out** – gaining access of a system and sending commands to it is one thing, but pilots have the ability with most systems to disconnect and get back to basics. For a hacker to lock a pilot out – prevent them from disconnecting – this would require a command that is not currently in the system and this level of hacking and re-programming is not, most suggest, all that feasible.

The bad news

There are other ways to disrupt operations.

GPS jamming is not direct interference, but the impact it has on aircraft systems is a known one – with a jammed GPS, **aircraft lose the ability to navigate with accuracy** and must rely on dated radio navigation systems. Not such a big issue, but removing the capability for an aircraft to carry out an RNP or RNAV approach means they are reliant on older ILS equipment, or having to fly non-precision approaches.

ILS equipment relies on both ground and aircraft systems, meaning there are much more “parts” which can fail. These systems are also older and require more maintenance on the ground meaning the likelihood of one part malfunctioning is higher, and when it does, the **level of safety redundancy for aircraft which have had GPS jamming problems is suddenly really reduced**.

The risk of interference to GPS and radio signals also creates a vulnerability in UAV operations. The controllability of an aircraft might not be in question, but the ability of a hacker to take over and control a UAV – and potentially “control” it into an aircraft – is a growing threat.

A report looking into potential airport weakness identified a large number of “weak spots” where targeted

hack attacks might result in disruption. The airside points ranged from spoofed ILS signals to changing airplane signatures on docking system from larger to smaller aircraft, reducing the wingtip clearance margins and safety significantly.

What is being done?

Technologies to prevent UAVs in airports is well underway with systems in place already at many major airports, and the FAA trialling more this year. Solutions to GPS jamming are also a high priority with several conferences and work groups already taking place, identifying both the threat and the root cause of why jamming takes place.

As for the direct cyber security risk to aircraft, this is not a new “idea”. The FAA moved it in the right direction with their **Aircraft Systems Information Security Protection (ASISP) initiative** in 2015. This initiative asked the questions, and asked manufacturers to start thinking up answers, and they are responding. Manufacturers of major avionics, entertainment systems, communication systems, and aircraft are all analyzing the risks, and upping the protections, securities and preventions.

We might not see them in our aircraft, but they are there, and until aircraft become completely secure we still have that last trick up our sleeve – the one where we just **turn it off** and get back to basics and fly it ourselves.

So ‘Cabin Pressure’ might just be collection of movie cliches surrounding a troubled plane that no-one takes seriously, but the threat of cyber terrorism in aviation is one that everyone else is taking very seriously indeed, and for good reason.

MAYDAY, MEDICAL: In-flight Emergencies

Chris Shieff
14 April, 2021



Fly the line long enough and chances are you'll experience an **in-flight medical emergency**. They are relatively common, but also inherently challenging – they happen in a complex environment, in a confined

space and with limited medical equipment often hours from help.

Just how common?

In approximately 1 per 600 flights. Or if you look at it another way, for every million passengers carried, 24 will have a medical emergency.

That may not seem like a lot but wait til you crunch the numbers. At pre-Covid levels four billion passengers were flying annually which meant at least **260 in-flight medical emergencies** were happening *each and every day*. Other reports suggest the real numbers were much higher.

So it is a risk that we take on every time we launch upwards into the wild blue yonder and yet concerningly one we practice for **far less often** than almost all other inflight emergencies. It is well worth taking a closer look.

Why do people get so sick at altitude?

One of the most common thoughts we have following an in-flight medical emergency is “*but he was totally fine when he boarded...*”

The reality is the pressurized cabin of an airplane is a **terrible environment** for someone experiencing a medical situation.

Passengers with existing conditions are probably not aware of the environment they are entering and the effect that it may have on them. They may feel fit to fly on the ground, but in the sky it can be a whole other ball game.

In most cases we are breathing **oxygen equivalent to an elevation of between 5000 and 8000 feet**. It's not dangerous, but even healthy people will be mildly hypoxic with oxygen levels almost ten percent lower than normal. At sea level with similar blood oxygen levels an ER would have you on oxygen. Throw in a heart or lung condition and you have a **dangerous combination**.

Then there's the issue of **sitting down for hours on end** which can inhibit the flow of blood in your veins. This can trigger some truly nasty things such as **thrombosis** (blood clots) and **embolisms** which can lead to seizures, strokes and heart attacks.

Then there's the **cabin air** itself. Re-circulated air can expose passengers to allergens and potentially anaphylaxis – a life threatening allergic reaction. Ever wonder why peanuts in planes aren't that common anymore? Even something as simple as dehydration can make a passenger become seriously unwell.

So which ones are the most common?

Almost half of in-flight medical emergencies are caused by **neurological conditions**, and the vast majority of those are **headaches, fainting or dizziness**. In most cases they are not serious but may indicate or lead to something far more dangerous.

In second place are **gastric symptoms** – yep, stomach problems. Beware the dodgy airport taco. Nausea, vomiting and cramping. No one enjoys ‘riding the porcelain express,’ especially in an airplane, but acute food poisoning can become incapacitating very quickly – and the same applies to crew as well as passengers.

And tied for third are **respiratory issues** (problems breathing) and **cardiovascular symptoms** (heart related things).

Which symptoms do we need to be most worried about?

Human bodies are complex machines but these are historically the **biggest warning signs**:

- Unconsciousness with slow or no recovery.
- Chest Pain.
- Seizures.

So how do we best manage in-flight medical emergencies?

Prevention is your first line of defence. Don't board a passenger you have concerns about unless you are completely confident they are fit to fly. This may include speaking to a service like Medlink or asking for medical clearance from a doctor. They may be feeling okay now, but not so much after wheels-up.

Have a plan.

Just like you have a checklist for a mechanical issue in the air, you should have a **standard operating procedure** for inflight medicals.

Serious health problems often begin with very mild symptoms. Be alert for any medical issues, however minor. A report from the cabin that someone is feeling unwell is your cue to become **diversion minded**. Start thinking about what is around you, what the weather is doing, and of course those pesky Notams. But the point is: work hard now so if things escalate you are already ahead of the airplane.

Stay calm.

Things are going to get busy but don't forget that your primary responsibility is to **protect your airplane**. Remember to fly. If you are multi-crew, make sure one pilot is **actively monitoring** and has the radios at all times.

Communicate.

This is vitally important. If you plan to use a service like Medlink the first thing they will need is **information – and lots of it**. Establish communication with the cabin and get that pen and paper out. There are also forms available online to help. Don't wait until you have the doctor on the line.

Ask for help. You'd be surprised how often you carry passengers with **medical experience**. In the US they are protected from any liability by the Good Samaritan Law, while in most other countries they have their own provisions which will allow them to assist. Unless they are grossly negligent they simply cannot get in trouble for helping.

Use a **medical advisory service**. They are invaluable and put you in direct contact with a team of physicians who are trained in ER medicine and **airline protocols**. They are multi-lingual and available around the clock. They will work with your cabin crew with confident instructions including the use of a physician's kit. Medlink is a solid example and widely used by carriers around the world. You can contact them via SATPHONE, HF/VHF radio or even ACARS.

Don't forget **ATC**. Don't be afraid to declare an emergency, or a PAN. They will assist you with priority handling, an ambulance and paramedics on arrival and can even contact your company for you.

Remember security.

It is easy to be **distracted** during a medical event. Your cabin crew will likely be busy, and you may have

to open the flight deck door multiple times. Be aware that medical episodes have previously been used to create a distraction for someone else to try and **gain access to the flight deck**. Or you may be carrying someone who simply seizes the opportunity. Stick strictly to your security and access procedures.

Decide. The hard part.

The decision to divert is a **complicated** one and unfortunately no two situations are the same. But there are a few operational considerations you need to take into account before you hit the old direct-to button.

It's important to remember medical advice from a service like Medlink is a *decision making tool*. **They cannot make the decision to divert for you** – that responsibility sits firmly in the hands of the pilot-in-command.

They can advise you to divert, but remember, they are not aviators. They may not be familiar with the **operational risks** to you and your passengers of nearby diversion airports. Beware of inherent risks of where you decide to point the nose.

By no means an exhaustive list, but here are some of things you might need to consider above and beyond the emergency on hand:

- Are we over weight? Do we need to dump fuel?
- What's the current weather? Can we even get in?
- What about terrain? We're not familiar, are there special procedures?
- Is ATC on watch?
- What about the NOTAMs? Is the runway open?
- Is the runway long enough?
- Is there customs there?
- What do we do when we land? Are there services available?
- Can we gas up there?
- What about the security situation?

You get the picture.

Then there is the standard of *medical care*. You may give a sick passenger better odds by diverting further afield to land somewhere with better medical response. **The closest airport is not always the best one.**

And of course **cost** – the elephant in the room. Some symptoms are clearly life threatening and that must always come before cost. But in other cases it is not always so clear. Professional medical advice does not always take into account the sometimes extreme cost of diverting. For a jet aircraft this can range from \$20,000 USD up to \$700,000 USD for a large one in logistical costs.

What about illnesses that are contagious?

Now, more than ever before, we are aware of germs. A passenger may suffer a medical emergency because they are carrying something **contagious**. It is very important that if you suspect a passenger might be infectious that you report it to the right people.

In fact ICAO requires it. If you delve into the depths of **ICAO Doc 4444** you'll find that the pilot-in-

command must report to ATC if they suspect they have an infectious passenger on board.

How would you know? ICAO can help with that too. If you have passenger with a **temperature greater than 38°C/100°F** along with symptoms such as vomiting, coughing, problems breathing, rashes or confusion you can suspect they're carrying something nasty.

The exact procedures vary from AIP to AIP, but in the US the FAA require pilots to advise either ATC or your company. You can read more about that [here](#).

The problem's not going away.

Unless you have discovered the ultimate cure for all things medical, in-flight medical emergencies **aren't going away**. It is a risk we take every time we take passengers or ourselves into the air. It is up to us to mitigate through knowledge, procedures and preparedness. Chances are when one happens, you won't be expecting it...

What's the delay in the USA?

OPSGROUP Team

14 April, 2021

Fresno	6:59pm	1158	F5	On time
Ft Lauderdale	11:28am	9444	F1	On time
Honolulu	2:56pm	9177	F22	On time
Houston IAH	12:03pm	1998	F2	On time
Houston IAH	12:41pm	1561	E13	On time
Houston IAH	2:30pm	9213	E10	On time
Houston IAH	4:56pm	9207	E6	On time
Houston IAH	7:04pm	9211	E2	On time
La Guardia	11:00am	7295	F11	On time

Newark	11:48am	497	F13	On time
Newark	1:31pm	1991	F11	On time
Newark	2:21pm	840	F12	On time
Newark	3:21pm	2080	F14	On time
Newark	5:21pm	1978	F21	On time
Newark	6:10pm	6798	F11	On time
Newark	7:30pm	8911	F12	On time
Omaha	6:38pm	5298	F9	On time
Ontario	1:42pm	5228	F15L	On time

Redmond	12:08pm		5537	E1	11:50am
Redmond	3:21pm		5265	F15M	On time
Reno	11:05am		4145	F3A	On time
Reno	1:30pm		4508	F15M	On time
Sacramento	11:18am		9675	F8	10:43am
Sacramento	12:22pm		9221	F9	On time
Sacramento	4:49pm		4531	F15N	On time
Salt Lake City	1:01pm		4510	F7	2:56pm
Salt Lake City	3:42pm		9622	E3	On time

Departures				10:13am
Destination	Time	Flight	Gate	Status
Dallas Ft. Worth	10:42am	1042	5156	F21
Dallas Ft. Worth	1:15pm	1415	9081	F8
Denver	9:09am	9009	5070	E11
Denver	10:50am	1050	5252	E11
Denver	12:55pm	1255	5438	F11
Denver	2:19pm	2119	9056	F16
Denver	4:06pm	406	6350	E13
Detroit	10:40am	1040	2363	E4
Edmonton	12:00pm	1200	8744	G3
Eugene	11:52am	1152	5530	F8
Eugene	4:57pm	457	9399	F3A
Eureka	4:10pm	410	9319	F15L
Everett	11:01am	1101	5871	F7

Departures					
Destination	Time	Flight	Gate	Status	
Kahului Maui	3:22pm	9204	E7	On time	
Kansas City	4:24pm	5656	F5	On time	
Las Vegas	10:53am			On time	
Las Vegas	1:04pm			On time	
Las Vegas					
London LHR					
Los Angeles					
Los Angeles					
Los Angeles					
Los Angeles					
Los Angeles	1:				
Los Angeles	2:00				

Departures				10:13am	
Destination	Time	Flight	Gate	Status	
Ontario	1:00pm	4546	F15M	On time	
Orange County	10:55am	4518	E8	On time	
Orange County	12:53pm	809	E4	On time	
Orange County	4:49pm	4561	F7	On time	
Orlando	1:00pm	292	F3	On time	
Osaka-Kansai	11:15am	AirAsia	7071	G8	On time
Palm Springs	11:50am	4278	E7	On time	
Papeete Tahiti	2:00pm	115	G8	On time	
Paris De Gaulle	2:26pm	8665	G10	On time	
Philadelphia	10:50am	223	E11	On time	
Phoenix	10:51am	1548	E12	On time	
Phoenix	1:30pm	7333	E5	On time	
Pittsburgh	10:40am	9391	F1	On time	

We took a look at the stats the FAA publish about on-time performance to find out what the most common causes of delays are, which airports are worst affected, and what we can do to manage it.

On your marks...

First up, what counts as a delay? Your airline or operator might be a bit stricter on this, but the FAA consider a flight delayed if it arrives more than **15 minutes late**. Which is probably what your passengers really care about as well.

The FAA gather their info from a bunch of carriers, and break it all down into five basic categories of delay:

- **Air Carrier:** This is something under the airline's control like crewing, maintenance type issues. So that time you wanted a Starbucks coffee and the queue was really long and you held the flight up.
- **Extreme Weather:** We are talking the big, bad stuff like hurricanes, blizzards, tornadoes... the things that shut airports for hours.
- **National Aviation System:** This is pretty broad and covers ATC, airport ops, high traffic volume sorts of situations. They also throw general weather into this (the stuff that airplanes and ATC should be able to deal with).
- **Late-arriving aircraft:** A knock on effect from a previous flight delay.
- **Security:** Broken X-ray machines, long queues because of that passenger who thought he could sneak a tiger on in his hand luggage type scenarios.

Pick a month

Here come the statistics...

In January 2021, **89.16% of flights were on time** – which ain't bad, but ain't great. So, of the remaining 10.84%, what were the reasons for the delay?

Air Carrier Delays are the big offender, checking in at **3.63%**. The airlines only have themselves to blame...

Although, **NAS** came in a close second with **3.6%**.

Then there was the knock-on effect of **one late flight making the next flight late**. This accounted for **1.94%** of delays, with 1.17% because of previous cancellations and diversions.

Extreme weather came in at just **0.46%**, while **security delays** only resulted in **0.04%** (probably because those passengers were just left behind).

Weathering the delays

Weather only accounts for 4% of delays, which might seem low, but remember we are talking 'extreme weather'. Non-extreme weather should be manageable which is why "normal weather" causing delays falls under NAS.

If we dig a bit deeper and take a snapshot look at a random month (we picked May 2019 because everything was fairly normal back then), then weather was the reason for **65.62% of NAS delays**. That is a whopping 27,864 delayed flights or 1,822,469 minutes.

Which airport is the worst?

Let's take a look at the airports to look out for.

KDFW/Dallas Fort Worth in Texas. A check of all the 29 major US airports in Jan 2021, and Dallas was the only one coming in with an on time performance **below 80%**.

10.48% of KDFW's delays were down to NAS. But let's not be too quick to tell off ATC yet. Just under **21% was due to high volumes of traffic**. Just under 31% was because of runway closures and a whopping **45% was** due to nasty weather (major winter storms).

The runners-up for worst delays were **KORD/Chicago** and **KFLL/Fort Lauderdale** which came in at

84.58% and 86.44% respectively. Fort Lauderdale's NAS accounted for just over 6% and 8% was because of traffic volume problems.

Stop boring me with statistics

OK, that is enough facts and figures. What are we really talking here? Well, the two biggies are the **Air Carrier delays** and **delays from NAS** (most of which seem to boil down to weather).

Bad weather means a backlog of traffic, often a lot of detour requests to manage, or diversions to support and this means a **much higher workload** for our ATC colleagues to try and deal with. Even when it is "just" rain, or a windy day, this leads to delays. We can't change the weather, but we can plan for it.

Delays are not just a cost and customer service issue - they are also a big fuel consideration...

So what can we do about them?

- **Check the forecasts.** Planning for those delays in advance is a good idea because chances are they are going to result in some long holds, and long holds need fuel. Don't just think about your destination weather - have a look at the alternates as well because when one airport shuts because of weather, others nearby probably will as well. If they don't, then they are going to fill up fairly fast with diverting traffic.
- **Check the peak times.** If you are not a scheduled carrier then try to plan your flights to head in at non-peak times to avoid high traffic volume delays.
- **En-route stuff.** If you are delayed out of somewhere then you can try and make that time up en-route. Speeding up might seem like a good plan, but in reality unless you're talking a mega long flight this probably isn't going to make a huge difference to your time (but probably will to your fuel burn). Asking for directs however, is a good way to chop the time down.
- **Check the schedule.** If you depart late then check your schedule time. With a decent tailwind you might find your flight time still brings you in early in which you don't want to go speeding up and then find yourself having to wait for a parking spot
- **Winter planning.** Winter (de-icing) is probably the biggest cause of delays out so get those calls in early if you need to de-ice and plan ahead.

On-time performance is great, but sometimes delays are just unavoidable. So while we can all "**think on time**" a bit more, thinking about safety (and not rushing) is still the best mentality any pilot can have.

Re-inventing the Overnight: Layover Lowdowns

OPSGROUP Team
14 April, 2021



Aviation is awesome.

- **It connects** – countries, cultures, people and ideas.
- **It helps** – allowing aid to reach people during natural disasters not to mention humanitarian, medical, peacekeeping and firefighting flights to name a few.
- **It is dynamic** – the progress in aviation is exciting. New developments, technologies and pioneering ideas.

But it's easy to forget one other – **it is supposed to be fun**. Aviation leads to adventure, travel and discovery. In 2020 it seems the industry lost its way.

Here at OPSGROUP our mission is to make aviation more human-friendly – not just by trying to fix Notams and sharing safety critical information, but in other ways too.

So we want to try something new.

We don't really know what it will become yet, so we thought we'd dive right on in anyway.

It is a new way to build the OPSGROUP community that we know so many of you enjoy, while also connecting other members together. It's about bringing the fun and adventure back to your day job.

Introducing Layover Lowdowns

Chances are you've spent much of the last year alone in hotel rooms with people hassling you to put a stick up your nose. The good news is that vaccines are here and we are beginning to see crew once again being allowed to roam free in the wild.

Layover Lowdowns is our new Instagram-based adventure – a place for insider reviews of the best things to do on layovers that you won't find in any brochure. Think delicious food, epic drink spots and new experiences that are off the 'beaten trail.'



Whether you are a seasoned crew member who has seen and done it all, a corporate pilot who doesn't visit the same place often and needs help finding the decent spots, or are just tired of hanging out with the same crew every flight we hope that this will help!

We know that sometimes layovers are rubbish. Lonely things that take you away from you home, family, friends, which take hours and hours to get to... so we hope these will help you find some little spark of excitement about having to do *that* flight for the fifth time this month.

Hop onto **@layoverlowdowns** and start looking at our first secret spots - 100% endorsed and tested by our awesome community of OPSGROUP-ers. See some photos and flick through a a wonderfully simple description of what makes them great. Then with a single click, you'll get directions on how to find them.

If you like what you see, follow our page and **help other members by sharing** your own favorite spots and secret finds in the comment sections or via direct message. **Let us know what to include** and what you like about them and we'll do our best to feature as many as we can.

Feel free to talk to each other - you may even find yourself in the same place at the same time! All the more reason to meet up and help build the community even more.

Go on - have an adventure!

Is it time to lose a bit of weight?

OPSGROUP Team
14 April, 2021



Don't worry, we are talking about your airplane, not you. Looking at whether you can **reduce your aircraft weight** is a good idea though because less pounds = less £/\$/€ spent on fuel.

But how can you go about reducing your aircraft weight? Well, here are a few quick 'n' easy methods to consider, because whether the motivation to reduce your burn is down to the environment, or down to money, we reckon both are good reasons.

Bath time

First up, give your airplane a good scrub. Operators are focused on Cabin Covid Cleaning, but there is more to be saved if you really clean out the muck from all the nooks and crannies. We rarely think about the accumulation of dirt onboard in terms of weight build up, but it can be significant.

- **The Outside:** Your aircraft is designed to be clean and shiny so it can glide through the air with ease. Anything stuck to the airframe is going to disrupt airflow and increase drag which in turn increases your fuel burn. A study by Airbus suggested a clean airplane could save between 0.5 to 2% on fuel;
- **The Inside:** Seat pockets and headrests are filthy, but we aren't here to talk about what is festering inside your furnishings, but rather to think about the added weight. Given a mattress apparently gains a good 5lbs in dirt and dust through its general lifetime, just think how much those seats filled with dropped food and all the other people debris might mean in added mass;
- **The Cargo Bays:** Giving your cargo bay a bit of an enema is also going to help reduce weight. The build up of dirt, ripped off luggage tags and probably a few mouse droppings is literally not worth its weight in fuel.

The Rain in Planes

(I stole that title from this article, but it is a great one).

Condensation is a problem in aircraft. A 747 can find an **extra 700kg added onto its weight** through liquid alone. That is the equivalent of seven non fare-paying passengers every flight, using your fuel without paying a penny in compensation.

With the level of Covid cleaning and spraying of surfaces going on, the additional liquid content swamping up your airplane interior is going to be higher. Reducing this is not easy - much of it comes down to aircraft design and maintenance. However, there are options such as Sweden-based CTT Systems and their 'Zonal Drying' technology which feeds cabin air through a rotor filled with a desiccant of silica gel.

Boeing make some of their own recommendations too, so it is worth considering ways to reduce condensation and other unwanted fluid build-up because it not only helps reduce weight, but is good for general airframe lifespan too.

Go paperless

In 2018, United Airlines started using thinner paper for their in-flight magazines, reducing their weight by **1oz per copy**. That might sound like not a lot at all, but if you think of how many magazines are onboard each flight then that's a fair few ounces - and ounces mean fuel. Turns out it saved them around **\$15 of fuel per flight**, which worked out at about 170,000 gallons of fuel over the year.

Now, you aren't going to see savings like that unless you have a large fleet, but even 1% of that saving will add up over time.

And the paper savings don't stop there - paperless cockpits can mean a big weight saving. Swapping from old school charts to a nice lightweight tablet, and digital flight plans instead of reams of Notam-riddled paper printouts can **drop about 40lbs from your load**.

It's also so much better for the poor pilot's back.

Water it down

The potable water tank is often overlooked as a potential saving spot. An A320 tank has around about 200 liters capacity but the amount you carry can be reduced based on the number of passengers.

Repaint

Paint weighs a lot. The coating and painting on an A380 weighs between 650kg and 1000kg. Ok, so your smaller jet won't need quite that much, but there can still be a fairly hefty reduction for you if you **opt to use lightweight paint**.

Modern paint technology can also mean a lower drag profile, while using new component coating technology can save 30 to 70% of the weight on 3-4m components.

Update your interior

You probably can't rebuild the outside of your airplane with a nice lightweight composite, but you can take a look at what you've got inside.

There are pretty strict regulations on aircraft trolley design. Who knew. But designers have managed to bring the weight down while still ticking the regulatory check boxes and nowadays an **ultra lightweight trolley can weigh as little as 15kgs**.

A decade or so ago regulators raised safety standards. Excellent. But this also meant a requirement for safer seats which suddenly added around 5 tonnes to the average weight of an aircraft. Well, seat design has also moved on since then and slim line, composite seats are available, potentially reducing their weight by up to 25%.

Thomas Cook (sadly no longer flying) reckoned they **averaged at 300kg savings per flight by using lighter seats**.

Seats, air conditioning systems, carpets, oxygen bottles... there are a lot of new technologies out there and while a full retrofit can be a pricey process, if the savings outweigh the costs then it might be time to take a look at where you can update your cabin.

Passenger weight

Although some airlines have adopted this measure, **we don't suggest charging passengers based on their weight** – it doesn't make them very happy. That said, using actual weight versus standard ones can be beneficial (it might also be necessary if your aircraft relies on accurate data for its weight and balance).

Check out this EASA report into standard passengers weights and how actual passengers compared.

Cut the fuel directly

We definitely don't mean reducing flight plan fuel and carrying the bare minimum on every operation, but there are ways to help reduce your flight plan fuel requirements over time.

Let's take a step back though and look at our contingency fuel. If you are using **statcon fuel** then you are taking a statistical amount based on analysis of previous flights. So we can reduce this by reducing the fuel burn on "previous" flights.

Flying economically means more than just best altitude or airspeed. It also means more direct routings, using free route airspace better and achieving constant descent approaches.

Using a robust fuel planning system that takes into account all factors will also help produce a planned fuel that is efficient and accurate.

Whack on some winglets

Winglets improve fuel burn. Improved fuel burn means you don't have to carry as much in the first place.

Do the math

Carrying an extra squirt of fuel is going to burn more fuel. You can easily go down a rabbit hole here of saying "I need an extra tonne, but that means an extra 250kg burned, so I'll take 1,250kg, but that will burn another..."

The logic here is actually fairly simple though. If you need a tonne at destination, then take the fuel needed to carry it so when you get destination, that 1000kg is still there ready for use. If you think you might need "a bit extra" for the journey then you don't need to carry more to carry this because you are carrying it to burn en-route anyway.

The Hidden Savings

Of course all these measures have to be balanced – the cost of fuel savings versus the cost of implementing the changes. But don't forget – there are hidden savings too. Lighter aircraft mean less wear and tear on their poor old undercarriages.

So, **putting your aircraft on a diet** can mean **a lot of savings** down the line.

UK: No more LPV approaches after June

OPSGROUP Team

14 April, 2021



On June 25 the UK's current EGNOS working agreement comes to an end, and they are not renewing it. This means their access to EGNOS will stop – which means **LPV approaches at UK airports will no longer be possible**.

So let's talk LPVs. What exactly are they? What on earth is EGNOS? And what has Brexit got to do with all of this?

What is an LPV approach?

If you read this and are thinking “That isn’t something I’ve ever flown” then you can probably stop reading (unless you’re interested in a bit of aviation geekery), because this probably won’t have much of an impact on you. If you do fly these, and fly them in the UK, then read on.

LPV means **localizer performance with vertical guidance**. It is a GPS based approach sort of like LNAV/VNAV but also, confusingly, sort of like an ILS.

More confused? Us to. Let's dig deeper.

An LPV has vertical guidance but is not a precision approach (which your standard ILS of course is). Instead, it is classified as an ‘approach with vertical guidance’, or APV for short.

So an LPV is an APV? Yes, and the point of this distinction is that it’s a lot cheaper, quicker and easier to implement than an ILS because there is a lot less paperwork involved, but it still offers “nearly” the same precision as an ILS – meaning you get down low if you need to.

You might also see the term SBAS used in the same breath. SBAS stands for **satellite-based augmentation system**, and is a generic term for the use of geostationary satellites which broadcast augmenting information.

That's the basics, but how does it actually work?

They provide lateral and guidance down to a DA, just like an ILS. And just like an ILS, they get more sensitive the closer to the runway you get, which is what allows you to operate down to lower minimas than, say, your **less sensitive LNAV option**.

There are a few things you also need to know – first up, **you need a special receiver** on your plane for it (which is probably why a lot of folk are scratching their chins and wondering what on earth as LPV is).

Secondly, if you're planning on using an airport without an ILS or some sort of ground based navaid as your alternate, then the FAA wants you to plan on LNAV minimas.

Why do we like them?

Well, because they get us nice and low so we can see the runway in not so nice weather.

They also use GPS, so the equipment you need is on your plane. An ILS needs a whole bunch of ground and plane equipment meaning there is a lot more that can fail on us. **RNP and SBAS approaches are the future.**

Okay, so what is EGNOS?

Not to be confused with the delicious Christmassy drink, EGNOS stands for 'European Geostationary Navigation Overlay Service'. It is basically a bunch of European satellites, (actually just 3 out of the Galileo GNSS system, and a network of 30 referencing stations), that improves positioning measurements and gives much better accuracy than GPS alone.

In fact, it has **95% accuracy**, which translates into the locating of a position to 1-3 meters horizontal accuracy, and between 2-4 meters vertical accuracy.

So EGNOS is what gives LPVs their precision.

Brexit...

Yep, we're pretty bored of it now too. Brexit means the leaving of the UK from the EU. Not to be confused with Europe the continent – the UK is still part of that. But leave the EU it has, which means leaving all EU related programs including EGNOS (even though the UK's NATS was one of the founders of EGNOS...)

Anyway, the EGNOS working agreements are not going to be renewed, so as of **25 June 2021, the UK will not longer participate in the EGNOS program** and their LPV approaches will no longer have the accuracy assurance that EGNOS provided.

How many airports are affected?

The UK has 125 licensed aerodromes and out of these 69 have at least one instrument approach (surprisingly low given how miserable the weather often is in the UK.)

Anyway, **ILS is still the most popular in the UK** with 81 runways having an ILS approach available on them. **Only 45 runways use LPVs** and 20 of those have an ILS as well anyway, but that does leave a few airports where the other option is your old school, much higher minima non-precision approach.

Like poor old **EGPL/Benbecula** for example, which only has a VOR. A very old VOR which they are really hoping to retire. Or **EGHE/St Mary's** which has a timed NDB...

The first LPV approach in the UK only went operational in 2014 at EGTE/Exeter airport, with Flyer magazine saying the country no longer needed to "hang its head in shame" because they had finally caught up with

the rest of the modern aviation world...

The Impact

It isn't huge - most airports have alternative approaches. However, there are a few points to think about:

- Where there is an ILS, the minima will be the same, but the redundancy for approaches is now reduced.
- Where this is only an LNAV, or non-precision approach, the minima will be higher so watch out for that poor weather.

The official word on it all

Here are the official FAQs on the UK leaving the EGNOS program.

The FAQs have the following statement in them -

If EGNOS or an alternative SBAS SoL service becomes available before 31st December 2021, the LPV may be notified subject to the following:

- An impact assessment to confirm nothing has changed since the time of approval before implementation.
- IFPs shall be safeguarded against the latest obstacle data to ensure the procedures are obstacle clear.

Alas, unless the UK renegotiate the EGNOS Working Agreements (EWAs), or are able to find a replacement solution, then from **25 June 2021 the LPV approaches in the UK will stop.**

Up for some further reading?

- **AOPA UK** put out a great article explaining LPVs which you can find [here](#).
- To find out which space programs the UK is still involved in, you can find the government website on it [here](#).
- The **UK CAA Skywise site** promises to keep you up to date with all this UK aviation (although are yet to update their info on LPVs).
- **The FAA** probably explain all this better with their info on Wide Area Augmentation System (WAAS).

Bad Air: Fumes and Contamination

Chris Shieff
14 April, 2021



Fumes. Chances are if you've been flying for a while you've already experienced them. A recent study showed that in the US alone there are on average five fume events reported every day, and those are just the ones we know about. NASA previously eluded that these reports are just the 'tip of the iceberg.'

It's an industry-wide issue and there's no magic bullet in sight to fix it. As long as we continue operating aircraft that use bleed air, the risk will persist and we need to take it seriously.

Each time we hop in an airplane we run the risk of being exposed to bad air – a threat that has potential to incapacitate both pilots. It's happened before – just google Spirit Airlines Flight 708.

What do we actually mean by 'fumes'?

It's important to understand they are not the same thing as a smell. **Smells** can be unpleasant but are not necessarily a cause for concern. Your first officer may be to blame, or perhaps a dirty oven. They can also indicate a fume, but aren't necessarily dangerous on their own.

Fumes on the other hand – are dangerous. In a nutshell, they are anything that produce physiological symptoms when inhaled. Fumes can be colourless, odourless and difficult to detect until they are already affecting you.

What about the regs?

So if it's that bigger deal, **why aren't we testing the air?** Both FAA and EASA airworthiness rules require cabin air to be free from harmful or hazardous gases and vapours but fall short of ongoing testing.

Detection systems are also required for safety critical systems but they have never been enforced for monitoring bleed air. Which is surprising considering it is what we breathe. Both IFALPA and ICAO have previously expressed concern at the lack of regulation out there to protect us and our passengers from contaminated air.

The reality is that **most airplanes don't have air detection - nor are they required to.** Essentially it has become an acceptable risk that we need to deal with.

So, what can we do about it?

Knowledge is key. The more we know about fumes, where they come from and what to do in the air, the

better we can deal with them safely.

Where are they coming from?

(Almost) all turbine aircraft in service use heated air drawn or 'bleed' from the engines or the APU for air conditioning and pressurisation. This air is taken through ports before being cooled and mixed with recirculated air and distributed into the cabin and cockpit.

We rely on seals to keep the air clean of a load of nasty chemicals that turbine engines need to operate properly. Unfortunately when those seals leak or fail they allow toxic substances to enter the air we breathe.

What kind of substances?

Modern aircraft are complex, and we can be exposed to a surprising variety of chemicals – none of which do our bodies any favors.

Here are some of the major ones:

Synthetic engine oil. The number one culprit. Engines need it for lubrication and to keep bearings spinning smoothly. While accessories such as starter generators and accessory gear boxes rely on it. The problem is that it contains organophosphates – manmade chemicals that are toxic when inhaled. Oil contamination is often described as smelling like dirty socks, mustiness or 'wet dog.'

Hydraulic fluid. Leaks and spills on the fuselage can be drawn into the APU inlet along with air intended for the cabin. They also contain organophosphates and are often characterised by a very acrid, bitter and oily smell.

De-icing and anti-icing fluid. Be careful of this one. There are usually some pretty specific procedures to follow. If they're not done properly fumes can enter the aircraft through a running engine or APU intake. These fluids often contain chemicals that are dangerous to humans such as Diethylene Glycol.

Fuel. Fuelling operations at the airport, tank venting and failed relights can all allow fumes to enter the cabin. Excessive build ups will start to make people feel very unwell very quickly. Ventilation is your friend here.

Electrics. Electrical fumes can be caused by failed or faulty electrical systems and may precede a fire. Recirculation fans are also known to fail and produce smoke in the cabin.

Speaking of which, **don't forget the cabin!** There are lots of things in there capable of producing fumes including what passengers have brought on (nail polish remover is a classic), cleaning products, galley equipment (dirty ovens, anyone?) and the lavatories.

Know the signs...

How badly fumes affect you depends on what you have been exposed to and how much of it was in the air. Generally speaking, most "fume events" result in some of the following:

Here's the **good news**. In the overwhelming majority of cases, bad symptoms will last a few hours or perhaps a few days. Long term effects are possible but rare. The initial actions should be about protecting yourself and those in your aircraft.

So if you think you have fumes, what should you do?

Get on Oxygen. And 100% too. Don't dilute it as you'll still be breathing in what you're trying to keep out.

Communicate. Get in contact with your cabin crew. At this stage you need to figure out what it is. Your two biggest clues will be where is it coming from, and it's odour. Also talk to ATC - let them know you have an issue.

Run your safety procedures. Get that QRH out and look for a fumes removal checklist. Be careful if your checklist is combined with smoke removal. In some cases you will increase pack flow. But if that's where the problem is coming from, it may make things worse.

Think about health. You may have incapacitated crew or passengers. If it's a pilot, you likely have a procedure for that too. Consider getting help from a service such as MedLink. If things have gotten really bad, you may need to declare an emergency and divert.

You're back on the ground and breathing that good ol' fresh air again. Here's what you need to do.

De-brief your crew. Find out whether anyone felt unwell or couldn't perform their duties properly. If so they should stop operating right away until they have seen a doctor.

Report it! As much as you can, no matter how minor. Most operations have a form which will help you. Try and include as much detail as you can as trying to find a 'bad smell in cabin' is like trying to find a needle in a hay stack. Don't forget the tech-log too - help the engineers help you.

Consider **visiting your doctor**, particularly if you have persistent symptoms.

What can the industry do to stop this happening?

The ultimate solution is **bleed free design**. And the future is now - check out the Boeing 787. It's the poster boy/girl of this huge leap forward. But for most of us out there, we're stuck with it.

Filtration. They're not 100% effective but bleed air filters are a far cry from simple recirculation filters which are about as useful for fumes as a glass hammer.

Better chemicals. Okay, this one is out of our hands, but the industry should be prioritising this.

Detection and monitoring. The smoking gun. We are literally surrounded by chemicals that are bad for us in our tin cans up there. More needs to be done to make sure the air we are breathing is *good* air. We need to be able to know when something bad is in the air we breathe. It's a no-brainer.

The elephant in the room. Which airplanes are the worst?

The moment you've all been waiting for. Don't shoot the messenger. But statistics show that the **BAe 146** and **Boeing 757** appear to be the worst culprits. But the reality is if you are flying any airplane, you are at risk of fumes.

What about Aero-toxicity?

The question of long term effects from exposure to chemicals in planes is beyond the scope of this article and the research is inconclusive. But if you're worried about it, the Aerotoxic Association is a good place to start.

There's a ton of reading out there too if you want it. Here are a few good ones.

- ICAO Circular 344 - Learning, training and reporting fume events.
- IFALPA Human Performance Briefing - IFAPLA's guidance of fumes.

- What the FAA have to say about it.
- Some good stuff from the friendly folk 'down under'.

UK to make permit applications tougher for EU operators

David Mumford

14 April, 2021



From April 2021 onwards, most European operators wanting to do commercial flights to the UK will have to apply for landing permits on a **trip by trip basis**.

After Brexit finally happened back in January, the UK government continued to issue **Block Permits** to EU operators – essentially just permits which last several months and cover any number of flights. These get renewed after three months, conditional on each EU country giving **the same deal to UK operators**.

Here we are, three months later, and with a number of EU countries still not providing these reciprocal deals, the UK government has finally got fed up!

So from April onwards the UK will **only issue Block Permits to operators registered in countries which provide reciprocal deals to UK operators**. According to the EBAA, so far these reciprocal deals have been agreed with **Italy** and **France** – more countries may follow, but the UK CAA say it's not looking likely at this late stage in the game.

Important to note: it is operators who are **registered** in these countries (i.e. France and Italy) who can still get Block Permits, not operators **flying to the UK** from these countries. The EBAA explains it like this:

"For example a flight from Munich to London, the UK CAA would allow for it to be operated by a French operator with a UK Block Permit, under a reciprocal understanding between the UK and France that an equivalent system is in place for UK airlines. In parallel, a German operator would have to apply for a

permit for each individual flight on the same route if no reciprocal understanding on a similar approval for UK airlines had not been reached with the German authorities."

EBAA is advising all affected EU operators to contact their respective aviation authorities to raise awareness on what the withdrawal of the UK Block Permit scheme would mean for them.

How to get a UK landing permit

So, all non-UK operators wanting to do **commercial flights** to the UK need to get a Foreign Carrier Permit beforehand. That's your landing permit. If you're applying for a **Block Permit**, you use form CPG3201. If you're applying on a **trip by trip basis**, you use form CPG3200.

If you're operating a **private flight**, or just **overflying** the country - **no permit is required** (unless you're doing some kind of delivery or maintenance flight with non-standard airworthiness).

For more info on Brexit's impact on ops, check out our article from Jan 2021 here. There have been a few semi-important-to-know-about changes, but ultimately, **the big ticket items are all still the same**, and life goes on much the same as it did before - you still need a permit to do a commercial flight, the UK is still part of Eurocontrol, slots are still needed for busy airports, and nav charges are still expensive.

Rolling the dice with de-ice

OPSGROUP Team
14 April, 2021



Snow might look lovely on a Christmas card, but on the wing of an airplane (especially if it is the wing of the airplane you're about to go fly in, and *especially if it is 3am and you've got a long flight ahead of you*) then I think we can all agree it is less 'pretty winter frosting' and more 'horrid winter frustration'.

Snow, ice, sleet, hail - basically anything made out of really, really cold water means one thing - **delays!**

Sorry, I meant to write **de-icing** there.

Feeling frosty

There are a few reasons why folk feel frosty about de-icing. **First, it is a bit annoying - it does often mean delays.** It also means extra things to think about, work out, and worry over. De-icing is an extra, and often slippery step, in an otherwise nicely structured turn-around.

Secondly, it is pricey. De-icing and anti-icing fluids are expensive stuff. For a small private jet you are probably looking at about \$1200 , and more like \$15000 for a large airliner. The call out fee alone is generally a few hundred bucks, and although we all have safety as a priority, most of us have called the de-icing rig out only to watch them spray copious amount of fluid all over the place while we wonder whether that little patch of frost on the wing really wouldn't have melted off as we taxied out.

Lastly, and maybe not one everyone worries about, but anything with glycol in it creates high level of biochemical oxygen demand. What does that mean? Well, just that it is a bit bad for fish or anything that lives in water and likes to breath oxygen. **So it ain't the friendliest stuff for the environment.**

Let's be honest though, **point 2 (with a bit of 1 thrown in) are probably the main reasons** why we sometimes wait, fingers crossed, and fuel pumps a-swilling in the hope it just melts off before we go.

De-ice-iding to go

There is of course a big reason why we do need to de-ice. We are all fairly well aware of it - **safety!** Or more specifically - **performance!** Because a little bit of ice means a big bit of (lost) lift. (*Don't worry, not an icy accident movie, just a video of a poor de-icing decision*).

Let's re(snow)cap on it

Most airlines and operators apply something close to a “clean aircraft” policy, which means that all **critical surfaces should be clear** of contaminant.

Simple - see something on a bit of the airplane that's used for getting the airplane up in the air? **Get if off before you go.** This rules applies to bits like the wings, the horizontal stabilizer, and don't forget in the engines - ice shedding after a prolonged taxi in wintery weather is going to help shake off any chunks of ice clinging to them.

Back to those critical surfaces though - if you see a bit of frost (less than 3mm thick and so you can see the paint markings through it) underneath the wings? **That's ok.**

Look out for **clear ice** - not always very visible (being *clear* and all).

So, step 1 in the “Do I need to de-ice?” decision making process is pretty straightforward:

- Is there ice or contaminant anywhere on the airplane?
- Is it more than a little bit of frost on the underside of the wing?
- Is it more than really thin layer that won't melt once warmer fuel is added in, or with the airplane sat out in the sunshine?

If you answer 'Yes' to any of these than you probably need to de-ice. If you're not sure, get a second opinion from your co-pilot or engineer.

Snow idea if you need to anti-ice?

De-icing is the process of getting any contaminant off. Sometimes blowing hot air is enough, sometimes a Type I fluid is used to melt it off. This one-step process is fairly quick and unless there is a big old queue you probably won't delayed too much.

Anti-icing comes in when there is a chance ice and stuff will build up again. So if you send the FO out on the walk around and they return red nosed with icicles on their eyebrows then you probably need to anti-ice as well. Simple in theory: **de-icing takes it off, anti-icing stops more getting on.**

So what options do we have for this, aside from wrapping the airplane up in a giant woolly sock until it is time to take-off?

Well, you have **four types of de-icing/anti-icing fluid options** open to you. Not all airports will carry all options so if you think you need something specific, check with an agent before heading there. These four fluids are all typically made out of ethylene glycol or propylene glycol, with a bunch of thickening agents, wetting agents, corrosion inhibitors, colors and some UV-sensitive dye thrown in.

- **Type I** ain't gonna give you much of a holdover time, but its useful for clearing stuff off. If applied heated it does provide some anti-icing protection as well. It is usually orange. The good thing with this stuff is it is thin and shears off easily so there is no restriction on your rotation speed.
- **Type II** is clear or strayed colored and needs at least 100knots rotation speed. Its pretty common to see this being used either 100% or diluted to 75%, and as part of a two step process.
- **Type III** is less common. This yellowy green fluid as a much lower rotation speed requirement – just 60 knots – so its good for smaller, slower aircraft.
- **Type IV** is your good 'n' thick stuff, great for longer hold over times, less great for aircraft that rotate slower than 100 knots.

Our top tip: Let your passengers know you're going to de-ice. If they haven't seen it before, having dinosaur like rigs pull up to the airplane, or seeing the windows fog up with thick smoky smoggy fluid has been known to panic one or two..

HOT Stuff

Your HOT – 'Holdover Time' – is what we really worry about when we need to anti-ice. **There is no definite “this fluid will last this long” calculation.** Instead we have tables for checking how long you're probably ok for, depending on a few factors:

- What sort of fluid was used.
- Whether it was diluted.
- What is going on outside.

The table is going to give you two times – a minimum and a maximum, and **your best bet is to take the minimum one** and if you reach it, take a look at your critical surfaces and see what is going on with the fluid. Actually, a pre-departure contamination inspection is mandatory in most cases. If its look ok (really looks ok) then you're good to takeoff. Exceed that though and you're going to need to taxi back, clear it off and start over.

In nasty conditions, keeping an eye on the fluid and the hold over times is super important. There are actually **no published HOTs for anything more than light freezing rain**. Snow pellets and hail also get messy because these sticky morsels are strong and like to stick to anti-icing fluid, instead of getting melted by it.

If you are looking at rain or **light freezing rain on cold soaked wings** then your HOT could be as low as 9 minutes. If you have snow pellets or snow grains bouncing off the windows, and it is colder than about -14°C (so anywhere in Canada, Russia etc in the midst of winter), then these blighters are going to reduce your HOT to as little as 1 to 2 minutes (good luck getting anywhere in that time!)

Hitting the hold over time might suck, but there isn't much you can do about it except call the cabin for another, stronger coffee, and settle in for a long, cold flight.

Another top tip - *check those HOTs and if they are unrealistic then wait for the weather to clear, ask for remote de-icing, go for a different fluid dilution... whatever you do don't ignore it though and think it'll all be ok.*

Messing with your schedule

Back to Point 1... or was it 2? The one about **delays and messing up of your schedule**. Winter weather is going to mean delays. There are no two ways about it. The extra steps added into our pre-flight process also raises the risk of forgetting bits we need to do. So here is a handy checklist of items to remember to remember:

- **Flaps** - we usually leave these up for the de-icing process, and to avoid picking up any chunks of ice during the taxi. Don't forget to set them before you try to take-off.
- **Control checks** - often recommended that you do these after de-icing to make sure there are no sticky fluids gumming up your flight controls.
- **The gear** - if you are taxiing through slush and sludge then check that performance and if possible, leave the gear down just a little longer to let all the pieces drop off before retracting.

The future looks cold

So de-icing delays aren't going away anytime soon, but there are some interesting technologies out there being trialled.

Our favorite is this one - originally developed as a de-frosting method for cars, it could eventually be applied to aircraft too. It works off the principle that ice actually has an electric charge, so the idea is if you pass a big charged-up electrode over a frosty surface, it will remove it.

This isn't a totally new idea either, inflight de-icing technologies are also starting to look at using electromagnetic induction over traditional heating methods to prevent ice build up.

Until then, all we can do is **buy a big cup of coffee** from the airport, prepare for a long wait, and remember to **"keep it clean" (and safe)**.

Fancy reading a bit more?

- International Airport Review have an interesting Winter Operations talking about the airport side of de-icing that is worth a read if you want to know what goes on on the other side of the windows when you're getting de-iced.

- Canada and the US publish info each year on HOTs and de-icing guidance. You can find links to those here.
- OPSGROUP article: 5 Tips For Safer Winter Ops.
- OPSGROUP article: Fuel Facts: Let's get to the (freezing) point.

Blinded By The Light: Laser Strikes

Chris Shieff

14 April, 2021



The FAA recently reported that even after traffic levels fell off a Covid-induced cliff during 2020, the number of laser strike incidents actually increased year on year. There were nearly 7,000 of them last year in the US alone – **that's almost 20 a day**.

It's a dangerous and common problem which is proving difficult to control. The FAA take it so seriously they regard a laser strike as a bona fide **in-flight emergency**.

Here's why

In the majority of cases, laser strikes are intended as pranks or to cause nuisance. They tend to occur during **critical phases of flight** – approach, landing and take-off in other words, when you are **low, slow and busy**.

When struck by a laser, there are several things that can happen to the crew:

Startle factor and distraction. Right when you don't need it. You can picture the scenario – it's the last leg, it's late and you're tired. The picture outside is looking good, two reds, two whites, and you're in the groove... and suddenly a green light appears to the side of the runway that zaps your flight deck. Your scanning breaks down, your attention is divided. Very quickly your approach can become **unstable**.

Glare. Stronger lasers create a veil of light that obscures your ability to **see your instruments**. The colour green creates the worst glare.

Flash Blindness. This is potentially the most dangerous outcome of a laser strike. It is a **temporary loss of vision** after the laser has been turned off. An after image-remains on your retina, possibly for several minutes after exposure that obscures your ability to see. It is the same effect you experience after someone takes a photo of you using a flash.

Permanent Eye Damage. Fear not. Yes, it's possible, but very **unlikely**. The laser would have to remain in one spot on your retina stationary for several seconds. While it is unpleasant to stare down the beam of a laser, FAA studies have shown there have been almost no cases of flight crew with permanent eye damage from a laser strike.

So there's been reports of laser strikes in the area. What do we do next?

There are two camps here. How to avoid laser strikes in the first place (**mitigate**), and then what to do if you're hit by one (**react**).

Mitigate

Here's where a little background helps. We know that the vast majority of them occur between **7 and 11pm** at night, and they're far more common on **Friday and Saturday** nights. Public holidays such as New Years and July 4th are especially bad. Be sure to brief it as a risk.

Listen out for the phrase "UNAUTHORISED LASER ILLUMINATION EVENT." ATC have a set process to follow if they receive a report. It will be followed by where it happened and at what altitude. They'll broadcast it **every five minutes** for **twenty minutes** after the latest report. The same warning will also be put on the ATIS for an hour.

The FAA recommends that if you hear laser reports from ATC or other aircraft within the preceding 20 minutes you should avoid the area by requesting a re-route or alternate approach (if possible).

And keep those lights bright. An eye in a bright environment is less vulnerable to the effects of a laser strike.

React

Right, so you've just been blasted by a laser. Here's what you need to do to limit its impact.

Don't stare at it. Okay, this one may seem like an obvious one but don't look at the beam. It will maximise your chances of encountering any of the nasty stuff above. Instead look down at your instruments.

Protect your eyes - you can use your hand, a clipboard, iPad anything really. But try to get something between you and the laser.

Resist the urge to rub your eyes afterwards. A laser strike may irritate them or make them sore. Don't start rubbing them - you run the risk of scratching or irritating your cornea which is going to be far worse.

Keep flying the plane! Turn on the autopilot and stabilise the aircraft. Make sure you communicate with each other.

Transfer control - if your offsider wasn't exposed, get them flying and heads down on instruments. Don't let them start looking out the window or you run the risk of a double exposure.

Consider a Go-Around – self-explanatory really but it may be the safest outcome.

Tell ATC. They need to know to protect other aircraft and help law enforcement find the laser-wielding halfwit and make them pay.

How to report 'em

The FAA want you to do it right away, and it's easy. While you're in the aircraft, get on the radio and **talk to ATC**. They want to know where it happened, your altitude, the colour of the beam, the direction it came from and any other information you think would help law enforcement.

Once you land there is a little **paperwork** to do. The FAA want you to fill in an online questionnaire. You'll need to either fax it to (202) 267-5289 or email it to laserreports@faa.gov.

Other things to read

- FAA Advisory Circular 70-2A – A full rundown of everything the FAA wants you to know about laser strikes.
- FAA Laser Incident Reports You can view the full database of laser strikes including where they are happening most. The information is completely open to the public.
- Laser Tag For Newbies: Tips, Tricks, and Strategies. How to shoot people with lasers in a way that doesn't break the law □

Is it time to upgrade to a newer (Decision Making) model?

OPSGROUP Team
14 April, 2021



In the brave new world of pilot training there is a new paradigm – evidence based training. **But evidence of what?** Well, of **pilot competencies** – a set of ‘tools’ for a pilot to quick draw out of their metaphorical tool belt in order to help them solve whatever situation flies their way.

Where does Decision Making fit into this tool belt?

It can be viewed as a sort of Swiss army knife of a competency because it is one which, when wielded well, helps build **best outcomes**, but when used badly will probably leave you with a few pieces of splintery wood and a nail through you hand.

The (badly metaphorized) point trying to be made here is that the Decision Making & Problem Solving ‘competency’ is a big, multi-faceted one, and it turns out that making a decision is often easy, but making a **good one** is less so...

Double E's give us the 'O' factor

A good decision, or an ‘optimal’ one is going to be the one that leads you to the **safest, most efficient and effective outcome**.

Efficient because you’ve done the ‘best’ thing. **Effective** because you got there the ‘best’ way.

Reaching this **optimal solution** is easier said than done though. You, the pilot, want to be as safe as possible, but then you have authorities wanting you to tick every rule and regulation box, and you have your company wanting you to tick every commercial box, and before you know it you can find yourself heaped under a pile of “**What Ifs?**” and “**Why didn’t you’s?**”.

All of which can quickly incapacitate any common sense and airmanship. So what can you do about it?

Have you heard the story of the Nimrod?

Everyone knows the Hudson tale, and a great story it is too – a captain (and crew) showing a level of decision-making that saved the lives of all passengers onboard. Well, the story of the Nimrod is similar.

It took place back in 1995, over the coast of Scotland. XW666 was a BAE Nimrod R.1P operated by the RAF, en-route from EGQK/Forres-Kinloss RAF station. They were approximately 35 minutes into the flight when the crew had a No 4 engine fire warning illuminate. During the drill to deal with this the No 3 engine fire warning also illuminated.

The moment that makes this story worth telling was this – at just **4.5nm from EGQS/ RAF Lossiemouth** (and its 9,068 feet of runway) the captain discontinued his attempt to put the aircraft onto a tempting piece of tarmac, and instead **ditched into the cold water of the Moray Firth**.

So why, with just 4.5nm to go between him and a much easier landing, did the captain do this?

The captain had asked the rear crew member to watch through a window and to inform him if fire became visible through the aircraft structure. When this report was received, the captain ditched. When they dragged what was left of the poor Nimrod out of the water (actually, quite a lot of it was left and all the crew survived), the investigation confirmed that the structural integrity of the wing’s rear spar had **deteriorated by over 25% in just 4 minutes**.

In the time it would have taken to cover that last 4.5nm the wing would have failed, resulting in an **uncontrolled crash**.

The big learning point here though is that it wasn’t so much the ‘good decision’ (the “let’s land this thing quick” decision) that was the big save, but actually **the captain’s ability to change his decision** – to

review the situation and say “yup, that ain’t gonna work anymore, let’s do this instead.”

When a good choice turns bad

Doesn’t this satsuma look fresh, fruity and delicious? Most people (who fancy a piece of fruit) would probably happily eat it.

I am hungry, I like fruit, this is a piece of fruit, I shall eat it – Problem diagnosed, options considered, decision made, action assigned... DODARing 101.

But what about now?

Turns out it was made of liver paté.

The (rather odd) point to take away from this is that a decision, based on the information you have, can be great. The best. The optimal. **The satsuma of choices.** But if the information changes, or if it turns out to be incorrect, then so too might the decision be. So fitting information into what you have already decided does not work. Nor does sticking with a decision and not continuing to gather information.

The golden rule of Decision Making, and the one the Nimrod captain applied so well, is the importance of the review – **being able to change a decision when it needs changing.**

This can be a tough thing to do. As pilots, we are very goal orientated, but when that goal becomes too focused – the “must land now”, or the “it looked alright 5 minutes ago, I’m sure it still is” attitudes – these can lead to unstabilised approaches, overruns, accidents (more on that here).

So, **don’t be a Nimrod**, be like the **captain of one** instead!

Expect the Unexpected: Evidence-Based Training

Chris Shieff
14 April, 2021



Today's aviation environment is complex but **incredibly reliable**. Our aircraft are packed full of automation, systems and redundancies designed to keep us safe up there. Fancy things like EGPWS, Flight Envelope Protection and TCAS are there to protect us.

But herein lies the issue: because things are so reliable, the circumstances of the next accident waiting to happen are ever more challenging to predict.

All that technology is still **limited by us humans**. One thing we do know is that human factors have played a role in between 70 and 80% of airline accidents and serious incidents over the past thirty years. In many cases these accidents have certain things in common – poor group decision making, ineffective communication, inadequate leadership and poor flight deck management.

So it is clear we have an important role to play in making *ourselves* more reliable too.

Enter 'Evidence Based Training' or simply EBT for those in the know. And it's a **revolution** for pilot training.

What is it in a nutshell?

In really simple terms it is about looking at data or 'evidence' to find relevant threats and errors and then changing the way we train pilots so they have the competencies they need to deal with them.

Cool, so what does that actually mean? Let's delve into things a little more.

Out with the old

Traditional airline training was based simply on events that occurred on early generation jet aircraft from yester-year. There was a belief that simply exposing crew to those same '**worst-case scenarios**' over and over again would be enough.

The **cyclic** was born. A long list of bad things that can happen which you'd periodically face in the sim. They tended to be manoeuvre based – you know the ones. V1 cuts, rejected take offs, go-arounds. As long as you flew them within limits you were officially 'competent.'

It was simply a tick-in-the-box approach to pilot training. But you couldn't help but get a nagging feeling the industry was missing the point: **you have no way to predict what will actually happen to you**

when you go to work the next day.

Modern aviation has a way of throwing things at us that we **haven't seen before**. Computer failures, mode confusion, strange stuff. Just look at the tragic case of Air France 447. Training in modern fly-by-wire aircraft has never been the same but it sadly came to late for that particular crew.

In with the new

Over time the amount of data or evidence out there improved dramatically. **There were a bunch more sources** - flight data, LOSA programs and air safety reports to name a few.

In 2007, a new industry-wide safety initiative emerged. It was led by IATA and began to use this evidence to identify relevant threat and errors that crews face for their particular operation and adjust training to better equip crew to deal with them. **EBT was born**. ICAO was sold on the idea too and hopped onboard in 2013.

The emphasis is on **crew effectiveness** as a whole by developing a bunch of competencies - tools that pilots can use in any scenario, normal or abnormal. The training uses **unscripted situations** to develop crew management strategies, techniques and human factors that are just as important to safe flight as technical skills.

Here is an example of the sorts of competencies that EBT training sessions look to develop (it really is the whole package):

- Application of Procedures
- Communication
- Aircraft Flight Path Management, including manual flying
- Leadership and Teamwork
- Problem Solving and Decision Making
- Situational Awareness
- Workload Management
- Knowledge

Isn't that just Crew Resource Management?

Not really. Although CRM continues to be a solid step forward for the industry, when put into startling or surprising situations studies have shown we lack the capacity to immediately control our behaviour. What we need is practical training over time with **consistency and reinforcement** which is where EBT becomes so valuable.

It combines both technical and non-technical skills and focuses on the crew as a team, achieving successful outcomes when faced with the unexpected. **It moves the emphasis away from checking and more toward training.**

So how does this all work in the sim?

Good news, EBT doesn't mean you'll be in the sim more often. They'll still pop up on a biannual basis. What will change is how the sessions are run.

EBT sessions are typically broken into two or three parts:

An Evaluation - this is where your baseline performance is measured. You'll be given scenarios you may face in your own operation. This is so your trainer can get a good look at you in action and begin to identify your own personal areas of weakness that they can work on in subsequent sessions.

Proficiency Training - this is mostly manoeuvre based stuff you're used to. Your trainer will focus on your technique. You'll be put under pressure but the idea is to further develop your abilities in challenging circumstances. Your standard currency items will also be ticked off.

Scenario Based Training - this is the heart of EBT and where most of the work is done. The focus is on event management and the scenarios are off the script. You pretty much won't know what is coming but you'll have to apply your knowledge, skills and attitudes to a successful outcome. It is a journey of self-discovery in solving problems rather than simply following SOPs.

Over time these competencies will be reinforced - giving you the confidence in your own abilities to tackle whatever is thrown at you.

After all isn't that how the **real world** works out there?

Other things to read

EBT is fast becoming an industry standard and many operators have have their new **training programs** up and running. For those that haven't, here are two things you need to get started:

- The IATA Evidence-Based Training Implementation Guide.
- And for the brave, ICAO Doc 9995 Manual of Evidence-Based Training.

EBT looks at **pilot competencies** - a set of 'tools' for a pilot to quick draw out of their metaphorical tool belt in order to help them solve whatever situation flies their way. The **Decision Making & Problem Solving** 'competency' is a big, multi-faceted one, and it turns out that making a decision is often easy, but making a good one is less so. Read our article on this here.

The Lowdown on AUSOTS: Australian Flex Tracks

OPSGROUP Team
14 April, 2021



If you haven't heard of the **AUSOTS** then it means the **Australian Organised Track Structure**, and is basically a bunch of Flex Tracks that are produced on a daily basis, aimed at helping aircraft benefit from the best wind conditions.

The inventors define it as - "A non-fixed ATS route calculated on a daily basis to provide the most efficient operational flight conditions between specific city pairs".

Sounds familiar? That's because it is basically the NAT OTS but over a different bit of big, not-much-out-there, airspace on the other side of the world.

Where exactly?

The AUSOTS are currently published for routes between Australia and the Middle East, Australia and South East Asia and for domestic routes between Brisbane and Perth. **They pretty much cross the entire YBBB and YMMM FIRs** and a few other parts too.

Opposite direction tracks are **spaced by 50nm in Oceanic** and **30nm in domestic**, but with the introduction of ADS-B this is reducing. Again, probably all sounds quite familiar.

Group Type	effective from	Validity	Sector
Group A	13:00 UTC	<ul style="list-style-type: none"> Initial stage: 13:00 – 22:00 UTC After review (see chapter 4.4): 13:00 – 00:00 UTC 	WSSS* – YBBN WSSS* – YSSY WSSS* – YMML YBBN – WSSS* YSSY – WSSS* YMML – WSSS*
Group B	00:00 UTC	<ul style="list-style-type: none"> After review (see chapter 4.4): 00:00 – 13:00 UTC 	WSSS* – YBBN WSSS* – YSSY WSSS* – YMML YBBN – WSSS* YSSY – WSSS* YMML – WSSS*
Group C	13:00 UTC	13:00 – 13:00 UTC	OMDB – YPPH YPPH – OMDB VABB – YSSY YPPH – NZAA
Group D	00:00 UTC	00:00 – 00:00 UTC	OMDB – YSSY OMDB – YMML YSSY – VABB NZAA – YPPH

* - Singapore Area

The User Preferred Routes are available in the YMMM/Melbourne, YBBB/Brisbane, AGGG/Honiara and ANAU/Nauru FIRs.

Your UPRs can be constructed between **gates** (entries and exits to FIRs), or by **published waypoints** (so long as time between them is not greater than 80mins), **NAVAIDs** or **Lats/Longs** (and you can use ones that are not whole degrees if you want).

You do need a **reporting point on an FIR boundary** (except for between AGGG-ANAU or YBBB-AGGG FIRs).

What do I need?

In terms of equipment, your usual stuff giving you **RNP10/ RNP4** type capabilities, **Datalink** (CPDLC), **a couple of LRNS** and bits to help you navigate accurately – all that sort of thing.

Unsurprisingly, what you put in your flight plan is much the same as well – if you are RNAV10 then write ‘GR’ and ‘I’ (if appropriate) in item 10 and PBN/A1 in item 18. If you are RNP4 then throw in a ‘GR’ and write PBN/L1 in item 18

You also need **HF comms** and **ADS-B** to fly on the UPRs.

What if something goes wrong?

If you are on a track and **lose your RNP capability** then as long as you can still navigate the track you can stay on it. If you can’t, you probably will want to let ATC know fairly quickish so they can put you onto a fixed track.

If you **lose all your comms** then it is simple as well – try other methods, squawk 7600, do some broadcasting on 121.5 and 123.45, put your lights on, and maintain your last assigned speed and level for 60mins (following failure to report over compulsory point), then follow your flight plan. Once you leave Oceanic, follow the procedures of the state you’ve gone into.

In general, if you are flying over Australian airspace they are going to want to know if your estimate over a reporting point **changes by more than 2 minutes**. They are also going to want to know if you are **off your track by more than 20nm** (small weather deviations).

Also know that **Standard ICAO Contingency and Weather Deviation Procedures** apply here.

SLOP?

Yep, they like it. **Up to 2nm right of track** is the way to go, and in 0.1nm increments if your airplane can do that. You don't need a clearance for it, but remember you cannot use it in addition to offsets for wake, or weather avoidance.

Block Altitudes

Also allowed in this airspace, and given you are probably flying some mega miles through it, **it might be a good idea**. That way you can climb up when your weight will benefit, or avoid turbulence if there are reports of it without having to talk to ATC...

You mentioned talking?

We did, but to be honest there is not a huge amount of it going on in this area. **Most comms are taken care of through CPDLC**. They like a position report sent via CPDLC when you get to the boundary of the FIR (all position reporting procedures are in accordance with ICAO Doc 7030).

The Australian controllers really know how to control. They are great at it. But they also have some pretty high standards which means **if you make a mistake they are going to get grumpy and report/fine you**. It might seem obvious, but if you're off track for weather avoidance, once clear, don't assume you can head direct to the next point – they want to see you **regain your original track**.

What will I find out there?

A whole lot of empty space and open sea.

The distance between Singapore and Brisbane is roughly 6,000km. The distance from Perth to Brisbane is over 3,500km. In between them? A lot of dry, dusty bush, and kangaroos.

The middle of Australia is quite an empty place so if you're looking for airports to use, we would recommend the ones around the edge of the country. **YSSY/Sydney, YMEL/Melbourne, YBBN/Brisbane** are the biggies on the eastern side and you'll find nice long runways, decent approaches and good facilities at each of them. **YPPH/Perth** is the main south west one, while if you're heading north-ish then **YPDN/Darwin** or **YBCS/Cairns** are probably your best bets.

You do have **YBAS/Alice Springs** in the middle if you really need it, and its a fairly decently equipped airport with a 7,999 ft/ 2438m runway and an ILS/RNAV approach.


Who can I ask for info on AUSOTS?

Should you need it, then you can email these folk with all your AUSOTS queries
- uprs@airservicesaustralia.com

You can also try the Melbourne Center Operations Manager at Melbourne ACC on +61 3 9235 7420 or on AFTN: YMMLZRZS if you have specific questions about the published AUSOTS Flex Tracks.

NAT Tracks NIL - an experiment

Mark Zee
14 April, 2021



The long-awaited and much discussed scenario on the North Atlantic finally happened this week: **No published NAT Tracks, with all aircraft on Random Routes.** The concept of free-routing on the NAT is one that airlines in particular have been keen to see for a long time: the ability to decide their own routes, unconstrained by an overlay of tracks that may be tangential to their flight-planning whims.

This is an experiment being led by NATS and Nav Canada (or Shanwick and Gander, if you prefer), and on the face of it, it appears straightforward. Traffic levels are lower at present - about 40% of normal. In January 2021, Shanwick managed 15,241 flights (averaging 491 flights per day), 41% of the January 2020 figure of 36,782 (averaging 1,189 flights per day). A reduction in volume goes hand in hand with a reduction in complexity from an ATC perspective. Without published tracks to assist in separation, the burden on the controller is increased - but the lower traffic levels mean it can be safely managed. Ideal time to try it out.

The concept has garnered much media interest, not least because of the timing of a scientific research paper from Reading University that suggests efficiencies of up to 16.4% can be achieved with this "new idea". As a result, in the past 10 days the NAT Tracks have featured on CNN ("Airlines can now pick their own routes across the Atlantic. Huge fuel savings could follow") and the Independent ("Surfing the wind" could allow aircraft to cut carbon emissions and reduce flight times"). Headline: **New York-London journeys could be cut by 21 minutes.**

The media, and even our own industry news coverage, would have us believe that somehow we've just stumbled onto some preternatural scheme of harnessing the power of the wind, to spirit our hulking lumps of metal across the pond. Jet streams, you say? Pray tell.

Let's clarify something first. Aviation contributes around 2% of global CO2 emissions. Global warming is a danger to our entire existence. We are an industry founded on innovation and ingenuity, and we should be looking for every opportunity to do something more than just shave a few dollars off a route cost. We need

to open our minds, stop being quite so defensive about aviation, collaborate with science and research, and above all recognise the impact that aircraft are having on the environment. We need dramatic change.

In the cold light of operational reality, however, all is not as the public coverage seems. The Shanwick/Gander No-Tracks experiment itself is founded on solid ground – the results will provide useful insight, and the reasoning for it is sound. The research paper, however, and associated media fanfare, has shakier foundations. In fact, there are fundamental flaws in the assumptions made to reach the headline proclamations of 16.4% and 230km (125 nautical mile) savings on route distance.

We'll look at three things in this article ...

One: How an aircraft operator actually chooses a route across the NAT

Two: The ATC perspective; why No NAT Tracks is not as easy as it might sound.

Three: A review of the research report from Reading University.

Part One: How does a NAT route get chosen?

The hardest thing in life is knowing what you want. It's no different on the NAT. The process for selecting a route across the ocean is more complex than it might seem. At first glance, it might appear that the most logical route is the best wind route, in other words, the track across the ocean where we can take maximum advantage of the jet stream. In the Reading University report, this is called the "**OFW: Optimized for Wind Route**". Let's see why this is not the case.

There are four track calculation options available to most aircraft dispatchers and flight planning systems:

- A. **MDT:** Minimum Distance Track. Departure to destination with shortest distance (ie. Great Circle track). Only sensible if there is no wind, which never happens.
- B. **MFT:** Minimum Fuel Track. Departure to destination with lowest possible fuel burn. Equivalent to the OFW/Optimized for Wind Route.
- C. **MTT:** Minimum Time Track. Departure to destination in shortest possible time. Often very similar to the MFT.
- D. **MCT:** Minimum Cost Track. Departure to destination with lowest cost – considering not just fuel, but navigation fees, and the cost of time (eg. knock on schedule effects, missing curfews etc.)

Which is the most commonly used? **Minimum Cost Track**, by far. Minimum Fuel is good. But for aircraft operators, we have to consider whether saving 100 kgs in fuel results in being 10 mins late to stand, or makes us overfly a much more expensive country, or miss a curfew time at the airport.


A North American OPSGROUP airline dispatcher told me: "*To give you an idea of cost, a Minimum Time Track (MTT) or Minimum Fuel Track (MFT) for our Boeing 777 from the west coast of North America to east Asia can cost anywhere from \$10,000 to \$15,000 more than taking an MCT. The difference? The MTT and MFT will go through Russia [where navigation fees are much higher]. The MCT stays on the North Pacific in Oakland and Fukuoka airspace. But that cheaper route can be 30+ minutes longer.*"

And even then, that's not the track the operator might want to fly. **One big consideration: Turbulence.**

In the winter months in particular, the eastbound jet stream can be nasty. The place where the most efficient route lies is efficient because that's where the winds are strongest. This is often also where the core 'efficient' NAT Track Xray or Zulu lies these days. A 200 knot tailwind is great, but it comes with a sting in the tail: severe turbulence. The same dispatcher told me: "*In the last week, we've not flown the NAT Tracks because of multiple patches of severe turbulence, both forecast and reported by other airlines*".

Planning a real-life NAT route from start to finish: eight steps

We'll look at an eastbound flight from New York Kennedy (JFK/KJFK) to London Heathrow (LHR/EGLL). Given that the research paper mentioned above identifies maximum fuel savings eastbound of 16.4%, this is a good example to choose. On the maps that follow, you will see the there are **eight steps**, starting with the great circle track, and working through what happens in practice until we reach the **actual route flown**. The aircraft in this example is a Boeing 787, which has an optimum altitude of FL390 (pressure level of 200 hPa) at operational weight (~85% of MTOW). Therefore, the winds shown are those at FL390. For track planning, we will consider only the track from Top of Climb (first point of cruising altitude) to Top of Descent (beginning of descent into LHR). The map also shows the ATC areas that will control the flight in the enroute phase. The jet stream is shown as background: the whiter, the faster.




01: GC: Great Circle Route. The shortest distance between JFK and LHR. This does not take winds into account, so to find the best wind route, we must add wind from the forecast for FL390 for our time of flight.

02: OFW: Optimised For Wind route. The track taking maximum advantage of the winds at FL390 (39,000 feet, or the 200 hPa pressure level in ISA).

03: OFW ATC route. The OFW route as adjusted for oceanic ATC flight planning limitations – which are: **1.** You must use fixed 1/2 degree latitude points at every 10 degrees of longitude from Oceanic Entry Point to Oceanic Exit Point. **2.** You must fly a straight line from that point to the next 10 degree longitude line. This route equates to the MFT (Minimum Fuel Track) in flight planning systems, and in our case here, also the MTT (Minimum Time Track). For some NAT routes, overflight fees will be a consideration (for example, avoiding higher charges in UK and Swiss airspace on routes that go further into Europe) – but here, they are not, so **MCT (Minimum Cost Track) is also the same**. In other words, OFW ATC = MFT = MTT = MCT.

04: Operator Preferred Route. The next big consideration is turbulence. In this example flight, there are moderate-severe turbulence warning patches at several points on the ATC OFW/MCT route above, so the dispatcher elects to move it a little further north – still gaining from the eastbound jetstream, but outside the core jetstream which has the highest turbulence.


We can now move on to the next stage of planning in a real-world scenario: accounting for a high volume of other traffic, ie. matching the Operator Preferred Route to the closest NAT Track of those published for the day of flight.



05: Published NAT Tracks. Once a day, Gander issues the NAT Track Message for Eastbound Tracks, which allows Air Traffic Control to safely separate the peak flow of flights from the US to Europe. In this case, there are five tracks.

06: Closest NAT Track to Preferred Route. This is a simple calculation – which NAT Track most closely matches the Operator Preferred Route across the ocean. In this case, it is highlighted in purple, and is a relatively close match.

Finally, we can account for what will happen at the time of flight ...



07: Flight Plan Route (FPL). With the choice of track made, the operator will then file the Flight Plan with their requested route, several hours in advance of the flights' departure from JFK. The purple track above at Step 6 (closest NAT Track) becomes the yellow track in this step, to which the domestic ATC routings are added. Once airborne and enroute, about an hour from the Oceanic Entry Point at 50W, the crew will request their Oceanic Clearance from Gander, as per this flight plan route.

08: Actual Flown Route. For this flight, the requested track was not available at FL390 (because of other traffic ahead). The crew were given a choice of either a more northerly NAT track at their preferred level (FL390), or their requested NAT track at FL370. The altitude difference would have made for a greater fuel burn than a slightly longer distance, so the crew elected to take the more northerly track (30 nautical miles further north laterally, but in terms of distance flown adding about 20 nautical miles). At 15W, the flight is under radar coverage from Shannon, and was cleared direct to the Strumble (STU) beacon in Wales (which was the original planned Top of Descent). The green track therefore depicts the actual route flown.

Where did we lose most efficiency?

Since the background to this article is considering the benefits of not having to follow prescribed NAT Tracks, the key question is – where has most efficiency been lost on this flight?

1. **Loss 1:** The difference between the **Minimum Fuel Track (MFT)** (or “ATC OFW”) and the **Optimized for Wind Route (OFW)**. Some efficiency is lost because the OFW is constrained by flight planning requirements – specifically having to fly straight lines between each 10 degrees of longitude, and having to cross each 10 degrees of longitude at 1/2 degrees of latitude. The “route of straight lines” is, of course, longer.
2. **Loss 2:** The difference between the **MFT** and the **Operator Preferred Route**. In this case, the operator chose to move the track further north to avoid turbulence. This decision creates an efficiency loss in terms of fuel burn, because the minimum fuel track is no longer being followed.
3. **Loss 3:** The difference between the **Operator Preferred Route** and the closest matching **NAT Track**. This is the key efficiency difference when considering gains from the “No NAT Track’s” experiment.
4. **Loss 4:** The difference between the **NAT Track** requested (Flight Plan Route) and the **Actual Route flown**. There is a mixed bag here. On the one hand, if the operator has to fly anything other than the requested route, they lose efficiency to some degree. In this case, ATC could only offer a lower level, or a more northerly route. On the other, domestic ATC (using radar) often provide shortcuts which lessen the track miles flown.

A scientific analysis of a series of actual flights would reveal the numbers involved in the four different areas of efficiency loss – and this is roughly the aim of the OTS NIL experiment that Shanwick and Gander are conducting,

Part Two: Why we might still need NAT Tracks

The narrative in the majority of recent reports about the North Atlantic tell us that because we now have ADS-B satellites, and thereby excellent surveillance, this changes the entire landscape, and allows for the disbanding of NAT Tracks. But this overlooks a key point: **it's not a surveillance problem, it's a comms problem.**

We've got surveillance nailed – it's basically the same as radar, now that the full complement of Aireon ADS-B satellites are up and running, complementing the ADS-C coverage already in place. So, controllers can see the aircraft in much the same way as a domestic radar controller. That's exciting.

However, it's a bridge too far to assume that just because surveillance is good, we can start treating the

Air Traffic Control of NAT aircraft as if it were somewhere in the centre of Europe.

And the reason: **instant communication**. In a domestic ATC environment, the approximate sequence of events goes like this (callsigns dropped from some calls for clarity):

Controller (thought): ... Hmmm, Delta and Speedbird are getting a little close. I'll climb the Delta.

Controller: Delta 63, climb FL360.

Delta 63: Sorry, unable 360, we're still too heavy.

Controller: Delta 63, roger, turn right 10 degrees due traffic.

Delta 63: Roger, right turn heading 280.

And Delta turns. Conflict solved. That entire sequence of events takes about **10 seconds**. Now consider the Oceanic environment. CPDLC is a hell of a lot better than HF, but the target time for the same sequence of events is 240 seconds, or **4 minutes**. That's the basis of RCP240.

See the ATC problem? We can see the traffic now, but we can't be sure that we can move it around in the same way as a real radar environment, because we don't have VHF.


This is why the new satellite coverage does not go all the way to allowing a full reduction in separation to the standard enroute value of 5 nautical miles. Oceanic ATC, even with this additional surveillance, remains more of a procedural environment - and separation standards cannot yet drop. In the same vein, we're not yet at the point where we can solve enroute conflicts with a few vectors and "on your way".

And therefore, removing the NAT Organized Track Structure for high volumes of traffic is a big challenge.


Part Three: The Reading University Report

Published in January 2021, a paper from Reading University titled "Reducing transatlantic flight emissions by fuel-optimised routing" suggested that "current flight tracks [on the North Atlantic] have air distances that are typically **several hundred kilometres** longer than the fuel-optimised routes", that by using the optimal wind route eastbound flights would save on average 232 km, and that an efficiency gain of up to 16.4% would be possible. These headline figures are the ones taken by the media in the last few weeks resulting in articles suggesting that the average New York-London flight could arrive **21 minutes earlier** [Independent >].

The paper shows these graphs, with the eastbound plot on the right:



(a) Average air distance westbound



(b) Average air distance eastbound

From an operational perspective, however, the promise of 232km (125nm) average route savings, and 16.4% increases in efficiency do not ring true. If you are a dispatcher, or pilot, you will share my instinct that this number feels extremely high. The term “potential increase in efficiency” really means “**current inefficiency**” – and my gut feeling says it’s not always ideal, but far from that bad. Many plans are indeed sub-optimal, and crossing the NAT certainly has the potential to result in a track a half-degree north or south of the one requested or a level below the optimum – but is the inefficiency really that high?

Closer analysis shows that at least some of the assumptions in the report to be fundamentally flawed.

The report itself makes the flaw clear here: “Taking the results for an airspeed of 240 m s⁻¹ and averaging savings in air distance between the most efficient ATM track and the OFW route across all 91 days of winter 2019-2020 for flights from JFK to LHR, gives an air distance saving of 37 km, but the saving for the **least efficient ATM track is over 931 km**. The average saving for all ATM tracks is 232 km”

The problem is that to reach these high numbers, the paper is assuming that “**airlines use all provided tracks equally**”. This is not what happens in reality, by any stretch. There are normally 8-10 NAT Tracks eastbound. An airline, or aircraft operator will request their Preferred Track, as we have seen in the example above. Almost all of the time, the requested track is granted, albeit with potentially a lower level (or higher) than requested. Very occasionally, a track one north or one south is given by ATC.

The efficiency figure of 16.4% is created by dividing the air distance between LHR-JFK by additional distance flown on the least efficient eastbound NAT Track (2,997nm/503nm ~ 16.4%). That *least efficient* NAT Track (which will usually be Track Zulu in non-Covid ops for an eastbound flight) is normally a southerly Caribbean area route intended for traffic departing places like Miami, the Bahamas, or even Trinidad and Tobago. It will never be flown by a New York-London flight.

Therefore, we have to disregard these higher numbers entirely.

The report does identify, when looking at actual flights, that efficiency savings of “2.5% for eastbound flights and 1.7% for those flying west” would be obtained by flying the optimum wind route (OFW). Those numbers look far closer to what we might expect as total efficiency losses identified at the end of Part One, above.

However, consider further that we looked at four different types of efficiency loss: **flight planning constraints, avoiding turbulence, the NAT Tracks requirement, and tactical routing by ATC**. It is clear, then, that the presence of the NAT Tracks accounts only for a portion of those inefficiencies. Again, real world analysis of actual flights with the full compendium of information as to what caused the inefficiencies would give the most insight, and this is what we will hopefully see from NATS and Nav Canada as a result of the “OTS NIL” experiment.

A further paper as an iteration of the first, applying a collaborative approach with the operational world (ATC, Airlines, Aircraft Operators, Flight Crew), would be beneficial.

Over the past 25 years, there has been continual improvement in ATC efficiency. The NAT region was the first to implement reduced vertical separation (RVSM), in March 1997, and subsequent improvements in surveillance (ADS-B, ADS-C), and communications (CPDLC), have led to lateral separation improvement from 60nm to 19nm, and longitudinal from 80nm (or 10 minutes) to as low as 14nm – in addition to the altitude separation reduction from 2,000 to 1,000 feet. In simple terms, the number of aircraft that can fly closer to the optimum route for a city pair has dramatically increased.

Despite the inaccuracies in the numbers, we should look at the bigger picture: The paper does identify a key point that we should digest in this industry: “Airlines currently choose routes that minimise the total cost of operating a flight (by specifying a Cost Index, which is the ratio of time-related costs to fuel costs), not the fuel consumption or emissions.”

This, I think, is important to consider. **We are not currently flight planning to minimise emissions - we flight plan to minimise cost.** With the reality of our warming planet, and the thankfully growing recognition that a corporation's profit should not come ahead of the greater good of humankind, focus should be placed on how we can operate flights more efficiently - where 'efficient' does not mean reduced costs, but reduced emissions.

Stop droning on

OPSGROUP Team

14 April, 2021



Drones are big news. They are changing the way we can look at the world with their surveying and photography capabilities. They are changing the way we deliver things - offering services to previously unreachable areas, improving the carbon footprint of our McDonald's home deliveries...

They are also changing the way we think about airborne hazards because it is no longer just large birds and escaped helium-birthday balloons we have to worry about. From nuisance traffic disruptions at airports, to attacks using 'weapon laden' UAVs - drones present a new and potentially growing problem to the aviation industry.

How big is this problem?

Back in 2018, EGKK/Gatwick (the second biggest London airport) closed for 33 hours, resulting in 1,000 flights cancelled and around 140,000 angry British people left standing in queues (ok, they probably weren't all British, you do get some tourists who, for reasons unknown, actually choose the UK as a holiday destination).

Anyway, what ruined the travel plans of 140,000 people? Yep, a drone. It was spotted by an eagle-eyed security officer who was waiting at a bus stop for his ride home. He noticed two drones hovering around the perimeter fence and alerted airport operations.

The UK isn't the only place that has suffered from pesky drones sneaking into airspaces they should not be

a-sneaking into. The UAE has seen multiple airspace closures over the last few years, costing them a whopping 350,000AED a minute in disruption costs at OMDB/Dubai International alone (that's about \$95,000).

The US has also had its fair share of drone incidents. KEWR/Newark Airport was forced to briefly close in 2019 after two drones strayed too far into its airspace. One pilot reported spotting one less than 30 feet from the aircraft. A quick look at the FAA drone sightings report shows 366 across the country just in the October to December period. That is more than 100 a month.

In fact, there are close to a **million** recreational and commercial drones registered in the US alone and those drone sighting reports received by the FAA are increasing by upwards of 50% each year.

In 2020, a 26kg drone went rogue in Latvia and was missing for several days resulting in Latvia having to restrict airspace below 19,000' until it was relocated.

The mystery **rocket man** who made headlines last year after appearing thousands of feet in the air in KLAX's airspace might not have been human at all, but instead a large drone made to look like a person...

What is the BIG problem?

Simply put – **collisions!**

But airspace is not closed every time a large vulture is spotted swooping about, so why are we so concerned about potentially hitting a little buzzing drone?

Well, a small photography drone (your DJI Mavic type) weighs less than 1 kg (734g according to the online specs). A pigeon in comparison weighs between 300-615g depending on how much old chewing gum and fries it has chowed down in its greedy little life. So not too threatening, but is going to cause some damage to your engine if flies into it, but the difference between a drone and a bird is the bird probably doesn't want to go into an engine and sort of tries not to. A drone (or rather the person controlling it) might want it to.

Drones can also be much bigger than a fat pigeon. Something like the Wing drone (which Amazon use) weighs about 5 kg, and can carry another 2-3 kg in cargo. It also has a 3 foot wingspan. The Whooper swan (Whooper, not whopper) variety, fully grown, weighs between 8-11kg and have a wingspan of around 2-2.8m. So, these are basically the same size as a teenage Whooper and I would not fancy one of them zooming into my engine.

If you still are not convinced, then check out this video

But they are under control...

Yes, they are, and Amazon have gone through a lengthy process to get their approvals. We are not concerned about Amazon drones. What we are concerned about are the drones that anyone can generally get their hands on nowadays which are not registered, and which are being flown where they should not be flown.

We are also very, very worried about the sorts of drones being weaponsied and used to attack targets. Drone attacks seem to be a constant news item, particularly in Saudi Arabia where Yemeni rebel forces are regularly sending drones into OEAB/Abha Airport, throughout the southern Jeddah FIR and even as far as OERK/Riyadh airport.

We wrote about this a while ago. It is still going on, and these pose a big threat to aircraft operating in the area.

So what can the industry do about it?

Pest control

It turns out there are over **530 different commercially available technologies** out there designed just for the purpose of drone spotting and 'swatting'. Broadly speaking, anti-drone technologies have to achieve two things - finding a drone, doing something to it when they do.

In August 2020, the FAA announced they would start to evaluate technologies and systems that could detect and mitigate potential safety risks posed by unmanned aircraft. Basically, **stuff to Spot and Stop 'em.**

Ten of these technologies have proven promising enough that they will now be trialled at several US airports over the coming months. These trials will take place at KACY/Atlantic City, KCMG/Columbus, KHSV/Huntsville, KSEA/Seattle-Tacoma and KSYR/Syracuse airports.

At EGLL/Heathrow a 'Holographic Radar' system called 'The Gamechanger' (developed by Alleviant) can detect UAS in 3 dimensions, up to 7.5km away, and can differentiate between drones, 'friendly assets' and birds. In case you are wondering, the difference between conventional radar and 3D holographic radar is that the holographic radar illuminates everything all the time - if a conventional radar is the equivalent of a torch scanning a dark room, then the 3D holographic radar is a light that illuminates the entire room.

Clearing the skies

'Detect and Avoid' systems use technologies like radar, radio-frequency, electro-optical, infrared and acoustics which can spot drones and identify the signals controlling them. The AUDS counter-UAV system, for example, can detect a drone up to six miles away using an electronic scanning radar, infrared and special precision video tracking software. It then uses an inhibitor to block the radio signals controlling the drone. All this can happen in less than 15 seconds, and in any weather condition, night or day, without disruption to the airport equipment and airplane pilot might prefer not to have disrupted.

Recreational drones rely on a **radio signal** which operate on common frequencies - usually 2.4Ghz or 5.8Ghz, and these are non-assigned public bands. These are easy to deal with.

There are also other options like geo-fencing. This technology relies on manufacturers programming limits based on GPS into the drone itself based on **no fly zones** and other flight restrictions. The issue here is savvy owners can bypass the system or just not update it. So a clever solution, but not an ultimate one.

Sadly none of the systems being trialled is just a huge static-charged tennis racket like you get for mosquitoes which is disappointing.



What can you do for now though?

Keep reporting them. Like the laser reporting of old, providing clear info on when and where you spot one, as soon as possible to ATC, means they can get the authorities out to search and stop 'em.

Also keep an eye on Safeairspace conflict zones, and monitor alerts on drone attacks if you are likely to be operating in those airspaces.

There's no "I" in team. But there might be an "AI"...

OPSGROUP Team
14 April, 2021



Back in March 2020, Eurocontrol released something called 'The FLY AI Report - Demystifying and Accelerating AI in Aviation/ATM'.

Now, the minute most aviation folk hear ‘Artificial Intelligence’ they generally start imagining either a Matrix type world ruled by super computers, or they are a pilot and get angry at the thought of the most ‘know-it-all’ co-pilot possible sat next to them.

But AI has actually been used in aviation for a while now, and its integration into the aviation operations environment might be rather disappointingly un sci-fi, but it is very NOT disappointingly impressive when you start to see the clever ways it is improving the safety and efficiency in our industry.

The First Law of Robotics

First, let’s establish what is actually meant by the term ‘AI’.

It is not so much Replicant as it is Roomba – ‘Artificial Intelligence’ is used to categorize systems that have the ability to independently gather information, assess it, and (here comes the AI bit) **make a decision based on it.**

So your Roomba with its camera sensors and ability to make the decision to turn around rather than smash into the wall in front of it means it is categorized as an AI. A basic AI, but still, an AI.

AI is categorized into 6 levels, starting with your **Level 0 - Low Automation** stuff which just supports a human operator by gathering info and analyzing it. Beef up its brain a little though, and it becomes a **Level 1 - Decision Support** which not only gathers and analyses, but can also select certain actions in relation to some basic tasks or functions. Like, don’t run into walls.

As the levels increase, so does the ability of the systems to analyse greater data inputs, and the independence of the system to “decide” and act without any human operator involvement at all. Highly complex system are even able to determine what *might* happen based on data patterns, and so pre-empt actions, making decisions based not on the direct data, but on forecasts and possible things that could happen.

We aren’t talking vacuuming though, we are talking flying...

Actually, for all you pilots out there, we aren’t really talking flying. Not yet. Some airplane manufacturers are toying with automated takeoffs and that sort of thing, but no AI is currently capable of the level of autonomy which would enable it to totally replace Captain McFleshy. What we are talking is systems that **support other areas of aviation operations in parallel to human operators** – by providing data acquisition, analysis, action selection and implementation.

That all suddenly sounds quite boring, but the functions of AI in aviation are anything but.

The Cat-AI-logue

Most of the AI currently implemented in aviation is the **“detect and avoid” type - systems** that focus on precision navigation, or image detection. Sort of giant Roombas for the aviation world. Here are just a few of the current technologies that might be helping your flight without you even knowing it.

Traffic Prediction

Eurocontrol in Maastricht already use what they call a “learning machine” which can predict 4D trajectories – in other words aircraft position, altitude, speed and time. Being able to predict traffic flows means they can optimize the use of ATCOs and put the people brains where they are most needed.

The clever AI algorithms have a “what if?” function which lets them “tentatively probe” (Eurocontrol’s choice of phrase, not mine) the impact of certain airspace restrictions, or regulations, on traffic flow. It can monitor workload, spot probable bunching points, and also predict traffic one or two hours in advance to

work out how the handover between different control sectors might affect the flow.

Maintenance Costs and Fuel Optimization

An AI system produced by Honeywell is being used to save airlines up to \$200,000 per aircraft per year in fuel costs, and up to \$40,000 per aircraft per year in maintenance costs. The system has data gathered from years and years of flight statistics, across a whole bunch of airlines, and it has swilled all this data about in its big brain and can now take specific flight plans and review where fuel has been wasted before.

The system can not only determine better routes, but can help make strategic decisions on things like flight path routings, the best direct path to landing to take, engine out taxi etc. While the pilot brain is thinking *"If I turn an engine off now, will I have to use loadsa thrust on the other one to get it up that hill and around the corner? Maybe I should just keep 'em both running..."* the AI brain is going *"click, whirrr, yeah, turn the engine off now and you're good!"*

GNSS Monitoring

GNSS is great – it lets us operate the approach, landing, departure, ground stuff in low vis conditions. But there is a big issue with it – propagation delay caused by the ionosphere. The current models for gathering data on this are pretty limited, but a new AI system can monitor and gather so much more data, and assess it so much more quickly because it has the ability to 'learn' – it is not just looking at data and spitting out figures. It is constantly updating its analysis.

Image recognition to detect runway vacation

Yep, there is an AI system that is used in conjunction with digital, remote, tower operations. It can speedily determine if the runway is clear, and calculate whether there is time for the next aircraft to land or not – it can do this a lot more efficiently than person eyeballs and brain, meaning airports can be a lot more efficient, and flight delays reduced, without reducing safety.

100 million actual flight hours of experience

A system developed by Thales – PureFlyt – has the ability to draw on aircraft and outside world data like weather information. It works inside the FMS and can predict aircraft trajectory, and can offer optimized flight paths to decrease fuel consumption and improve passenger comfort, as well as maintaining safe separation from other aircraft.

AI technologies have simulated 2 billion test cases. So this system basically will have the brain of a Captain who has flown 100 million flight hours (and all the knowledge that would go with that experience).

What are the risks?

Well, automation and AI taking over and forcing humans into pots of jelly where they sap our energy seems unlikely. But there is the risk of oversight, or rather lack thereof. An AI, no matter how "intelligent", is a system which people have programmed and inputted data into. Poor data in = poor data out.

So the quality and reliability of systems must always be closely monitored. And there's a thin line between it supplementing operations versus it becoming the single system that people rely on and no longer control. The trick will lie in the training, and in how people interact with the systems – ensuring they understand them, and that strong contingency procedures remain in place.

AI offers new safety and security indicators that can support the early detection and predictions of new risks. It can improve performance by assisting people areas like data gathering and analysis where an AI brain is far quicker than the human brain. But the **purpose is not to remove the human operator** from the process, but to **combine the best of computational methods and human intelligence** to create

a collaborative service provision.

The full FLY AI report from Eurocontrol is available [here](#).

The Seven Deadly Things

OPSGROUP Team

14 April, 2021



Have you ever taken a look at a report listing the distribution of Accidents by Accident Category? There are apparently more than **40 possible ways an accident can be categorized**, but there are **7 that seem to pop up way more often than any other**.

Airbus took a look into all fatal and hull loss accidents which occurred between 2009 and 2019 and the results are shocking in that a lot of those accidents just should not have happened.

P is for...

Yep, pilots. We are a big problem. We mess up a lot. That is what seems to be said in the media anyway...

But, it isn't always our fault, (sadly some of the time it also is), and we all know that the news reporter's favorite phrase "pilot error" (or "human error" if they are feeling particularly generous about it) is rather meaningless, and very unfair. It removes all the context of the why's and the how's of what led to a pilot making an error, and **it is rarely ever as simple as "they just messed it up."**

There are usually countless small things that lead up to any incident, and many a CRM course has been spent discussing and brainstorming how we can better avoid all of these little things and so avoid it ending up in a "one big thing" event.

So, why are these big events still happening? And what can the pilot in the equation do to prevent them? (Because the vast majority of these definitely are preventable).

1. Loss Of Control In Flight

This is the **single biggest cause of fatal airplane accidents** in this period, accounting for a scary 33%, and 12% of hull losses. We are not talking about situations where something major has broken or failed – we are talking about times where aircraft have somehow managed to get into a situation they shouldn't be in, and the crew have not been able to safely get them out of said situation.

Air France Flight 447 is one of the most discussed examples of this occurring.

All these accidents no doubt had other factors involved – it was not just the pilots not knowing how to fly. There were things like startle factor, bad weather, other warnings, other traffic...

But a large number of **these could have and should have been recoverable**.

So, what can we do about this? Well, ICAO took an in-depth look at why these kept happening, and they came up with a great and simple thing – UPRT.

Upset Recovery and Prevention Training

When they say simple they really mean it – all you really need to know is **PUSH, ROLL, POWER, STABILISE** (and maybe have had a few practice goes in the sim).

This is the recovery though. It is the point when everything has gone wrong and all you have left is fixing it.

Luckily, we pilots do have a few other tools in our toolbox which we can pull out earlier at a time when prevention might still be possible. Things like **good monitoring, situational awareness, an understanding of startle factor**.

In fact, we have a post right here if you're up for some more reading on the old startle thing.

There is also that Other thing we can do. It might be one that makes a few palms get a little sweaty at the thought of it – but we can **disconnect the autopilot and actually hand-fly** now and then.

2. Controlled Flight Into Terrain

Second on the list of the '7 Deadly Things' is Controlled Flight Into Terrain. Again, not because something has broken, but because a crew have just totally lost their situational awareness. These account for 18% of all fatal accidents, and 7% of all losses reviewed in the 20 year period.

The Korean Air Flight 801 accident report offers more insight into how these occur.

Again, other things factor into this – distractions, visual illusions, somatographic illusions – and these can be tough to handle because they are one of **the few things a simulator cannot realistically simulate**.

We have **backups** though. GPWS for one. Although this really is the final layer of the safety net. If this is going off then you're out of the prevention and well into the recovery and mitigation part of the accident curve.

There is good old **Situational Awareness** again though – this is the stuff of heroes. It is something you can gain, or regain, with a simple briefing. A "What if... then what will we do?" chat. **Briefing threats is important, but briefing how to avoid them is even better**. Get a bit of CRM in and ask the other person next to you what they think you should be looking out for.

Situation Awareness is knowing where you have told your plane to go but, most importantly, it is knowing if it is **actually going there** (and this means vertically and laterally).

3. Runway Excursions

These account for 16% of fatal accidents, and a whomping great 36% of hull losses. No failed brakes or issues with steering involved, just big old “oops, didn’t check the performance properly” type situations. We have mentioned this before. It is one of the biggest “that just shouldn’t have happened” types of event.

Actually, the biggest thing that leads up to runway excursions is generally **unstabilised approaches**. These are something we can definitely avoid and IATA has some great tips on how. Cut out the unstabilised approaches and you’ll probably cut out a big proportion of runway excursions right away.

There are a few things to help us here too – if you are flying an Airbus then lucky you, because these have a great system on them called **ROW/ROP** that squawks at you on the approach, and on the landing roll, if it reckons you’re going to go off the runway. But if you don’t have this, then **checking your performance properly and managing that approach well** are going to be what saves you from an embarrassing call to your chief pilot.

There is also a big change to runway friction reporting coming in on 4th November 2021 – The Global Reporting Format, or ‘GRF’ as he is known to his friends. **Griff will standardize how runway surface conditions are reported worldwide** and with better reporting will hopefully come better awareness of the risks.

That was the Top 3. What about the others?

The other four are lumped together into ‘Other’ which makes up the remaining 33%. (Actually, 11% of that is ‘other’ others!) Combined, our final four account for 22% of all fatal accidents and 22% of hull losses.

These are:

- **Fire**
- **Abnormal Runway Contact**
- **System/Componet Failure or Malfunction**
- **Undershoot/ Overshoot**

Now, I know what you’re going to say – fire probably isn’t your fault (unless you dropped your phone under your pilot seat and then ran over it repeatedly with your chair trying to hook it out again).

But there are still things a pilot can do to help lower the impact of these.

How? Well, by knowing our **fire procedures** (the what to do if something Lithium Ion powered in the flight deck does start smoking), and by knowing the **comms procedures** needed to help support our cabin crew if there is something going on down the back. We can also prepare in flight – be ready with something in the **secondary flight plan** in case we need to suddenly divert.

As for system and component failures, well, the 737Max accidents of the last few years account for a big proportion of this, however, in all cases having a **strong systems knowledge** and preparing for those “what if?” situations might help save your life one day.

You might have noticed a shift in the training paradigm in the industry, and with good reason – the days of focusing on practicing specific failures in the sims are vanishing and in its place is **Evidence Based Training – training that focuses on building the skills needed to handle any situation**. If that all sounds newfangled to you then think of it this way – a pilot is there just not to push buttons, but to

manage the flight, and these skills are the tools which will enable us to do that.


Fancy reading some more?

- A full report from IATA on LOC-I can be found right [here](#)

ATC service back to normal in Myanmar

David Mumford

14 April, 2021



Update March 4:

Local agents report that **ATC services are back to normal in Myanmar**, as most ATC staff have returned to work. Operators overflying the VYYF/Yangon FIR should therefore be getting normal ATC service again now, and the Contingency Procedures are no longer in effect, but be on alert for the situation to change quickly.

Story from Feb 13:

Myanmar is **no longer providing ATC service to overflights**, due to lack of ATC staff.

Thousands of people across the country are taking part in nationwide strikes and protests against the military who overthrew the government at the start of February, and some ATC staff have joined in.

Local sources estimate that **70% ATC and 80% AIS staff are on strike**, with very limited operations at NOTAM offices.

ATC service is still being provided at **VYYY/Yangon**, the country's main airport, which remains **open for arrivals and departures**.

But for **overflights** of the country (the VYYF/Yangon FIR), all operators now have to follow the **Contingency Procedures**:


- 15 minute separation will be applied to all overflights
- You can only transit the airspace via specific waypoints, airways, and at certain flight levels.

Here are the VYYF/Yangon Notams that carry the announcement:

A0038/21 - DUE TO DISRUPTION OF ATS IN YANGON FIR ALL ACFT ARE ADVISED THAT THE MYANMAR INT'L CONTINGENCY PLAN FOR ACFT INTENDING TO OVERFLY THESE FIRS IS IN EFFECT. FLIGHT PLANING MUST BE IN ACCORDANCE WITH THE CONTINGENCY ROUTES LISTED AND FL ASSIGNMENT. PILOTS MUST STRICTLY ADHERE TO THE CONTINGENCY PROCEDURES. ONLY APPROVED INT'L FLIGHTS ARE PERMITTED TO OVERFLY MYANMAR AIRSPACE. (RMK- YANGON INT'L AIRPORT APP AND TWR CONTROL SERVICE AVBL FOR ALL ARR/DEP TRAFFIC. 08 FEB 12:28 2021 UNTIL 28 FEB 23:59 2021. CREATED: 08 FEB 13:04 2021

A0037/21 - YANGON ACC WILL APPLY 15 MIN SEPARATION IN YANGON FIR FOR ALL OVERFLY TRAFFIC AND DEP/ARR TRAFFIC DUE TO LACK OF ATC STAFF. MAKE SURE TO PROVIDE ABOVE MENTIONED SEPARATION OVER ALL CONVERGING POINT IN YANGON FIR AND MONITOR THE ALL TRAFFIC. 08 FEB 06:30 2021 UNTIL 28 FEB 23:59 2021 ESTIMATED. CREATED: 08 FEB 08:36 2021

Here's a quick reference map of where we're talking about:



And here's the info on the **Contingency Routes** in effect, as published in the Myanmar AIP section ENR 3.5:

Contingency Route Name	ATS Route	Direction	FL Assignment	ACCs	Com
CRMMR001	L507, G473 TEBOV-BGO-MAKAS	West bound	320,340	Kolkatta ACC	HF, ADS/CPDLC
		East bound	350	Bangkok ACC	VHF
CRMMR002	A201 ANSOS-LSO-LINSO	West bound	320,380	Kolkatta ACC	HF, ADS/CPDLC
		East bound	290	Kumming ACC	VHF
CRMMR003	L301 RINDA-DWI-TANEK	West bound	300,380	Kolkatta ACC	HF, VHF, ADS/CPDLC
		East bound	330,410	Bangkok ACC	VHF
CRMMR004	P762 LULDA-DWI-CRY3-TANEK	West bound	280	Chennai OCC	HF, ADS/CPDLC
		East bound	270	Bangkok ACC	VHF
CRMMR005	B465 APAGO-MDY-AKSAG	West bound	300,320	Dhaka FIR	VHF/HF
		East bound	330,410	Vientiane FIR	VHF

Here's what that looks like in map form:

Following the coup on Feb 1, the Myanmar Military declared a state of emergency and assumed control. Airports across the country were briefly closed, but a Notam issued on Feb 3 declared they were all open again. The strikes and protests started up on Feb 6, and show no signs of stopping anytime soon - despite a ban on large public gatherings and night-time curfews imposed by the military.

The VYYF Notams say that the current **airspace restrictions will remain in place until Feb 28**, but given the volatile situation on the ground right now, this could well get extended. We will keep this page

updated with the latest news as we get it.

You won't find the **full version of the Myanmar ATS Contingency Plan** in their AIP yet - the Myanmar CAA have stored it elsewhere on their website. You can find it [here](#).

Unstable Approaches: Why Aren't We Going Around?

Chris Shieff

14 April, 2021



Late last year, IATA put out a bulletin noting that the number of **unstable approaches in 2020 was a lot higher than in previous years**.

Look a little further back and you'll see this has been a trend for some time now.

Fly the line and it's not hard to see *why* we are getting unstable - there are a bunch of reasons including weather, other traffic, challenging clearances, complex airspace, fatigue and even currency given the state of the industry, to name only a few.

So what's the big deal?

IATA also know that in most cases, **we're not going around**.

The numbers don't lie, and they're scary. Get this - a recent study estimated that **97% of unstable approaches flown in IMC didn't fly a missed approach**. That's huge.

The leading cause of aviation accidents worldwide are runway excursions. The Flight Safety Foundation looked into all of them over a fourteen-year period and found that 83% of them could have been prevented by a go-around. **That's over half of all accidents recorded**. It's a big deal.

What do we actually mean by 'unstable'?

In a nutshell it is **any approach that doesn't meet the stable approach criteria in your SOPs by a certain height** – usually 1,000 feet off the deck. And it's not just the ones that have gone badly wrong either – the criteria are usually pretty tight...

Like the picture, the decision appears to be black and white: **If you don't meet the criteria, you have to go-around.**

So why aren't we doing it?

Good question. There are a bunch of factors but the most important is **pilot psychology**. Either consciously or sub-consciously we are making a decision to not go-around. Here are some suggestions about what may be happening inside our heads.

1. We're pilots

Which means we're mission-orientated. **We want to get in and we don't like conceding defeat.** Nor do we enjoy being reminded that we have reached the limit of our ability to fix whatever has gone wrong.

Experience also tells us that if we persist a little longer we can re-stabilise. After all a little speed brake, a little more sink rate you'll have the thing back on rails long before the runway out the window is too close for comfort.

The problem is we're **fixating on completing the mission.**

Studies have shown this behaviour is insidious. It creeps up on you and **you begin to normalize the risk.** Just like a speeding driver arriving home unscathed, the danger becomes typical. But it gives you far less capacity and room to deal with anything unexpected.

2. Training

A go-around is a normal procedure, but boy do things happen quickly. It's okay when you know it's coming. But it's when you're off the script that they get especially challenging. Especially after something stressful has already happened.

Studies show that **pilots are more reluctant to go-around in scenarios they haven't practiced.** This includes when the aircraft is only partially configured or is very low to ground (such as a bounced landing or botched flare). Complicated airspace and procedures can also be major deterrents to hitting those TOGA switches.

3. What the other guy/gal thinks

Everyone's personality is different, and **we don't always get along.** You might like a good book, while your offsider might prefer a good base jump. When it begins to matter is when it affects safety.

We react differently depending on the dynamic with the other pilot. This can include embarrassment at going around, a lack of support for the decision or disagreement with whether the approach can be safely salvaged. **But if you begin to see a go-around as a reflection of your abilities, you are already on a slippery slope.** Add an offsider who might judge you for going around and you're in for a dangerous ride together.

Cockpit gradient is another contentious issue. Too steep and it can turn a multi-crew aircraft into a single pilot one. Age, experience, rank or culture can all contribute. Take this animation of a visual approach on a calm sunny day in San Francisco a few years back. Watch the animation and decide when you would have said something. There were two Captains and a First Officer on the flight deck.

Credit: Airboyd

4. Organisational Pressure

The elephant in the room. No one is pointing fingers but now more than ever operations need to run on the 'scent of an oily rag.' Fuel is a big part of that. **Crew may be encouraged to carry less of it in the first place which can lead to fuel anxiety and reluctance to go-around.** Or it may be the simple economic cost of using it compared to trying to re-stabilise an approach. It's no secret that go-arounds use a lot of fuel.

Other factors may come into play too - scheduling, delays, an unwanted diversion or even duty time limits. There are a bunch of **external factors** which can creep their way into the flight deck and **affect our decision making.**

So what can we do to improve our Go-Around decision making?

IATA have made some solid suggestions:

1. Make the decision as early as you can. Historically, accidents that follow a decision to go-around usually reflect a late decision. Don't wander down that garden path. Lion Air Flight 904 serves as another example.

2. Brief the heck out of them. Every time. Make sure you include what you will be looking for to continue the approach, what may make a go-around more difficult on that particular day and how you will get around those challenges.

3. Encourage acceptance on the flight deck that a go-around is a possibility at any stage. Always prioritise the safest outcome.

4. Follow those SOPs. Operators should always have a mandatory requirement to go-around when stable approach criteria aren't met. On the flipside, there should never be any punitive reaction to a crew's decision to go-around. They show good decision making.

5. Fuel policy. Have one which always allows for go-arounds and accept they are a necessary cost of operating an airplane out there.

Up for more reading?

It's a big issue so there are plenty more places to look. Here are a couple of really good links to get you started.

- IATA periodically publish a whole bunch of useful stuff about unstable approaches, go-arounds and risk mitigation.
- Flight Safety's work on unstable approaches.

Spot The Difference: Oceanic Airspace With

Non-Standard Contingency Procedures

OPSGROUP Team

14 April, 2021



On 5th November 2020 the new ICAO PANS-ATM Doc 4444 sprung into action like a super hero in a paper cape. Doc 4444 is the Standard for Air Traffic Management. It is a big deal in the world of documents. It is what provides the **worldwide recommendations on Procedures for Air Navigation Services**, including those for **Contingency and Weather Deviation situations**.

But...


That does not mean states have to follow it. They really should. But if they don't that is ok, they just need to let everyone know in their AIP what their different procedures are.

One Contingency Procedure to Rule them All

So, on 5th November the new recommended Contingency Procedures came into being. In fact, these were the procedures that had been in place in the North Atlantic Region since March 2019. But with the release of the new ICAO Doc 4444, the plan was for these procedures to now be rolled-out everywhere - so there would be **one standard set of Contingency and Weather Deviation Procedures for all oceanic airspace worldwide**.

The procedure is straightforward: Contingency offsets that previously were 15nm are basically now all **5nm offsets** with a turn of at least **30 degrees**.

Here's how it works:



But you know this already, so why are we repeating it?

And that would be great. Pilots, no matter where they are, would know exactly what to do when something goes wrong. But...

Some places aren't playing by the (new) rules

There are four named oceans on Earth – the Atlantic, Pacific, Indian and Arctic. They are quite big. So big they are often “broken” into North and South as well, and who rules the airspace above said oceans is a mishmash of who borders what bits.

This means while you might *just* be routing over the Indian Ocean, you might not *just* be under Indian control, which also means **the contingency for each bit of airspace might vary** since it is up to each State to decide whether to implement the standard procedure over their bit of the ocean. And not all of them have.


So which ones do we know of that you still need to look out for?

India

India control a big bit of Oceanic Airspace which falls under their **VABF/Mumbai**, **VOMF/Chennai** and **VECF/Kolkata FIRs**.

Until August 12 2021 India did not follow the standard ICAO contingency. From then, they do.

Here is a copy of the new AIP SUP updating their manuals.




China

The **ZJSA/Sanya FIR** includes an oceanic portion in the South China Sea. It is a “marginal sea” that is part of the Western Pacific Ocean (marginal meaning: would just be the ocean only a bunch of islands and archipelagoes sort of divide it off a bit).


China also do not follow ICAO standard contingencies and instead require you to turn **90 degrees** right or left, **offset by 25nm** and then climb or descend 500ft.

China are pretty strict on deviations and detours. They even use different sized airways in some spots. So check their AIP and China specific Rules and Regs before a flight.



French Guiana

The **SOOO/Cayenne FIR** extends halfway across the South Atlantic Ocean towards Cape Verde and the West African coastline. The procedures here are also yet to be updated. The French AIP here has the info (ENR section 1.8.5) and tells you to turn left or right by **90 degrees, offset by 15nm** and climb or descend 500ft. Nothing strange, but it ain't your ICAO standard.




French Polynesia

The **NTTT/Tahiti FIR** in the Central Pacific ocean is another one that comes under the French AIP and still uses old procedures – the now familiar **90 degrees left or right and 15nm offset**.



Cape Verde

In the **GVSC/Sal Oceanic FIR** you are also going to find the old procedures are still in force – the **90 degrees** left or right and **15nm offset**. You might also want to keep an eye on areas with only 30nm separation and avoid shooting through those 15nm offsets.



Malaysia

The **WMFC/Kuala Lumpur FIR** Oceanic Airspace requires a **90 degree** left or right and **15nm offset**

Maldives

They don't refer to the **VRMF/Male FIR** as 'Oceanic', we think it is so we are not sure on this one. We do know that if you need to do an emergency descent, they want you to **remain on away T456**. If you are on airways **Z653 or Z749** then you can leave the route.

Seychelles

There is a special procedure if you are in FSSS/Seychelles Oceanic FIR. It is in the Seychelles AIP SUP 02/2014. The procedure is a **45 degree turn** and a **15nm offset**. If you are **able** to maintain your flight level then once at 10nm, select a level 500' different to assigned (if at or below FL410), or 1000' different (if above FL410)

If **unable** to maintain your assigned level, then pick a level you can maintain and apply the 500'/1000' difference above, but watch out for aircraft who might be on a SLOP

Where else? We need you to tell us!

If you are flying through a region and spot a non-standard contingency or "different to ICAO" note in the AIP then be a superhero and **share it with us**, and then we can share it with you all and help keep everyone safe and up to date. Email us at: news@ops.group

Feb 2021 North Atlantic Changes

David Mumford
14 April, 2021



2021 is off to a flying start again with **NAT changes aplenty!**

We've got a new edition of the **NAT Doc 007** (the big one with pretty much everything you need to know in it), **Nat Doc 006** (the one which tells you what happens when things go wrong - also pretty big), and **three updated NAT Ops Bulletins** (the small-to-medium-sized ones which give more info about specific topics).

This image shows the docs which have changed - lots of meaningless letters and numbers in there. Fear not, we'll go through each one and explain **what it is**, and **what has changed...**

NAT Doc 007



NAT Doc 007 is **the Bible of the North Atlantic**. It's full of NAT goodness - all the specifics about how to operate your aircraft safely through the complex airspace of the region is here. And they've just published a new edition - effective Feb 2021.

As aviation documents go, it's written in pretty digestible language. **There's just a lot in it.** But the latest release is slightly more user-friendly than previous updates, as ICAO have now included **a little summary document which explains all the changes.**

You can download a pdf of the **new NAT Doc 007 here.**

And you can get [the little explainer doc here](#).

We've been looking at this latest edition for 12 hours or so now, and we think the changes are **minor**. We use that word with trepidation. **The most significant changes** seem to be as follows:


1. **No more NOROTS** - these were a system of domestic westbound tracks published daily by Nav Canada for aircraft transiting between Europe and the Northwestern US. These have been disbanded.
2. **Mach Number Technique** - they want any aircraft capable of maintaining a mach number to flight plan their requested number (not just turbojets).
3. **The southerly Blue Spruce route** which used to start/end at "HO" now does so at "PORGY" instead. HO/Hopedale NDB has been removed from service.
4. **Some clarification on Comms requirements.** Basically two long-range comms systems are needed throughout the NAT if outside of VHF coverage. One must be HF. The other may be CPDLC/Sat Voice but Inmarsat systems do not count when you're really really far north (north of 80N).

Here is latest VHF coverage chart they refer too in Doc 007 (although it says it needs updating):



Relief from the HF requirement is available for flights going for repairs, ferry flights, and special cases. This requires permission from each and every Oceanic Area Control Centre you're passing through (i.e. Gander, Shanwick, etc). Include your approval in Item 18 of your flight plan.

NAT Doc 006



Also known as the **Air Traffic Management Operational Contingency Plan - North Atlantic Region**.

Also known as the **ATMOCP-NAR**.

Not really. There's no such thing as an ATMOCP-NAR.

NAT Doc 006 is about a different kind of monster – it tells the tale of **what happens on the North Atlantic when ATC goes down for any reason**. It's the official go-to manual to check the Contingency Plan they put in place during these so-called "ATC Zero" events.

You can download a pdf of the [new NAT Doc 006 here](#).

And you can get [the little explainer doc here](#).

Summary of what's changed:

- They have updated the section talking about contingency plans for the Gander Oceanic FIR. There is basically some updated contact info, updated contingency routes in the event of Gander Evacuations, and some wording changes clarifying the procedures to be used in event of a comms disruption or full loss of ground-air comms capability.
- The plan only applies to Gander Oceanic FIR, and has removed the ADS-B designated airspace over Greenland because Gander no longer provide ground based ADS-B separation.


For a breakdown of each of the big changes in this NAT Doc 006, in chronological order (i.e. following the order they appear in the NAT Doc 006 guidance doc!), check out our separate article here.

So **NAT Doc 007** and **006** are the “big ones” that have changed.

But remember, there are some changes to **three NAT Ops Bulletins** too!

Here's the lowdown:

1. The “How Not To Make Oceanic Errors” NAT Ops Bulletin



Real name: "ICAO NAT Ops Bulletin 2017-002 Revision 3. Subject: OESB – Oceanic Errors".

Download it [here](#).

This is the one which has all the advice for operators on how to avoid the common mistakes when flying the North Atlantic. These include: Gross Nav Errors, Large Height Deviations, and Longitudinal Separation busts. There's also some advice on Flight Planning, SLOP, and some CPDLC things to watch out for.

The changes in this latest version:

- It now has up-to-date guidance on Contingency and Weather Deviation Procedures, to reflect the new procedures that were introduced on the NAT in March 2019 and then extended to all oceanic airspace worldwide in Nov 2020.

[Click here](#) for our article which has more info on all this.

2. The "How To Punch In Waypoints Correctly" NAT Ops Bulletin



Real name: "ICAO NAT Ops Bulletin 2018-03 Revision 1. Subject: Waypoint Insertion / Verification Special Emphasis Items".

Download it [here](#).

There are some specific procedures to know when it comes to proper waypoint insertion and verification. This is considered a critical method of mitigating the risk associated the rapidly changing procedures (contingency) as well as reduced separation operations (ASEPS and PBCS) within the North Atlantic.

The changes in this latest version:

- Oceanic Clearances containing a re-route issued by voice/OCL may include half-degree waypoints. Operators should ensure that their flight crew procedures and associated training are sufficiently robust to mitigate against navigational error due to waypoint insertion errors.
- Flight Crews are reminded they have the option to respond "UNABLE" to an oceanic re-route and negotiate with ATC accordingly.

3. The "How To Use Datalink Properly" NAT Ops Bulletin



Real name: "ICAO NAT Ops Bulletin 2017_004_Revision 1. Subject: NAT Data Link Special Emphasis Items".

Download it [here](#).

This Bulletin basically gives a tonne of guidance to operators on how to follow the correct datalink procedures in the North Atlantic.

The changes in this latest version:

- It now includes a new section on the use of CPDLC route clearance uplinks:

4. CPDLC Route Clearance Uplinks

- 4.1 CPDLC route clearance uplinks are used by ATC to amend oceanic routing.
- 4.2 If a clearance is received that can be automatically loaded into the FMS (e.g. via a LOAD prompt), the flight crew should load the clearance into the FMS and review it before responding with WILCO.
- 4.3 Flight crews must be familiar with the proper loading and execution of the following CPDLC route clearance uplinks:
 - a) PROCEED DIRECT TO (position)
 - I. Instruction to proceed directly to the specified position
 - b) CLEARED TO (position) VIA (route clearance)
 - I. Instruction to proceed to the specified position via the specified route
 - II. This uplink may not show the "VIA ROUTE CLEARANCE" until it is loaded
 - III. This is not a "direct" to the CLEARED TO waypoint. It is a clearance to the waypoint via the route specified.
 - c) CLEARED (route clearance)
 - I. Instruction to proceed via the specified route
 - II. This uplink may not show the "ROUTE CLEARANCE" until it is loaded
 - d) AT (position) CLEARED (route clearance)
 - I. Instruction to proceed from the specified position via the specified route
 - II. This uplink may not show the "ROUTE CLEARANCE" until it is loaded

Note. — Experience shows that flights crews often misunderstand the uplink message CLEARED TO (position) VIA (route clearance) when they fail to load the message and incorrectly fly directly to the CLEARED TO position. Or, even after loading, they perceive the clearance as "direct" to the "CLEARED TO" position.

Note. — FMS waypoint weather data (winds and temperature) may be lost depending on the route clearance message received. Flight crews should verify the weather data as they may need to re-enter the weather data for proper FMS predictions.

So as far as the ICAO NAT Ops Bulletins go, the full list of **current Bulletins** is as follows:



NAT OPS BULLETIN CHECKLIST

NAT OPS Bulletin Checklist		Issued: 23 February 2021
Serial N°	Subject	Effective date
2020_002	Surveillance Service in the NAT / Flight Crew Operating Procedures	08 July 2020
2020_001	ACARS Data Link Oceanic Clearance Flight	06 April 2020
2019_003	Data Link performance improvement options- Revision 2	08 July 2020
2019_001	Operations Without an Assigned Fixed Speed in the NAT (OWAFS) Special Emphasis Items (SEI)	09 July 2019
2018_005	Special Procedures For In-Flight Contingencies in Oceanic Airspace Revision 1	28 March 2019
2018_004	Implementation of Performance Based Separation Minima-Expanded Publication of PBCS OTS	28 March 2019
2018_003	Waypoint Insertion / Verification Special Emphasis Items – Revision 1	23 February 2021
2018_002	CPDLC Uplink Message Latency Monitor Function – Revision 1	04 June 2018
2017_005	Revised Sample Oceanic Checklists	07 December 2017
2017_004	NAT Data Link Special Emphasis Items – Revision 1	23 February 2021
2017_002	Oceanic Errors - Revision 03	29 January 2021
2017_001	NAT common DLM AIC – Revision 4	09 July 2019
2013_005	New Service Notification for Gander Oceanic Control Area	21 November 2013
2013_002	Publication of “Track Wise – Targeting Risk within the Shanwick OCA” – updated 29 April 2013	29 April 2013

You can download each Bulletin from the ICAO page [here](#).

And that's it!! That's all the changes!! At least, we think so. If you have spotted any biggies not listed here, send us an email at: news@ops.group

And if all this is not enough for you, and you want a comprehensive timeline of **all the old significant changes on the North Atlantic** stretching back to the dawn of time (2015, actually), then [click here](#).

Feb 2021 NAT Doc 006 Changes

David Mumford
14 April, 2021



ICAO have published an **updated NAT Doc 006**, effective Feb 2021.

This document details **what happens on the North Atlantic when ATC goes down for any reason**. It's the official go-to manual to check the Contingency Plan they put in place during these so-called "ATC Zero" events.

In particular these include the contingency arrangements in place to deal with:

- The airspace suffering contamination by **volcanic ash**.
- The steps taken to deal with a **mass turnback of traffic** over the NAT region.

You can download a pdf of the **new NAT Doc 006 here**.

And you can get **the little explainer doc here**.

Summary of what's changed:

- They have updated the section talking about contingency plans for the Gander Oceanic FIR. There is basically some updated contact info, updated contingency routes in the event of Gander Evacuations, and some wording changes clarifying the procedures to be used in event of a comms disruption or full loss of ground-air comms capability.
- The plan only applies to Gander Oceanic FIR, and has removed the ADS-B designated airspace over Greenland because Gander no longer provide ground based ADS-B separation.

Here's a breakdown of each of the big changes, in chronological order (i.e. following the order they appear in the NAT Doc 006 guidance doc!):

The Disruption of ground/air comms capability section was updated:

Shanwick Oceanic FIR and Reykjavik Oceanic FIR provide supporting procedures for Gander. So if there is a general disruption of ground/air comms capability in Gander, comms services will be maintained using available equipment and will be supplemented with the assistance of adjacent facilities. HF normally

provided by the CYQX International Flight Service Station will be delegated to other International Stations and the frequencies will be published in a NOTAM.

They then corrected the misspelling of the word 'dependent' about 50 times:

Ok, maybe only about 6 times.

The 'No Service Procedure' was updated:

If Gander ACC is evacuated, Shanwick will take over the ATC provision in the Oceanic bit as much as they can. They won't issue re-clearances to aircraft in Gander Oceanic though. Moncton and Montreal ACC will take on the en-route ATC provision in Gander FIR.

Contact Info updated:

Oceanic Centre	Telephone Number	SATCOM Inmarsat Short Code
Reykjavik, via Iceland Radio	+354 568 4600	425105
Santa Maria	+351 296 820 438 +351 296 886 042 (satellite link)	426305
New York	+1 631 468 1413	436623
Ballygirreen (Shanwick Aeradio)	+353 61 368241 Ground/Air Ops +353 61 471199 Ground/Air Ops via Switchboard	425002

Pilot/Operator Procedures were updated:

If you have a clearance already, and are routing in from another OCA, then in you go and follow the clearance.

This is what it says -

"While flights with an acknowledged oceanic clearance may transit Gander's oceanic airspace, flights not yet within Gander OCA are strongly advised not to enter the airspace. Flights operating with an acknowledged oceanic/ATC clearance that continue under pilot's discretion are expected to proceed in accordance with the last oceanic/ATC clearance issued. En-route requests for changes to route, level or speed should be limited to those required for flight safety."

It has removed the bit about flights in other OCAs expecting a big re-route, and how Reykavik and Santa Maria will advise on procedures. The Procedures will be as per the Notam issued and the paragraph above gives the procedure.

East and Westbound flights above FL290 contingency routes have been updated:

The change is that instead of just extending the OTS system to begin at fixes on the boundary between Gander and the Moncton or Montreal FIR, they will now use laterally spaced routes instead and connect them to oceanic exit points in the next agency. Once comms are established with the next agency, you'll get a re-clearance.

There are a bunch of updated route tables (like this one below). So if you're initially routing west via AVPUT and Gander evacuate, you will then proceed to NALDI, DUTUM and talk to Montreal for what to do after.

FLIGHT IS ROUTED OVER	THE FLIGHT SHALL PROCEED:	Next control agency and frequency:
AVPUT	NALDI DUTUM	Montreal ACC 134.85
CLAVY	KAGLY TEFFO	Montreal ACC 134.85
EMBOK	IKMAN FEDDY	Montreal ACC 134.85
KETLA	GRIBS JELCO	Montreal ACC 134.800
LIBOR	6101N 06241W	Montreal ACC 133.200
MAXAR	MIBNO RODBO	Montreal ACC 133.200
NIFTY	MUSLO	Montreal ACC 133.200
PIDSO	PEPKI LOPVI	Montreal ACC 135.800
RADUN	SINGA	Montreal ACC 135.800
SAVRY	LAKES MCKEE	Montreal ACC 132.450
TOXIT	IUDMAR	Montreal ACC 132.450

The long term contingency plan changed a bit:

Basically they clarified notes on how evacuations and loss of the Gander ATC service will likely not exceed 48-72 hours. They will also attempt to provide immediate or near immediate resumption of service specially for emergency, humanitarian and critical military flights. Everyone else can expect a "phased approach with flow control."

Even more contact info was added:

Gander Shift Manager	+1 709 651 5207 +1 709 651 5203
Gander Oceanic	+1 709 651 5324 SATVOICE 431603 or +1 709 651 5260
Gander Domestic	+1 709 651 5315 SATVOICE 431602 or +1 709 651 5315
Gander IFSS	+1 709 651 5222 SATVOICE 431613 or +1 709 651 5298
Gander Control Tower	+1 709 651 5329
Gander Airport Duty Manager	+1 709 424 1235
NAV Canada Operations Centre	+1 613 563 5626
Moncton ACC	+1 506 867 7173
Montreal ACC	+1 514 633 3365

The emergency NOTAM format has been updated:

Everyone loves a big long Notam. Here's the new one they'll be using from now on if everything suddenly stops working:

DUE TO EMERGENCY EVACUATION OF [OACC] DUE [REASON, e.g. COVID19] AIR TRAFFIC CONTROL SERVICES ARE UNAVAILABLE IN THE [NAME] OCA. FLIGHTS NOT IN RECEIPT OF AN OCEANIC CLEARANCE SHOULD REQUEST CLEARANCE TO AVOID [NAME] OAC/FIR OR LAND AT AN APPROPRIATE AERODROME. ONLY FLIGHTS OPERATING WITH AN ACKNOWLEDGED OCEANIC/ATC CLEARANCE ARE PERMITTED TO OPERATE WITHIN [NAME] OCA. FLIGHTS NOT YET OPERATING WITHIN THE [AIRSPACE NAME] OCA BUT IN RECEIPT OF AN [OCEANIC] OR [ATC] CLEARANCE ARE STRONGLY ADVISED NOT TO ENTER THE AIRSPACE.

FLIGHTS OPERATING WITH AN ACKNOWLEDGED OCEANIC/ATC CLEARANCE THAT CONTINUE UNDER PILOTS DISCRETION ARE EXPECTED TO PROCEED IN ACCORDANCE WITH THE LAST OCEANIC/ATC CLEARANCE ISSUED AND MUST CONTACT NEXT ATC AGENCY AS SOON AS POSSIBLE AND REPORT CURRENT POSITION, CLEARED FLIGHT LEVEL, NEXT POSITION AND ESTIMATE, AND SUBSEQUENT POSITION(S). FLIGHTS MUST REVERT TO VOICE POSITION REPORTING PROCEDURES. DATALINK EQUIPPED AIRCRAFT ARE EXPECTED TO CONNECT TO/REMAIN CONNECTED TO CURRENT CENTRE UNTIL OTHERWISE INSTRUCTED. FLIGHTS MUST MONITOR 121.5 / 123.45MHZ AND VOLMET AND USE ALL AVAILABLE MEANS TO DETECT ANY CONFLICTING TRAFFIC. FURTHER DETAILS WILL BE PROVIDED VIA NOTAM IN DUE COURSE.

Anything we missed?

Let us know. news@ops.group

Currency and Startle Factor - How to Beat It

Chris Shieff

14 April, 2021



Good news - the vaccine is here!

Slowly but surely passengers will begin returning to the skies. **Which means pilots will too.** Just like a huge ship, our industry has inertia. You cannot simply take your foot off the brake and straight back onto the gas.

In 2020, it went into a deep hibernation. Remember those pictures? Thousands of gleaming tails stuck depressingly in the desert? Well, pilots didn't fare much better. **Thousands of pilots were put into deep storage too.**

To give you an idea of scale, get a load of these stats- the first post-Covid worldwide survey found that **58% of the world's pilots are currently grounded.** 33% lost their jobs completely while a big bunch are on furlough with no clue when they'll fly next.

So as the industry begins to recover (and it will), a legion of seriously “**non-current**” **pilots** will find themselves back in the hot seat facing the same challenges they did back when things were booming and your skills were Chuck Yeager sharp.

Beginning to get the picture? I'll give you a hint...

It's not like riding a bike.

We're not machines and **our skills degrade over time** no matter how good you are.

Secondly, you might think a bunch of extra training will soon get you back to speed. The issue is **resources** - it is such a big task to get everyone current again you are likely to find yourself at the controls *legally* current, but not necessarily at your best.

So if something goes wrong, you're likely to be **further behind the 8-ball**. So let's talk about **startle factor**. Yep that old chestnut. We've all been there. Something has gone wrong and fast. One minute you're talking about that great place that does burgers near the crew hotel, the next you're seeing more red lights than Amsterdam. For a fleeting moment all that training and knowledge is gone. **You go blank but feel compelled to act.** Sadly it is in these brief moments that some crew have tragically become unstuck.

Here's the issue.

When you're not current you are more likely to fall victim to **startle factor**. And you can bet your bottom dollar that whatever is about to happen is not going to wait for you to get a few sectors under your belt first.

So if I get a call up next week, what can I do about it?

- **Understand what is happening in your brain when something goes *bang*.**

Startle factor is **normal**. It affects everyone because a ‘fight or flight reflex’ has been hard wired into our brains since the days we were running away from woolly mammoths and sabre tooth tigers. It is a physical and mental response to something unexpected.

When something gives us a fright, our brain activity changes. We think less and act instinctively while our bodies are pumped full of adrenaline and stress hormones. Effectively for a short time **our thought processes are hijacked**. We can get into a vicious cycle of bad decisions in a hurry. This post-startle brain fog has had tragic consequences in avoidable accidents.

- **Don't act. At least right away.**

Just for a moment, **resist the knee-jerk reaction**. Slow it down. By sitting on our hands even for a second or two you are giving your brain a chance to pass through its instinctive reaction and give you back control of your decision making. You have to understand what is actually happening before you can do anything to fix it.

- **Be Ready.**

Fight boredom and be alert. In each phase of flight think about what could go wrong and how you

will react. For those less superstitious, **dare your plane to fail**. By keeping your brain in state of readiness you will overcome the startle factor more easily.

- **Get Back On the Script.**

Ah, yes. **Familiar territory** – nothing helps you get over a shock than what you already know. Use a robust decision making process and watch your ol' capacity bucket grow.

You have probably heard of some – SAFE, GRADE, FATE etc. There are lots of them but it is important to have one and **practice it consistently**.

T-DODAR is another tried and true method, and US Airways flight 1549 shows how it can be used in some of the most startling circumstances that could have been thrown at a crew.

Sully Sullenberger kicked a field goal that fateful day in 2009 when they took a flock of Geese straight through both noise-makers.

He paused, sat on his hands and tried to **understand the status of the airplane**. What had happened, and why. Whether he had power or not. He got himself back in the loop. He took control of the airplane, established it in a glide and turned the aircraft back towards the airport. He then told ATC. **Aviate, navigate, communicate**.

Once he had the capacity, he went to work. He knew he had **no time** and had to land. The **diagnosis** was obvious – a bunch of birds damaged both engines. Sully worked through his **options**: Return to La Guardia, go to another airport or ditch. He made his decision – “We’re gonna be in the Hudson.”

Once the **decision** was made, he **assigned** tasks. He would fly the plane, his First Officer would run checklists and try and get an engine back and his cabin crew would prep the cabin.

As they descended toward the river he turned to his colleague and with a simple question covered off his **review** – “Got any ideas?”. In other words, anything we haven’t tried yet? 155 people were saved by the crew’s ability to make decisions effectively. Apply a framework and you create so much extra brain space to concentrate on other things.

Oh, and about the sim.

Traditionally, airlines have followed **matrices**.

What’s that you say? Matrices, cyclics, whatchamacallits – predictable training programs that meant that every year or two that horrible multiple hydraulic failure would pop up yet again. That **canned exercise** that you were born ready for because you spent all last night studying it over a room service steak.

While I’d be the first to admit that when it comes to sim assessments, **I love to know what’s coming**, that’s not how the world works. The real reality is... who knows? There is an un-countable number of factors at play that will decide what an actual airplane is going to throw you at you. So the best defence is **being comfortable with what you don’t know**.

Spend a few minutes looking up ‘Evidence Based Training.’ Chances are you’ve already heard of it. It’s about assessing competencies no matter what’s thrown at you and it’s **a revolution for pilot training**. If you have the right tools in your bag you can fix almost anything – and that’s the whole point.

Simulator time is valuable, and if you get the chance use the extra time. **Get something new thrown at**

you - because at the moment, we need all the help we can get!

Some other interesting stuff...

- IATA's guide on Evidence Based Training
- 'Without Warning' A great article on the topic of 'Pucker Factor' from 'Down Under' (what are the odds!?).