

South Atlantic Bulletin: CPDLC Warning

Chris Shieff
10 December, 2024



There's been a lot of noise lately from the NAT, especially as we all come to grips with the **removal of oceanic clearances**.

But it's important not to forget about the SAT – or **South Atlantic**. And it seems a CPDLC issue has been regularly occurring in the Abidjan Area Control Center – a large chunk of airspace found south of Africa's Ivory Coast.

The issue arises from the fact that while the **Abidjan ACC** is geographically constrained by the much larger **Dakar FIR**, it is responsible for its own control.

It seems that pilots have been incorrectly logging onto **GOOO/Dakar** rather than **DIII/Abidjan** when transiting this airspace. ATC are concerned, and so a new SAT Ops Bulletin has been published. Here's a closer look at what it contains, and how to mitigate this error on your next crossing.


The Airspace Picture

Part of the problem may be that pilots crossing the SAT are **far less familiar** with the airspace picture than they are of its big brother, the NAT. So, he's a quick crash course.

Over the South Atlantic lies the '**Atlantic Ocean Random Routing Area**', or AORRA.

This is essentially a volume of airspace between FL290 – FL410 within the Atlantico, Accra, Comodoro Rivadavia, Dakar, Dakar Oceanic, Ezeiza, Johannesburg Oceanic, Luanda and Montevideo FIRs.

This article is concerned with the Eastern Side of the AORRA – specifically the **DIII/Abidjan ACC** (Ivory Coast) which is contained within the much larger **GOOO/Dakar FIR** and where the confusion is occurring. Aircraft on routes that transit between South America and Sub-Saharan Africa will likely overfly this airspace.



The folk at the South Atlantic Steering Group (SAT SG for short) have reported more and more instances of transiting aircraft **incorrectly logging onto G000 when they should be logging onto DIII** while in Abidjan's airspace.

This then creates communication issues for ATC.

Panic Slowly

While this is cause for concern, SAT SG are quick to explain that in most cases this can be managed safely but vastly **increases workload** for controllers who must manually resolve the mis-connection.

But occasionally the loss of comms has led to the activation of something called **INCERFA** - a top-secret ICAO catchphrase for where uncertainty exists as to the safety of an aircraft or its occupants. **This alert phase carries its own protocols for ATC.**

And so, the key message from the bulletin is this:

'While Abidjan Airspace is geographically included within the Dakar FIR, it is essential that it is treated as a separate sector for CPDLC logon purposes...'

Simple!

What to do

None of us like unexpected paperwork. So, the SAT SG has also provided us with **flight crew procedures** to prevent communication problems when overflying Abidjan airspace. Check the SAT Ops Bulletin for these in full, but here's the lowdown:

Before Entering: Check logged onto Abidjan ACC using correct code (DIII). Confirm logon active by checking uplink message response. Don't log onto Dakar (GOOO) by mistake.


Failed Logon: Manually log on to DIII if auto fails. Notify Abidjan by voice ASAP if unable to establish CPDLC connection. If practical, trouble shoot before entering.

Transition between Dakar and Abidjan: Monitor handoff carefully. Ensure CPDLC switches before crossing the boundary. Verify correct CPDLC connection is active, especially entering Abidjan airspace.

Have more questions about the SAT?

You can reach the **ICAO EUR/NAT** office directly via icaoeurnat@icao.int.

For ops in the region, you might also be interested in this little guide on the **South Atlantic Corridor** we wrote before. OPSGROUP members can download it from the Dashboard here.



Click to download hi-res PDF.

Winter Ops: Fun Fuel Facts

OPSGROUP Team
10 December, 2024



Fuel is to airplanes what coffee is to pilots – something you just cannot fly without. But just as there are different types of coffee, you're going to come across different types of fuel as well...

The Menu

Jet-A1 – The most traditional drink, it is straw coloured with a flash point of 38°C (100°F), and a freezing point of -47°C.



Jet A – Another tasty kerosine grade fuel which will work just fine. The flash point is the same but this turns into an icy slushie at only -40°C.

Jet B – A delicacy from the Northern Regions. This is a cocktail of kerosine and naphtha – the stuff dragons produce out their nostrils (ok, that is not true, but it might as well be because this stuff is hard to handle with its higher flammability). Wide cut, and only really used in colder climates, with its freezing point of -50°C.

TS-1 – A Russian cocktail, more flashy than most at 28°C, but with a freezing point of -50 °C. It is also sometimes called RT (which looks like PT when it is written in Russian). RT is a superior grade TS-1, but not widely available.

RP – Brewed in China, the RPs come in a variety of styles. RP-1 has a freezing point of -60°C, RP-2 -50°C, but it is RP-3 we really recommend because it is basically Western Jet-A1 produced at export grade.

Chip fat oil – Not literally, but if you fly into a remote airport in some regions you might find fuel is not of the standard required. Look out for anything that isn't straw coloured, doesn't smell right, or has things floating in it.



Cutting it wide

Wide cut fuel is a mixture of kerosene and gasoline (Jet A1 in comparison is highly refined Kerosene). Wide cuts are not often recommended by airplane manufacturers because the quality and performance specifications are generally not as good.

If you are going to use it, there are likely going to be some pretty specific operational procedures involved because these fuels are much more volatile. Things like over-wing fuelling is generally a no-no, and the filtration system is going to appreciate a slow flow so it can keep up.

All those numbers

Fuel doesn't freeze like water. It is not liquid one minute and ice the next. Instead it turns into a strange, slushy porridge consistency.

What's more, if you have a mixture of freezing points, the freezing point won't be a nice in the middle -44.5°C so the only reliable way to work this out when you've mixed a load together is to take a

measurement – assuming you’re carrying your own Fuel Freezing Point Measuring Gadget...

If not, the next best method to use is this –

- **90% or more of your fuel is one type?** Use that freezing point.
- **89% or less of your fuel is one type?** Use the highest (worst case) freezing point.
- **You have 900 gallons of Jet A1 freezing at -47°C and 100 gallons of Jet A freezing at -40°C?** Then call it -47°C and be off on your merry way.
- **You have 899 gallons of Jet A1, and 101 gallons of Jet A?** Then take the highest freezing point which in this case would be Jet A at -40°C

Do we really care about freezing points of fuel?

Yes, very much so, especially if you are flying some long haul treks over the North Pole at high altitude in the winter.

With outside air temperatures lower than -60 degrees, freezing fuel can get you into some very hot water, (or cold fuel to be more accurate.)

In Jan 2008, British Airways Flight 38 crashed just short of the runway at EGLL/Heathrow after flying from Beijing, China. They had been cruising between FL350 and FL400, with OATs reported to be between -65 to -74°C. While the fuel itself never froze, it did become cold enough for ice crystals to form in the fuel system.

These pesky little ice particles blocked stuff up and reduced the fuel flow, starving the engines, and causing a big loss in thrust right when the pilots needed it.

What can we do about it?

Ultimately, you need to **turn up the temperature!** There are only a few ways to heat your fuel up if it starts getting too chilly:

Stir it Up – Unlike Bond who preferred his drinks shaken and not stirred, mixing cold fuel with warmer fuel makes it better. Some larger aircraft with complex fuel systems do this automatically, but if you are able to do so manually there will probably be a checklist and following it to avoid turning off the wrong pumps might be wise.

Speed it Up – Flying faster means more drag which means more energy converted into hotness. Not much though... an increase in Mach 0.01 will increase the TAT by around 0.7°C, and increasing your speed also increases your fuel burn.

Bring it Down – Warmer air will help, and by descending 7000' you can increase the TAT by around 7°C. In seriously cold air masses, descent to at least FL250 might be required, but this all means a much higher fuel burn.

Tanker? No thank ya...

Tankering fuel if you are operating into somewhere chilly might cause you some problems. The fuel is likely to get cold in flight, and up the likelihood of some frosty wings on the ground. So check the de-icing situation at your destination if you are tankering and it's cold out.

Some other useful info

- 1 imperial gallon = 1.2 US gallons.
- You can monitor the price of jet fuel here.

Swerving off the road: Why are pilots avoiding EMAS?

Chris Shieff

10 December, 2024



Update November 2024:

Over two years have passed since we first published this article on **EMAS**.

A recent report identified that **runway excursions** are still one the leading causes of business aviation accidents in the US – which has put this valuable technology back on our radar.

It's pleasing to see that the adoption of these life-saving blocks of crushable energy absorption has steadily continued to increase across the world including recent news that it is coming to Australasia for the first time.

The FAA now reports that EMAS is installed at 121 runway ends at seventy-one US airports and growing.

To date it has safely stopped twenty-two overrunning aircraft carrying 432 pax and crew – the latest, a Hawker 900XP at **KTEX/Telluride** back in July.

Outside of the US, a number of aviation authorities have introduced or are planning to install EMAS beds to **current US FAA standards** at airports in countries including the UK, Canada, France, Spain, China and

Taiwan.

A first for Australasia

Two promising pieces of news recently emerged from down under in recent months.

New Zealand is installing EMAS at two of its most challenging airports characterized by windshear, short runways and RESAs geographically constrained to the minimum 90 meters (295'). Both receive high volumes of jet traffic.

NZQN/Queenstown is currently in the process of installing EMAS at both runway ends. Work is happening at night and is expected to be completed soon.

Just last week, **NZWN/Wellington** announced it would follow suit, with major runway safety upgrades. It hopes to have EMAS in action by the end of March.

A familiar problem remains

If there is any doubt as to the effectiveness of EMAS, consider this. A typical EMAS installation in a 90m (295') RESA effectively increases its stopping power to the equivalent of 240m (787') - **that's nearly three-fold**.

And yet pilot awareness remains limited. There are no ICAO SARPs for EMAS. And the FAA's guidance is limited - the only advice for an imminent EMAS encounter is to maintain the extended runway centreline. And once stopped, don't try and taxi the aircraft.

The reality is that 90m from 70kts looks darn short - and vacant space on either side of the runway makes for an attractive option in the heat of the moment.

Pilots may simply not know it's there (how often do we brief EMAS?) or act out of instinct. Which means incidents are still occurring where we're **swerving to avoid it**.

More on that in our original article below.

Original Article:

Across the US alone, over one hundred runways at 71 airports have a safety critical system fitted to help prevent a major cause of aviation accidents - **runway overruns**.

It's called **EMAS**, or 'Engineered Materials Arresting System', which is a technical way of using drag to safely stop an airplane when all else fails. And better yet, it has your back in **all runway conditions** - water, snow, ice, you name it. It's a proven life saver.

But the problem is there are still accidents happening where **pilots have actively avoided it**, instead choosing to veer off the runway.

Why?

IFALPA recently put out a new position paper which may provide some solid clues. And along with work that others have done, the reasons seem to fit into one of two camps:

- **Knowledge about what EMAS is and does.**
- **In the heat of the moment, pilots just didn't know it was there.**

For such an effective safety system that protects crew, passengers and even those on the ground, is it possible that we're just not giving it the attention it deserves?

Let's tackle both camps.

EMAS 101

Dip into the regs and you'll see that the US FAA requires all airports to have runway safety areas. They are typically 500 feet wide and extend 1000' past the runway end, and are clear of obstacles in case an aircraft either overruns, or undershoots. Sounds safe, right?

But what if there isn't enough space? Take KMDV/Chicago Midway for example. It's not always practical. That's where EMAS comes into it. It achieves a similar level of safety, only using a lot less room.

It is essentially a concrete bed (or 'arrestor pad') of increasing depth which contains thousands of blocks of crushable material that are designed to quickly slow down an aircraft with little or no damage - likely your nose wheel, and that's about it.

And it works really well too. In fact, it's so effective it can stop an aircraft travelling as fast as 70kts - which is a good thing as 90% of all overruns happen below this speed.

It's not even a big deal to replace it - it's *modular*. Only the blocks that have been damaged need to be changed out.

Grass and dirt

Some EMAS pads are only 150' long. When faced with obstacles like trees, buildings, and roads it's no wonder that **the instinct is to avoid ploughing straight ahead**.

Instead, the grass and dirt off the side of the runway begins to look like a very appealing option to slow an airplane down. And as the FAA itself once phrased it, '*there's a myth that if you take the dirt, you won't be on the news...*'

But the reality is that **EMAS will do a far better job** and with a safer outcome and less damage.

What about approach lights?

Lights on an EMAS arrestor pad are designed to break away and do **very little damage to your ride**.

You may not know it's even there

This is where IFALPA get really stuck in. **Some crew actively steered away from EMAS** simply because they didn't know, or forgot, that it was there.

Knowledge is one thing, but *you can't brief what you can't see*.

Yellow chevrons indicate an EMAS arrestor pad, but there is no standardised *signage* in place for it. Take a look again at the list of US airports with it installed - if you operate in and out of any of them, how often are you thinking about EMAS?

And the story doesn't end with signage either. What about approach and airport charts? Leading chart manufacturers indicate where EMAS is present on ground charts only. But not on approach charts - the argument is that it won't fit.

It seems as though the work hasn't been finished just yet. EMAS is really effective, but as an aircraft departs the runway, there just isn't enough time to figure out it's there or not. And that all starts with crew

awareness with the tools available when ops are normal.

Regulators in the US and abroad need to be doing more to illuminate this valuable piece of safety tech. At least five hundred lives have already likely been saved because of it.


Knowledge is power

Which is certainly the case with EMAS. Combine both camps, and pilots (myself included) can understand how valuable an obscure sign that says 'EMAS' may be, and also know when it is available before you need it the most.

Only then will it live up to its full potential.

CENAMER Flight Planning Requirements

David Mumford
10 December, 2024



CENAMER is a combination of CENtral AMERICAN countries that work together as one for ATC Service. The controlling Authority is COCESNA. It's real name is the MHCC/Central American FIR – but most people just call it Cenamer. The actual controllers are in Tegucigalpa, Honduras, but control the airspace of **Belize, Costa Rica, El Salvador, Guatemala, Honduras and Nicaragua**.



Recent Updates

- **Dec 2024: ADS-B Mandates.** Two of the six countries in the MHCC/Cenamer FIR are mandating ADS-B at the end of 2024. Guatemala will require it from Dec 31 (AIC 44/24), and El Salvador from Jan 1 (AIC 46/24). None of the other countries (Belize, Costa Rica, Honduras, Nicaragua) have published any ADS-B mandates yet. You can download the AICs here. *Note that the airspace above FL195 for all these countries is controlled by MHCC/Cenamer ATC based in Honduras.*
- **Dec 2021: New Honduras airport.** All scheduled international flights were transferred from MHTG/Toncontin to MHPR/Palmerola - the new international airport in Honduras which commenced commercial operations in Dec 2021. MHTG/Toncontin will now be used for domestic flights, but is still available for international bizav flights. Check our article for more info.
- **Oct 2020: New AFTN code when filing flight plans.** For flights through the MHCC/Cenamer FIR above FL195 you must include the AFTN address MHFPZYZX. This is the address of a new automated system they've got, which will check if you've written your flight plan properly (i.e. according to ICAO standards). If you have, you'll get an ACKNOWLEDGE (ACK) or ACCEPTANCE message, and the system will then fire it off to all of the individual countries within the MHCC/Cenamer FIR that you'll be overflying/flying to. If you've got it wrong, you'll get a REJECTED (REJ) or ERROR message, with the reason why, and you'll have to file it again.

The fabled “Cenamer Notification”

For flights intending to operate within the MHCC/Cenamer FIR **require notification**. Every FIR worldwide requires the same thing, but because of the grouping of countries, the process is a little different here. A

pre-formatted AFTN message must be sent containing the flight details and planned schedule, to both the AIS office, and to the various billing departments.

The latter is most important, because it give them the opportunity to warn in advance if airspace entry will be denied because of **unpaid Navigation Fees**. The Cenamer Notification confirmation is normally in the format MPTOXXXX192330, being the originating AFTN address and a date/time stamp.

Notification Requirements

Notification: All flights entering the MHCC/Cenamer FIR must send notification 48 hours prior to entry.

Documents Required: None.

Lead Time: Official requirement is 48 hours before flight. Notification can be made up to 1 hour prior to airspace entry, but there is a risk that not all departments will have had time to process the message. Assuming there are no billing issues, denial of entry into the airspace is unlikely.

Validity: Once notification is made, there is no need to revise it for a new schedule. The Notification can be considered valid for 72 hours.

Permit Format: Confirmation is normally in the format MPTOXXXX192330, being the originating AFTN address and a datetime stamp. FPL Field 18 entry is not mandatory, but you can include it as PERMIT/CENAMER NOTIFICATION MPTOXXXX192330.

Do I need AFTN access to make this happen?

They do have this website where you can **check whether an aircraft reg has any outstanding payments:** <https://apps.cocesna.org/fycbilling/pages/fyc/fycbilling.jsp>

It also allows you to calculate the approximate cost of a flight depending on the point of entry and exit into the airspace. Then you can calculate the total cost (any outstanding fees + the fees for your upcoming flight) and pay online.

You can also **contact COCESNA direct** (facturacioncobros@cocesna.org, invoices@cocesna.org), in good time prior to the flight, requesting details of any outstanding navigation charges and a copy of the invoice. But their office is only open from 8am to 4pm, Monday to Friday, so you might not receive a reply right away to say that everything is paid. In this case, you'll need AFTN to file the Notification and to follow-up with any countries which reply to say you owe them nav fees.

Also – if you **don't** receive an email reply and there **are** outstanding charges, you'll only know about it when you come to file your flight plan, at which point you'll receive a reply on AFTN from the specific country (or countries!) you owe money to. At this point, you're at their mercy as to whether they **accept or reject your flight plan** – and you may not have time to pay for any outstanding charges. These individual countries won't email you, they'll send you a message via AFTN (to the same address you use to file the Notification).

Bottom line, whoever files your Notification (and then, later, your actual flight plan) **will need access to the AFTN system** so that they are able to reply to these messages as they come through – and to check to make sure that your flight plan is accepted! This is where using a third party agent for overflights in this region can come in handy, as they should manage this whole process for you and communicate with all the relevant countries via AFTN.

Which AFTN addresses do I send messages to, and what should I say?

Your message should read something like this:

CENAMER NOTIFICATION OF FLIGHT REF XXXX
PLEASE ADVISE IF ANY OBJECTION TO OPERATE

AIRCRAFT: XXXXX
CALLSIGN: XXXXX
TYPE: XXXXX
OPERATOR NAME: XXXXX
DATE OF FLIGHT: 20DEC2020

PLEASE CONFIRM RECEIPT OF THIS NOTIFICATION
PLEASE CONFIRM OK TO OPERATE BY AFTN TO (INSERT YOUR AFTN HERE)

SCHEDULE:
20DEC ETD KDEN1300 ETA SBGR2230

NAVIGATION FEES SETTLED BY: XXXXX
OPERATOR: XXXXX
EMAIL: XXXXX

COPY TO ALL CONCERNED:

MHCCYSYX/CENAMER CONTROL
MHCCZQZX/CENAMER CONTROL FPL
MHTGYAYX/HONDURAS CAA
MHTGYOYX/HONDURAS AIS
MHLMYGYX/HONURAS RCO
MROCYAYX/COSTA RICA CAA
MROCYOYX/COSTA RICA AIS
MROCYGYX/COSTA RICA RCO
MNMGYAYX/NICARAGUA CAA
MNMGYOYX/NICARAGUA AIS
MNMGYGYX/NICARAGUA RCO
MSLPYGYX/EL SALVADOR RCO
MSSSYAYX/EL SALVADOR CAA
MSSSYOYX/EL SALVADOR AIS
MGGTYAYX/GUATEMALA CAA
MGGTYOYX/GUATEMALA AIS
MGGTYGYX/GUATEMALA RCO
MZBZYAYX/BELIZE CAA
MZBZYGYX/BELIZE RCO

And here's the list of AFTN addresses to send it to:

MHCCYSYX
MHCCZQZX
MHTGYAYX
MHTGYOYX
MHLMYGYX
MROCYAYX
MROCYOYX

MROCYGYX
MNMGYAYX
MNMGYOYX
MNMGYGYX
MSLPYGYX
MSSSYAYX
MSSSYOYX
MGGTYAYX
MGGTYOYX
MGGTYGYX
MZBZYAYX
MZBZYGYX

Is the Cenamer Notification the same as an Overflight Permit?

No. It's important to note that this is **not a permit**, this is just to ensure the Cenamer countries receive notification of your planned flight, and can check for any unpaid Navigation Fees. Each individual country in this region requires an **overflight permit** as well (except for El Salvador and Costa Rica, if you're operating a private flight).

For more information on permit requirements, OPSGROUP members can use the dedicated Permits App in your Dashboard. If you're not a member, you can get a copy of the same information in our Permit Book, or alternatively, join OPSGROUP [here!](#)

Dodging Danger: The Three Routes Through the Middle East

Chris Shieff
10 December, 2024



Navigating the airspace of the **Middle East** has become a major headache for international operators.


In recent times, risk to civil aviation in the region has changed at a pace we have never seen before.

Transits are now faced with a common conundrum: it no longer seems to be a simple question of '*is this route safe?*' but instead, of one's own appetite for known risks.

There simply is **no 'risk-zero' route available.**

Therefore, a common question that bizav operators are asking OPSGROUP is '*what are the major airlines doing?*' A snapshot of flight tracking right now shows that Middle Eastern transits are managing risk through the use of three distinct routes:

- **South** via Saudi Arabia and Egypt
- **Central** via Eastern Iraq and Turkey.
- **North** via the Stans and the Caspian Sea.



This article provides a **brief risk profile** for each of these routes to help operators carry out their own risk assessments when choosing a route to fly.

A Note About Risk

OPSGROUP also runs safairspace.net – a database of all **state-issued airspace warnings**, along with risk briefings for each country in plain simple English.


We take into account both official advisories, recent and past events, advice from other specialists and potential for emerging risk when making a risk assessment.

To keep things simple we have three levels:

- **Level 1 Do Not Fly (Red)**
- **Level 2 Danger Exists (Orange)**
- **Level 3 Caution (Yellow).**

None of the three routes above enter any country's airspace we have classified as 'Do Not Fly.'

For the rest, you'll see the map below is color coded according to the same risk profile.



The Southern Route

This route begins with a lengthy crossing of Saudi Arabia, steering clear of Israeli and Lebanese airspace to the north before crossing the Red Sea into Egypt.

It's considered advantageous because it keeps tracks miles down (compared to the Northern Route) and avoids the potential for a sudden escalation of hostilities between **Israel** and **Iran**.

From a contingency perspective, it also provides **safer diversion options** than a transit of Iraq.

But now for the more-risky stuff.

The Houthi Campaign:


There is currently heightened risks to civil aviation in this area.

Houthi Rebels in **Yemen** are currently engaged in a long-term campaign to use **missiles and drones** to target Israel (therefore infringing the Jeddah FIR) along with shipping channels in the **Red Sea**.

The military response to these activities is the use of **air defence systems** to destroy them.

The latest incident occurred on Nov 3, where a crew witnessed the interception of a missile at a similar

level in open airspace near **Jeddah**. OPSGROUP members can access a special briefing on this latest event here.



Of particular concern to aircraft at altitude is the use of ballistic missiles which originate from Western Yemen and are destroyed by defensive intercepts while on descent toward their target – which puts the airspace of **Northern Saudi Arabia** at heightened risk given its proximity to Israel and Gaza.


This essentially creates three risks to overflying aircraft – a direct hit by a missile (extremely unlikely), debris fields from inflight break ups or successful interceptions, and **misidentification**.

For the latter, many well-known incidents affecting civil aviation have come from **mistaken identity**. Malaysia 17, Ukraine 752 and Iran Air 652 were all due to misidentification.

Egypt ATC Congestion:

OPSGROUP has received several recent member reports of **severe frequency congestion** in the Cairo FIR apparently due to ATC overload.

One crew even reported that during an entire portion between the North Coast of Egypt to the Red Sea (MMA – M872 – SILKA) that they were **unable to talk to ATC**.



The corridor is much busier than usual which may present latent threats. Good airmanship at this time would be to keep a close eye on TCAS, ensure all anti-collision lights are on and consider the use of a PAN call if a deviation becomes necessary without a clearance.

We have approached both the Egyptian CAA and ANSP for feedback and have yet to receive a response. If you have experienced this yourself in the **HECC/Cairo FIR**, please get in touch with us at team@ops.group.

The Central Route

This more conventional route tracks northwards along the Persian Gulf before an extended transit of **Eastern Iraq** using the UM860 and UM688 airways which run parallel to Iranian airspace before crossing **Turkey** and a southern portion of the **Black Sea**.

The overriding question from this route is *"is it safe to overfly Iraq?"*

In our opinion, yes but with some disclaimers.

UM860/UM688 Airways:

The UM860/UM688 have been **considered safe** for a long time. And prior to 2021, remained the only option available for **US operators** to enter the **Baghdad FIR** at all.

They continue to see heavy traffic by major carriers and can be considered a viable option.

When using them, an important consideration is their **proximity to Iranian airspace**. Due to the recent escalation in hostilities between Israel and Iran, many states prohibit operators from entering the Tehran FIR due to the risk of anti-aircraft fire at all levels.

Extensive **GPS interference** (including spoofing) can be expected in Northern Iraq and on at least one occasion has led an aircraft to almost inadvertently enter Iranian airspace without a clearance.



Extra vigilance for the early signs of GPS interference is essential for the safety of this route, along with early notification to air traffic control if it is suspected. Radar vectors remain your best fail safe.

Also beware of the potential for sudden closures of the **ORBB/Baghdad FIR** should further fighting occur between Israel and Iran. It closed completely during recent Israeli airstrikes and remains geographically sandwiched between the two, along with Jordan and Syria.

Free Routing:

In 2021, the FAA changed the rules. A new SFAR was issued that allowed N-reg overflights anywhere in Iraqi airspace, provided they're conducted **at or above FL320**, which has opened-up new options for free routing.

Great for fuel, but arguably not safety. We continue to advise against flights away from the above airways due to well publicized risks of militant and terrorist activity which may target civil aircraft with **anti-aircraft weaponry**.

They may also be misidentified by air defense systems targeting drones which are frequently used to conduct attacks in Northern Iraq that originate from Turkey and Iran.

Crew and passenger safety is also an important concern should an emergency landing be required.

Turkey (beware of GPS interference):

We maintain a low-risk rating of caution for Turkey. As two of the three routes in this article include a lengthy overflight of the country, it is worth touching upon why any risk rating has been applied at all.

There is minor risk to overflights from misidentification by local militia who infrequently target Turkish military aircraft with anti-aircraft weaponry. This risk is predominantly near the border with Syria and Iraq where a higher level of airborne military traffic and UAS is present.

Far more prevalent is GPS interference – there have been frequent reports of both jamming and spoofing

by aircraft well inside Turkish airspace. It appears to be common throughout the LTAA/Ankara FIR, especially anywhere near the border with Iran or Iraq. PIREPs also extend to Turkish airspace over the Black Sea. Reports share very similar symptoms: Un-commanded turns, position errors, and multiple GPWS warnings. The spoofed locations tend to center on Sevastopol on the Crimean Peninsula - a difference of between 120-250nm from the actual aircraft position. OPSGROUP members can access a special briefing on this hazard [here](#).

The Northern Route

This is the route being favored between destinations in Europe and India/South East Asia.

It begins with a transit of Pakistan, before an uncontrolled crossing of Afghanistan and into Turkmenistan. A westerly turn is then made cross the Caspian Sea, Azerbaijan, Armenia and Turkey before rejoining the central route over the Black Sea.

While a fairly conservative option, it is the longest in terms of track miles.


Afghanistan:

For all intents and purposes, airspace safety in the **Kabul FIR** has not changed since the Taliban re-assumed control of the country in late September 2021.

The entire FIR remains **uncontrolled** and there is no guarantee of crew or passenger safety if you need to land. In that sense it remains the most important consideration in the selection of this route.

With that said, adjacent FIRs are managing the entry and exit of traffic and separating them with miles-in-trail and level restrictions.

Once inside, fairly robust contingency procedures (including the use of TIBA) appear to be working, with major carriers the likes of Lufthansa and KLM making **safe crossings** every day.



Aside from potential **insurance complications** of extended flight in uncontrolled airspace, it seems the predominant risk for overflights is what happens if you have an emergency and **need to divert**.

The overriding consensus (along with common sense) is **don't land in Afghanistan**. In our recent article we explained it would be wise to consider it akin to ditching i.e. a last resort. Careful consideration of critical fuel scenarios to clear the Kabul FIR in event of de-pressurization, engine failure or both is essential to moderate this risk.

Azerbaijan and Armenia:

We maintain a level of caution for overflights of these countries given their history of conflict, but for now the risk to overflights remains low.

A ceasefire agreement is in place, and most states have lifted their airspace warnings for the **YDDD/Yerevan** and **UBBA/Baku FIRs**.

When sporadic fighting has occurred, it has been confined to border regions. A contingency to keep to mind is the use of northerly waypoints BARAD, DISKA and ADEKI to avoid the area and **transit from Azerbaijan through Georgia instead**.

Stay Informed

The situation in the Middle East has recently proven that **airspace risk can change quickly and without warning**.

Overflights need to stay informed and have good contingencies in place to manage unexpected re-routes and airspace closures, along with suitable diversion airports.

OPSGROUP issues Ops Alerts for members on a daily basis, but our risk and security alerts are also available for free on safeairspace.net which our team keeps updated around the clock.

If you have more questions, you can get in touch with us on team@ops.group. We'd love to hear from you.

US Pre-Clearance: How does it work?

David Mumford
10 December, 2024



What is US Customs and Border Protection Pre-Clearance?

This service basically allows aircraft flying from certain approved airports direct to the US to complete their entry procedures at their departure airport – instead of on arrival in the US.

Where can I do it?

If you're a bizav flight (i.e. private or charter), you can only do it at **EINN/Shannon** and **TNCA/Aruba**.

Scheduled airline flights can do it at these airports too:

- **The United Arab Emirates** – OMAA/Abu Dhabi
- **The Bahamas** – MYGF/Freeport or MYNN/Nassau
- **Bermuda** – TXKF/Bermuda
- **Canada** – CYYC/Calgary, CYEG/Edmonton, CYHZ/Halifax, CYUL/Montreal, CYOW/Ottawa, CYYZ/Toronto, CYVR/Vancouver, or CYWG/Winnipeg
- **Ireland** – EIDW/Dublin

Where can I fly to in the US once I've Pre-Cleared?

Turns out it's not that easy to find a list of US airports approved for the arrival of Pre-Cleared aircraft. But thanks to Signature FBO at EINN/Shannon, here is a copy:

Finding a list of US International Airports of Entry is pretty easy, just go to the CBP website and use their interactive map. But it's worth noting that **not all US International Airports of Entry are on the list of those approved to accept Pre-Cleared flights**, due to lack of agriculture agreements, and/or local CBP agreements there.

How does Pre-Clearance work in reality?

US CBP has published this guide on exactly **how the Pre-Clearance service works**, but here's the lowdown:

1. **Request the service with CBP** - Get in touch with CBP telling them that you want to do it! Pass them a bunch of information - details about the flight, passengers and crew. You can do this step through your ground handler (recommended).
2. **Submit APIS** - Slightly tricky here, because for Pre-Clearance you have to submit this no less than one hour before the scheduled Pre-Clearance processing time itself, rather than the departure time from the Pre-Clearance airport. For example, you want to fly from EINN-KALB at 2pm, and you've got your Pre-Clearance set up for 1pm, so that means you need to file your APIS no later than 12pm!
3. **Pre-Clearance approval** - US CBP will email notice of approval, including the appointment confirmation number.
4. **The Pre-Clearance procedure** - When you arrive at the Pre-Clearance airport, CBP will conduct the same procedures as if you were at an airport in the US. Travelers and luggage are screened and the aircraft is inspected.
5. **Departure** - Crew, passengers and luggage board the aircraft, and off you go. (And remember - no opening of any aircraft doors from this point before departure!) The kindly CBP chaps you've just dealt with will zap your info across to their counterparts at whichever US airport you're flying to, so everything should be nice and smooth on arrival.
6. **Arrival** - Upon arrival in the US, bag up your garbage for CBP to collect. Note that if you have to land somewhere other than where you said you'd be landing in your APIS, Pre-Clearance approval will be voided and you'll have to go through the normal entry process.

Remember, if you're a bizav flight, you can only do Pre-Clearance at EINN/Shannon Airport or TNCA/Aruba. So here's some info specific to both of these airports...

Pre-Clearance at EINN/Shannon

One of the FBOs there is **Signature Aviation**, and they have provided a summary of what you can expect when you Pre-Clear, with a few more details than the basic summary above. You can download the PDF here, but key points are: you must give 24hrs notice, and the CBP office opening hours are 0900-1700 local each day with out of hours available between 0700-0900 and 1700-2100 local. You can contact them at snn@signatureflight.ie.

Pre-Clearance at TNCA/Aruba

Jet TNCA is the only FBO at Aruba, and they can provide Pre-Clearance to bizav flights. They need 24hrs notice, it costs \$315, and CBP there are open from 0930-1100 and 1530-1700 local time each day (not available on afternoons at weekends). You can find more info [here](#), and contact them at ops@jet-tnca.com.

A note on the US Virgin Islands

Technically, airports in the Virgin Islands "offer" this service too, but it's not really Pre-Clearance in the same sense as at EINN and TNCA - here it's actually more of a requirement than an optional extra. The US CBP say the following:

For flights leaving the USVI enroute to other United States locations, GA aircraft operators are required to contact CBP in the USVI prior to departure. Aircraft cannot be moved from the U.S. Virgin Islands to other U.S. locations until CBP Agriculture Specialists (CBPAS) have:

- *had the opportunity to inspect the aircraft;*

- crew, and passengers; and
- the CBPAS has provided clearance for departure from the USVI.


Standard Aviation FBO at TIST/St Thomas say that Customs requires a minimum notice of 2hrs in advance of the appointment time. Appointments are available 7 days a week from 0800-1630 local, and it costs \$250. Contact them at ops@sa-stt.com.

2025 North Atlantic Plotting & Planning Chart

David Mumford
10 December, 2024



The new OPSGROUP NAT/North Atlantic Plotting and Planning Chart 2025 is released today!
This is our chart showing North Atlantic Oceanic Airspace and adjoining domestic airspace, with easy to read NAT Tips, Airspace Requirements, Emergency Procedures, and much more!



OPSGROUP members - you can grab a copy in your Dashboard. View it on your iPad or Laptop etc. as a PDF, or print it out! If you're not a member, read on for how to get a copy...

Changes in this NEW edition (Oct 2024):

- **FULLY UPDATED** for 2025!
- **UPDATED!** NAT Tips - using NAT Tracks, SLOP, filing an Oceanic Flight Plan, and helpful tips.
- **UPDATED!** Quick reference for contingency, weather, and comms failure with easy graphics.
- **UPDATED!**: NAT Airspace Circle of Entry 2025 - easily check what you need for Nav, Comms and ATC Surveillance depending on which bit of the NAT you will be flying through.
- **Additional** diversion airports, now 16 total primary NAT alternates with runway, approach, length, RFF, and hours.
- **Easy view** of boundaries for HLA and DLM/Datalink mandated airspace.
- **Updated** NAT FPL codes, clearance frequencies, Satcom, and HF.
- **Fully updated** “South East Corner” with new Tango routes.
- and ... Treasure Boxes!

Other chart features:

- Requirements for NAT tracks, PBCS tracks, datalink mandate.
- Common NAT Diversion Airports.
- Runway Orientation, Length, best IFR Approach.
- RFF Category and Opening hours.
- NAT FPL Codes and sample FPL.
- Blue Spruce routes and equipment requirements.
- All NAT Entry/Exit points with associated required landfall fixes.

There are two options to download a copy of the NAT Chart:

OPSGROUP Members

You can get it in your Dashboard, under **Briefings and Guides**.

Get it from the OPSGROUP Store

Not a member? Get a copy from the **OPSGROUP Store**.

Canada ADS-B Mandate


Chris Shieff

10 December, 2024



Key Points

- ADS-B became mandatory in Canadian **Class A airspace** in Aug 2023 (above FL180). It then became mandatory in **Class B airspace** (above FL125) in May 2024. Mandates in any **Class C, D and E airspace** will be determined no sooner than 2028.
- You need an antenna able to broadcast to ADS-B receivers both on the ground and in space, and you need to include some extra stuff on your flight plan.
- If you don't have ADS-B, you have to apply for an exemption online from NavCanada.



What equipment do I need?

- A transponder with **ADS-B out capability** that meet the minimum performance standards (or better) found in this fancy document. This needs to be attached to an antenna that can broadcast to ADS-B receivers both on the ground, and in space.
- You can also find more on this in section 551.103 of the **Canadian Aviation Regulations**.

Extra Flight Planning Requirements

- If you plan on entering airspace where the ADS-B mandate applies, there is some extra stuff you need to include in item 10b of your **ICAO flight plan** (assuming you have all the right gear on board).
- Use the code **B1** if you have ADS-B Out only, or **B2** if you have ADS-B In *and* Out.
- You'll also need to include **SUR/CANMANDATE** in item 18.
- **One other gotcha** - make sure the flight identification (flight number or aircraft reg) broadcast by your ADS-B equipment exactly matches the one used in item 7 of your flight plan. Lest there be trouble down the track!

My ride doesn't have this fanciness. What are my options?

- NavCanada will do their best to accommodate aircraft who don't have the right gear on board, in the same way they'll work to fit non-transponder equipped aircraft into transponder mandatory airspace.
- They'll assess each application on a **first-come, first-served basis**. It takes time to figure out behind the scenes, and so you'll need to ask **at least three business days** before your flight.
- There may also be suggested re-routes to make your request possible, along with special comments to include in Item 18 of your flight plan.
- **You can apply for an exemption online, here.** If you have a number of flights to operate, you can also submit a blanket request via service@navcanada.ca.

More Info

You can find that in the Canadian AIP (ENR 1.6.3), or even better – this page from NavCanada dedicated to the ADS-B Mandate. This includes a fairly extensive FAQ section at the bottom.

Bizav Roadblock: Turkey and Armenia

Chris Shieff

10 December, 2024



UPDATE 30 Oct 2024:

- Turkey has reportedly started allowing bizav overflights heading to/from Armenia.

- This issue stretches back to May 2023, but Turkey dropped the restriction in Sep 2024.
- So if you're heading to Armenia (UDYZ/Yerevan, for example), you can now overfly Turkey - you no longer have to route around the country or make a stop somewhere like UGTB/Tbilisi in Georgia.

Turkish Ban

Back in May 2023, Armenian airline FlyOne operating a Paris-Yerevan flight had to make an emergency landing in Chisinau after being **denied entry to Turkish airspace**.

Turkey reportedly applied this **last-minute ban** in response to a monument erected in Yerevan the previous week, which they were unhappy about.

Pretty soon after, FlyOne evidently managed to resume Turkey overflights, but it seems that this restriction was **still informally applied to bizav overflight requests**.

OPSGROUP Member Reports

There was no Notam published on this issue, nor anything mentioned in the Turkish AIP. But some operators made **tech-stops in Georgia** to fix the problem. In Oct 2023, two **Airport Spy reports** were received from OPSGROUP members, where they required a tech-stop at **UGTB/Tbilisi (Georgia)** before continuing on to **UDYZ/Yerevan (Armenia)** in order to overfly Turkish airspace:



[Airport Spy](#)

Tbilisi, Georgia

★ ★ ★ ★ ★ Rated 4 from 3 reviews

Large International Airport | Longest Rwy: 3,000 m / 9,840 ft (13R/31L) | Elev: 1624

This was a necessary stop enroute to UDYZ. Turkey does not allow private aircraft to overfly their airspace to land in Armenia, so a "tech stop" in UGTB is the easiest way to get around that restriction. Handler chosen via EVO fuels operations due to their eastern European connections.

Inbound to UGTB starting in the Istanbul FIR and the entire Ankara FIR we had GPS jamming. We were prepared for this given the FIR NOTAMs and OpsGroup reports. It was a non-event with the system using DME-DME or IRS throughout the term of GPS outage. GPS started working again right on the Tbilisi FIR border at fix NOLGA.

Arrival was the LAGAS 1A to an ILS Z Rwy 31L. ATC cleared us for the approach via the STAR fairly early. Good notes on the chart about the military airport which you will see first just under the approach course. Runway was not as rough as we were expecting based on previous reports. Exited via Taxiway A and met by follow-me car. Taxied to spot 10D, which is a taxi-in/taxi-out stand. Fuel truck waiting. Fueling allowed with pax onboard with fire services standing by. Pax were allowed out on the ramp during fueling in the shadow of the airplane to stretch their legs. With fueling included total turn time was 44 minutes.

Departure was taxi out with follow me again. They take you all the way to the runway at taxiway A. Back track and line-up on Rwy 31L. Departure via the TAVRO 1E. Coming back out of UDYZ was similar experience with slightly different STAR and SID. No fuel or services required for the second stop, but they still make you park and open your door as part of the requirements for the Turkish "cleansing". Turn time was 26 minutes. Could have been faster, but that was our issue, not theirs. Departure from Tbilisi airspace was via Fix ROLIN. GPS outage started in the Tbilisi FIR and continued until 40 miles east of LTBA.

All in all, this was an easy airport with reasonable ATC service.



Yerevan, Armenia

★ ★ ★ ★ ★ Rated 4 from 1 reviews

Large International Airport | Longest Rwy: 3,849 m / 12,625 ft (09/27) | Elev: 2838

Destination was UDYZ coming from the west, which means Turkish overflight. That requires a stop in UGTB because Turkey is not allowing private aircraft to overfly and land in Armenia. Same for the departure. An extra added complication (see UGTB report).

As part of the trip prep received some notes from a European airline that serves the airport. Highlight of which are:

- Be aware of high Elevation and mountainous surroundings
- Highest MSA is 18,100 feet
- Mount Ararat is 15NM south.
- Very high radio tower ENE of Rwy 27 threshold
- Expect Arrival via INDUR or TIBLO. Conservative Speed management required to enable straight in APP.
- Tailwind operations for RWY 09 are common
- After TIBLO you may descend to MNM ALT of OKUDA (even if below MTCA)
- Preferential landing RWY 09
- Preferential takeoff RWY 27
- Check and observe gradient, speed, and ALT requirements of SIDs. Strictly adhere to given or charted routing and altitudes.

Not all of those notes were applicable since we were coming from UGTB, but good intel if the Turkish issue gets resolved and one can arrive directly without the UGTB stop.

Our arrival was the SEVAN 3A to the ILS DME Rwy 09 via the teardrop procedure turn. Cleared for the approach via the full procedure. Exited Rwy 09 at taxiway B and assigned stand 21, which is a taxi-in/taxi-out stand. Used EVO Fuels to arrange our handler, who was okay on the arrival. Fuel, lav, and water all done on arrival. Immigration is via the private VIP terminal, which was quick and efficient. Transport to the Marriott hotel in the evening took about 25-30 minutes, much quicker on our early morning departure. Marriott was a good hotel right in the center of the city. The city seems safe and is convenient for walking. They even have working water fountains throughout city, which the city is quite proud of.

Departure was early morning back to UGTB. Handling on the departure was disappointing. Pax said they waited 10 minutes until greeted after car dropped them at the VIP entrance.

Taxi out from the stand was via a right turn out from stand 21 to join the main twy to full length at D. Departed Rwy 27 via the SEVAN 3E then TISOT 1A, which makes for a quick flight. ATC did clear us direct TISOT prior to reaching SEVAN which put us off airway below the Grid MORA. Night and IFR so we elected to climb above the Grid MORA.

Spy Reports

If you have managed to get a Turkey overflight permit for a flight heading to/from Armenia, please let us know! You can also reach us directly on news@ops.group, or file an Airport Spy report.

OPSGROUP members can access the **full Airport Spy database** via the members dashboard here.

Turkey or Türkiye?

Just a final note on this... In June 2022, the United Nations agreed to a formal request to recognise Turkey as "Türkiye", as part of a rebranding campaign launched by the Turkish president.

However, no major media outlets have changed their spelling so far. **So for now at least, Turkey remains Turkey.**

LOA Guide for US Operators

David Mumford
10 December, 2024



Applying for Letters of Authorization (LOA) from the FAA can be a tricky old process. Because there are so many different things you need permission for, you might need various LOAs.

An LOA is a formal “you’re allowed to do that” certificate given to an operator, permitting them to conduct a **specific flight operation**, fly in **certain airspace**, or use a **particular bit of equipment**, or **document**.

The folks at Nimbl (the new name for AviationManuals) have issued an updated guide which tells you what LOAs are, when you need them, and how straightforward the application process can be.

You can **download a copy of the guide here**.

The guide includes:

- Who needs what and where, for Part 91 and Part 135 operators.
- List of key terms, and explanations of the most common LOAs and why you would need them.
- Separate elements of an LOA application – some discussion on the process.
- Turnaround timeframes for different LOAs.

Who issues me my LOA?

The FAA, but more specifically, your local FAA Flight Standards District Office (FSDO). You can find a location of those [here](#).

So, a Principle Operations Inspector, known as a **POI** is the person at the **FAA FSDO** who will issue your **LOA**. Don’t you just love aviation acronyms ☺

How to apply

1. First things first, check the guide, and **work out what LOAs you need**.
2. Then decide **who the actual operator is**. The FAA say this is “the person or entity who has operational control of the aircraft.” But they don’t mean the pilot flying it – they mean the

person who has **legal control, not operational control**.


3. Decide who is the **responsible person**, what your primary address is, and then work out which FSDO is going to be the closest. *Sometimes operators get confused about this point and think they are able to choose which FSDO they can submit to, not realizing that the address on the documents matters a lot to where they can submit.*
4. **Contact your local FSDO**, work out what they need you to send them, and send it.
5. **Now the FAA will review your application.** Turnaround times vary according to which LOA you've applied for - it can take anywhere from three weeks to six months, so you'll want to get it right the first time! If it gets rejected, they will send you a detailed list of why to help you when you re-apply.

Anything else?

If you have any questions about the process, or if you need help with any of the above, visit www.gonimbl.com or send them an email at info@gonimbl.com. They have a dedicated team of LOA experts who provide support to operators in preparing all the paperwork, plus ongoing support as you go through the FAA submission process. (Also, we've known them for a long time, and can confirm they're nice people!)

NAT Circle of Entry (2025)


OPSGROUP Team
10 December, 2024



For the **latest changes and updates on the North Atlantic**, including our most recent **Guides and Charts**, use our NAT reference page at ops.group/blog/nat/

We've updated the NAT Circle of Entry for 2025. As always, changes on the NAT continue without pause for breath - this version is the latest information as at October 2024. The Circle of Entry tells you what you need to get into each different sliver of North Atlantic airspace.

Click on the circle to download the more detailed PDF.



We've also published a new version of the **NAT Guide ("My First North Atlantic Flight is Tomorrow")**

Get a copy [here](#).



In the fewest number of words possible we will tell you what you need to know about crossing the North Atlantic. If you have a couple of days to spare, then read the official ICAO North Atlantic Operations and Airspace Manual (NAT Doc 007). Otherwise, pay attention and you'll be an expert in 15 minutes.

So, what's different about the NAT?

It is **BUSY**

There's a ton of traffic on the NAT. So, ATC squeezes most of it onto the "NAT Tracks" to make it easier for them to keep everyone apart. That doesn't mean it's easier for you.

The rules keep changing

As soon as you think you've got things figured out, the rules will change. So we'll start with "What Changed" ... read on.

There's a lot of water

And not many airports. So it pays to know which ones are suitable, and closest.

Shawick Shawick

When you talk to "Shawick Radio" it means you're not talking directly to ATC. So, when something major happens, know how to get off track safely without a clearance.


Acronym heaven

HLA, RCL, CPDLC, RNP, NAT OTS, TMI, OCA, OEP, SLOP, PBCS. Know 10 out of 10? Good. There's more.

"It's complicated"

Normally, you can get airborne, read the paper, do what ATC says, yawn, and land again. Easy. On the NAT, things are a good deal more challenging. Read on ...


CIRCLE OF ENTRY NORTH ATLANTIC AIRSPACE



OPSGROUP
10.2024

CONTINGENCY PROCEDURES

Here's what to do when you need to quickly to an emergency, or weather - and can't get a revised clearance in time.



EMERGENCY

- You're in the NAT RIA (TASR 9 & 200). What to do? If you're in the circle of entry, get out of it as soon as possible. If you're not, divert to another route.
- If you're in the circle of entry, you need to:
 - Get to 10,000ft
 - Get to 10 minutes
 - Get to 100 miles
 - Get to 10 minutes
 - Start your turn

WEATHER DEVIATION

- You can turn left or right, but you need to:
 - Get to 10,000ft
 - Get to 10 minutes
 - Get to 100 miles
 - Get to 10 minutes
 - Start your turn

EVASIVE ACTION

- You can turn left or right, but you need to:
 - Get to 10,000ft
 - Get to 10 minutes
 - Get to 100 miles
 - Get to 10 minutes
 - Start your turn

OPSGROUP
10.2024

DIVERSIONS

Let's look at the most common diversion alternatives for NAT flights...

ENR 101: Shannon, Ireland

The most common diversion alternative on the west side of the NAT. It's long journey, but about the cheapest fuel in Europe. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 102: Dublin, Ireland

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 103: Lajes, Azores

Portugal's best kept secret. You can also use ENR 103 as a diversion, but check their operating times as they're not as consistent as the others. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 104: Shannon, Ireland

The most common diversion alternative on the west side of the NAT. It's long journey, but about the cheapest fuel in Europe. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 105: Dublin, Ireland

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 106: Lajes, Azores

Portugal's best kept secret. You can also use ENR 106 as a diversion, but check their operating times as they're not as consistent as the others. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 107: St. John's, Canada

The most common diversion alternative on the west side of the NAT. It's long journey, but about the cheapest fuel in Europe. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 108: Goose Bay, Canada

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 109: Gander, Canada

The most common diversion alternative on the west side of the NAT. It's long journey, but about the cheapest fuel in Europe. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 110: St. John's, Canada

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 111: PLATE, Bermuda

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 112: FL200, Europe

The most common diversion alternative on the west side of the NAT. It's long journey, but about the cheapest fuel in Europe. It's a great place to stop for a few days if you're using it as a diversion to the US.

ENR 113: FL200, North America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 114: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 115: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 116: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 117: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 118: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 119: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 120: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 121: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 122: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 123: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 124: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 125: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 126: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 127: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 128: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 129: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 130: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 131: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 132: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 133: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 134: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 135: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 136: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 137: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 138: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 139: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 140: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 141: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 142: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 143: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 144: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 145: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 146: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 147: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 148: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 149: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 150: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 151: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 152: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 153: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 154: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 155: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 156: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 157: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 158: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 159: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 160: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 161: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 162: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 163: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 164: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 165: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 166: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 167: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 168: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 169: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 170: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 171: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 172: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 173: FL200, Middle East

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 174: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 175: FL200, Australia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 176: FL200, Africa

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 177: FL200, Asia

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 178: FL200, Middle East


A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 179: FL200, South America

A great fuel stop and diversion point. Cheap fuel, and a refresher stop. Shannon is another option, but has a shorter runway.

ENR 180: FL

MILTON Watches and Warnings



Here is a summary of the current situation as at **0500z Oct 11** – unless things change, this will be our last update on Milton.

Mexico

The **Northern Yucatan Peninsula** is no longer under any active storm warning or advisory.

The only aviation impact was to **MMMD/Mérida** which re-opened on Oct 8 – no significant damage was reported.

Gulf Routes

Gulf route closures as a direct result of Hurricane Milton have now finished.

Florida


The worst is now over for Florida – Milton is tracking eastwards away from land and into the Atlantic. Most airports are planning to reopen today (Oct 11), however damage assessments are still ongoing so Notam timings may change or be extended.

Airport Closures

KTPA/Tampa

Re-opening Oct 11, 1200z (est.)

KPIE/St.Pete-Clearwater	Re-opening Oct 11, 2000z (est.)
KSPG/St.Petersburg	Re-opening Oct 12 1600z (est.).
KSRQ/Bradenton	Re-opening Oct 12 1000z (est.)
KMCO/Orlando	Open *Fuel limited, check availability.
KMLB/Melbourne Orlando	Re-opening Oct 11 1300z (est.)



The FAA has now finished its telcon briefings for Milton.

Stay Informed

For **live operational updates**, keep an eye on the FAA NASS website which will be updated constantly as Milton passes.

The National Hurricane Center will provide accurate forecasts and tracking info here.

Have we missed something? If you have an update to share regarding airport or airspace status, please reach out to us via news@ops.group.

NAT Conundrums: Volume I

Chris Shieff
10 December, 2024



Originally published 2021, Updated 2024

- Changed **SLOP requirement** in GOTA: now only in the Oceanic portion
- **More to read!** NAT Conundrums Vol II, NAT Conundrums Vol III (GOTA), NAT Conundrums Vol IV (Contingencies)

It's no surprise to most that the North Atlantic is the busiest oceanic airspace in the world. To keep things running smoothly there are a bunch of procedures to follow. We write about them a lot, especially when they change. From time to time questions continue to pop up that make us scratch our heads. And so we thought this might be a good chance to share a few of those with you - *naughty NAT conundrums* if you will.

To SLOP or not to SLOP?

Chances are if you fly in oceanic airspace you already heard of Strategic Lateral Offset Procedures (SLOP). They're pretty straightforward - you're supposed to **offset up to 2nm right of track without needing a clearance**.

We do this because humans are fallible and mistakes can be made. Ironically the extreme accuracy of modern navigation systems mean that in the case of gross navigational errors, level busts or incorrect clearances, these systems actually *increase* the chance of a collision. So we pull over to the side of the road a little more, just in case.

Do we have to SLOP?

If you're in the **NAT HLA** and your aircraft is capable then **yes, it's 'required'** (as per ICAO NAT Doc 007). The only time you shouldn't is if your aircraft's FMS cannot automatically maintain an offset i.e. it doesn't have that function. In that case you 'must' stay straight up the middle.

Remember, your SLOP can be in **increments of 0.1nm** and "0 nm" SLOP is also a thing!

You SLOP from the ENTRY point only, and need to have stopped the SLOP by the EXIT point.

- Don't go 'direct to' the EXIT, this will put you on a different track. Cancel the SLOP to return

to 'centreline'

- Only SLOP from the ENTRY to the EXIT
- If you are routing from a NAR into the NAT, the last point is your entry into the NAT and you can SLOP from here


Can we SLOP in the Oceanic Transition Areas?

Or in other words in NOTA, SOTA, BOTA or GOTA? Good question.

NOTA and SOTA: The short answer is no. The slightly longer one is that the both NOTA and SOTA are under radar control with domestic separation from Shannon Radar. You should only apply SLOP between your oceanic entry and exit points.

BOTA: It's a similar story. BOTA radar control services are provided by Brest Control in France – essentially domestic rules still apply. So no SLOP-age.

GOTA: This is the odd one out. GOTA (the Gander Oceanic Transition Area) is off the coast of North-eastern Canada. You should SLOP only once you have passed the Oceanic Entry Point (OEP) eastbound and within Oceanic Airspace "proper", and vice versa westbound – sto SLOP at the Oceanic Exit Point (for example NIFTY on the chart below).



Are there any other 'gotchas'?

Yes – three main ones:

1. **The ENOB/Bodo and BIRD/Reykjavik FIRs.** Look out for these. Buried in the NAT Doc 007 it says that you are only allowed to SLOP above FL285. So don't get caught out in the lower levels.
2. **Tango Routes T9 and T290.** These lie just outside of BOTA airspace. According to the UK AIP ENR 3.5, SLOP does not apply here.
3. And whatever you do – **never SLOP left!**

What's the difference between the NAT Region and the NAT HLA?

The NAT Region is virtually all of the non-domestic airspace over the Atlantic – from around 20 degrees north all the way up to the pole (excluding New York Oceanic West). It contains seven Oceanic Control Areas – BGGL/Nuuk, BIRD/Reykjavik, ENOB/Bodo Oceanic, CZQX/Gander, EGGX/Shanwick, KZWY/New York Oceanic East and LPPO/Santa Maria.

Within the NAT region (and occupying a large amount of it) is the **NAT HLA**, which stands for *High Level Airspace*. It only exists from **FL285 to FL420**.

Because the NAT HLA is some of the busiest airspace in the world, there are a number of stringent navigation and communication requirements that you must meet to enter it. This includes being either RNP 4 or RNP 10 capable, having two independent long range navigation systems and in most cases, datalink. Operators also need state approval.

If you don't meet those requirements you can still fly through the *NAT Region*, but you'll have to fly below or above the *NAT HLA*. Blue Spruce routes are the exception, which allow aircraft with only one long range navigation system or limited comms equipment to enter.

Can I fly across the North Atlantic without Datalink?

Yes, but it's gonna be tricky.

The North Atlantic Datalink Mandate (NAT DLM) means aircraft need to have **CPDLC and ADS-C** to operate between **FL290-FL410** throughout the NAT Region.


There are a few exceptions where the NAT DLM does not apply:

- Everything north of 80°North.
- New York Oceanic East FIR.
- Tango Routes T9 and T290. The other Tango Routes (T213, T13, T16) all require datalink.
- ATS Surveillance airspace, where surveillance service is provided by means of radar and/or ADS-B, coupled with VHF.

That last one about "ATS Surveillance airspace" is essentially just a section of airspace over Greenland and Iceland, which looks like this:

So if you're on a NAT crossing and you **don't have datalink**, you technically have to **stay below FL290 until you hit the blue shaded area**. It's worth noting that aircraft without datalink can request to climb/descend through datalink mandated airspace, but will only be considered on a "tactical basis" by ATC.

Further south, there is another section of "ATS Surveillance Airspace" in the area connecting the LPPC/Lisboa FIR (i.e. mainland Portugal) to Madeira and the Azores, which is **also exempt from the NAT DLM**:



So in theory, an Atlantic crossing without datalink would also be possible here - within the LPPO/Santa Maria FIR you would just have to ensure that you stay below FL290 or above FL410 outside of the bubbles until you reach the KZWY/New York FIR (where the NAT DLM does not apply).

Even further south, in the TTZP/Piarco and GVSC/Sal FIRs, CPDLC is the primary means of communication, but it's still **not mandatory**.

So down south, the bottom line is that as long as you stay out of the LPPO/Santa Maria FIR between FL290-410 where the NAT DLM applies... except for the ATS Surveillance Airspace bubbles where it doesn't apply... then you'll be ok with just HF. Got it? ☐

For more info on the NAT Datalink Mandate, check out our previous article.

So, what's your conundrum?

We'd love to hear it. Chances are if you don't know the answer, many other people won't either, so it's always great to share.

Get in touch with us at team@ops.group with your question, and we'll include it in the next article on Naughty Nat Conundrums.

And if you want to download a PDF of our **North Atlantic Plotting Chart**, check how to get a copy [here](#).

Do I need a TSA Waiver for a flight to the US?

David Mumford
10 December, 2024



If you're heading to the US and are trying to work out whether you need a TSA Waiver for your flight, we have an Opsicle to help with that.

OPSGROUP members can download a copy for free [here](#).

If you're not an OPSGROUP member, but you'd like to be, you can [join here](#).

Let's start with the basics

Here is the TSA Waiver site. This is where you **submit your requests**.

And here is the TSA site on waivers. This is where you can **find info on Waivers**.

Which Waiver is Right for You?

There are a few types. You have your Disney Theme Park, Washington DC Special Flight Rules Area/Flight Restricted Zone, Major Sporting Events and Special Events Waivers.

And then you have your International Waivers which include International Air Ambulance, No Transponder and **International Single Trip Waivers** – this last one is what we're interested in.

The Guidance

International Waivers are required for 'various aircraft to fly within US airspace, which includes the airspace above the United States and its territories'.

Whether you need one depends on your **aircraft size, where it is registered and where you're coming from.**

Flying to and from the US

International TSA Waivers are not required for any aircraft arriving to or departing from the US or its territories. So this applies if you only make one stop in the US (i.e. you fly in and straight back out again).

Flying within US airspace

Planning to make more than one stop in the US? You'll need an International Waiver if you do this in a foreign registered aircraft which is heavier than 100,309 pounds MTOW (45,500 kg).

But, since most private aircraft generally fit under this weight limit, **you probably don't need one.**

Overflying the US

OK, here we go, the bit to know - this is for when you take off and land somewhere not in the US or its territories, and overfly the US in between.

If your aircraft weighs 100,309 lbs MTOW or more: you need a Waiver, even if your aircraft is US registered.

If your aircraft weighs less than 100,309 lbs MTOW: US registered aircraft do not need one. If you are foreign registered and overflying, you do need one - unless your aircraft is registered in a "Portal Country", and is flying directly from any one of these (prior to entering US airspace).

The Portal Countries:

- Canada
- Mexico
- Bahamas
- Bermuda
- Cayman Islands
- British Virgin Islands

Special Interest Countries

The black sheep of the World of Waivers. Probably the easiest category to work out the rules for. **You'll need an International Waiver for everything** - ops to, from, within and over the US, if your aircraft is registered in one of these countries. The list currently includes: **Cuba, Iran, North Korea, China, Russia, Sudan, and Syria.**

To recap...

Landings: Foreign registered aircraft over 100K lbs making 2 or more stops in the US need a Waiver.

Overflights: All overflights over 100K lbs need one - and that includes N-reg. If you are foreign registered and overflying, you need one regardless of size. There's one single exception: If overflying with an aircraft under 100K lbs registered in a Portal Country, and the flight is from any of those countries, then you're good.

Special Interest Countries: Aircraft registered in these need a Waiver for everything - ops to, from, within and over the US.

Where is this officially written?

There were some official, permanent Notams published back in 2016. **FDC 6/4255 and FDC 6/4256 (KFDC A0006/15 and A0006/16)**. These have vanished though and we can't find any replacements.

The best spot to read it (officially) seems to be in the AIM Chapter 5 (*Air Traffic Procedures*), Section 6 (*National Security and Interception Procedures*), and take a look at 5-6-7 for the stuff on transiting US airspace.

How to get it and what to do with it.

You need to submit your request to the Authorization Office here. It is recommended that you submit your request **at least 7 days before** your planned flight to the US.

When you apply, don't forget to include all those who may be onboard in your request.

Once you have it, it is only **valid for 90 days**. You need to **carry the hard copy** onboard with you.

Any other things to know?

If you do operate over US airspace then you need to stick to their rules which also require that you:

- Use an active VFR or IFR flight plan
- Be equipped with a Mode C or S transponder and use an ATC-assigned transponder code
- Communicate clearly with ATC

Any other gotchas?

A couple, as reported by an OPSGROUP member:

Watch your weight: One in particular issue I have seen a few times is that of Private Global 7500s. Most owners of this aircraft are usually stepping up from a previous version like the Global 6000 series. Many fail to recognize that this step up has a significant impact on their US TSA requirements. I think most miss the weight class change and simply think of the aircraft as a Global XRS with better range. The implications of not having a valid waiver can be significant.

Validity period: A waiver can be valid for "up to 90 days" with the required dates being set during the initial application. A waiver may be modified up to three times with the end date being fixed (i.e. the end date on the original application must remain the same for each subsequent modification). There is a caveat I should mention regarding the number of allowed modifications, being that this is only valid within a calendar year.

Anything we missed?

Let us know, at team@ops.group

Vegas F1: Brace Yourself for Special Event Fees

Chris Shieff

10 December, 2024



Brace yourself – the Formula One Grand Prix in Las Vegas is just around the corner, and metropolitan area airports are about to get really, *really* expensive. Here is an early rundown on what to expect so you can start planning your trip early.

The Grand Prix

The FAA has published the procedures for this year's event yet here.

While race day is Nov 24, **special procedures** will apply at KLAS/Las Vegas, KHND/Henderson, KVGT/North Las Vegas and KBVU/Boulder airports from **Nov 19-26**.

All arrivals and departures will need a **PPR number** issued by an FBO, including drop-and-goes. You'll need to include this in Item 11 of your flight plan.

Don't be tempted to try and land without one. Airport authorities will not allow you to de-plane your pax and you'll need to gas up and leave again without delay.

If you're looking to park overnight, **book now**. Last year it got so busy that the only option for many was to purchase a drop-and-go slot allowing thirty minutes on the ramp to offload, and another thirty to pick up.

Note that **Signature FBO** still cannot accommodate aircraft with wingspan more than 80ft, due to ramp construction works. **Atlantic Aviation** (the only other FBO at the airport) don't have any similar restrictions.

Even airports further afield, such as **KBVU/Boulder City** are already reporting they're booking up. If you're really stuck, it might be worth considering the likes of **KIFP/Bullhead City** (Signature) or **KSGU/ST George** (Million Air) – although these would mean a long drive to downtown Las Vegas.



Traffic Jams

Inevitably, arrival rates will exceed airport capacity. ATC will use terminal initiatives to put the brakes on. It may go without saying, but it's important to carry **extra fuel** for airborne holding and reroutes.

Domestic IFR aircraft can also expect Departure Clearance Times for all inbound flights to the three major airports.

Within 200nm of the Vegas terminal area, ATC will not process airborne reroutes or changes of destination unless there is an emergency.

Special Event Fees

The biggest gotcha for anyone operating an aircraft to Las Vegas during the Formula One event is **special event fees** charged by FBOs.

At last year's event, we reported these exceeding \$8,000 USD. This year we've already seen quotes as high as **\$25,000 USD** from OPSGROUP members. So this year, we are effectively witnessing this fee more than triple. And that's just for the special event fee. On top of this there would be all the other standard fees (Facility, Parking, Hangar, etc).

AOPA has been crying foul on this very issue for some time now. As they explain, there is currently **no FAA policy** regarding special event fees. However, existing regs do require charges for the aeronautical use of a public airport to be 'reasonable', or sufficient to sustainably cover costs.

In this sense, the charge of tens of thousands of dollars to park an aircraft does seem exploitative - especially to those operating under Part 91 who may not even be using the airports for the special event they're being forced to pay for.

One last thing - Pacer.

If you're in Vegas for the F1, it would be a good idea to register and use Pacer before you take off again.

If you haven't heard of it, it's basically an **online information exchange** to help operators avoid leaving at peak periods by uploading their intended departure time.

Don't worry - your personal information won't be visible to anyone else, but you will be able to predict when ground delays will be at their worst. It was used at last year's event with good success and becomes more effective as more people use it. So, it's worth a shot.



Heard anything else?

Let us know, we'd love to hear from you. You can reach the OPSGROUP team on team@ops.group.

ADS-B Controversy? Landing Fee Fuss in Florida

Chris Shieff
10 December, 2024



Several airports in Florida are proposing **new landing fees using ADS-B to automatically invoice operators** as early as next month.

AOPA, along with other industry collectives, are crying foul. Not necessarily at the prospect of more bills, but because of the use of ADS-B data to **collect fees**.

Simply put, in both design and mandate, **ADS-B was never intended for this purpose**. It exists due to its ability to improve the safety and efficiency of air traffic – not to clip the proverbial ticket.

What's Being Proposed

Long story short, Florida has contracted a partnership of **third-party companies** that collect real-time airport operational data using ADS-B and use it to produce landing fee invoices.

The proposed billing structure will be **based on weight**, and the heavier you are, the more you will pay. The figure being widely thrown around is **\$3USD per 1000 lbs**.

These fees may be introduced as early as 1 October 2024. Nearly a dozen Florida airports have already shown an active interest in implementing the new scheme.

For business jet operators, it's hardly earth-shattering news. \$225 USD in fees to land a Gulfstream 550 for instance is well within the realm of normalcy – given publicly available fees.

So why should we be taking note? Because of the **precedent** being set and the implications that this may have for the future use of ADS-B data.

Push Back

AOPA have written to the FAA asking them to **block the use of ADS-B to collect fees**. They're also seeking legislative action to try and make sure this doesn't happen.

They make the following points:

- The fees will be collected by not-for-profit, public-use airports already operating in surplus thanks in part to Federal grants.

- The domino effect. Airports have expressed concerns that if other airports introduce the new fees, they will have to do the same to protect themselves from the resulting influx of traffic.
- This is not what ADS-B was intended for.

ADS-Being Watched

This is not the first time ADS-B has come under the spotlight for being used in ways that were never intended.



Case-in-point was the **recent controversy** of its data being used to track and publicize the whereabouts of prominent VIPs – one celeb famously described these as his ‘assassination co-ordinates.’ You can read about that more [here](#).

In a similar vein, one can argue ADS-B data should not be used to collect billing information either.

It was never intended for this purpose. The technology was invented, and in many cases *mandated* for the better-than-radar effect it has on separation and airspace safety. Just take the fairly recent transition of the NAT HLA to space-based ADS-B for instance.

Where the lines become blurry is that **ADS-B data isn't protected** – with the obvious exception of things like the FAA's LADD and PIA Programs, which are limited in scope for international operators, and will be for some time yet.

The reality is that virtually anyone with around a hundred bucks worth of ADS-B receiver can track most 1090 MHz ADS-B equipped aircraft.

Unfortunately, the use of this data **opens the door to commercial interests** - the precedent arguably being set in Florida.

It is our data, and belongs in the aerospace system. Florida's proposed landing fees may be of more concern to flight training and lighter aircraft right now, but we have a **collective interest in supporting ADS-B only in its use for safety, and nothing more.**

Staying Switched On

What we don't want to see happen is **more pilots and operators switching off ADS-B** because they are skeptical of the system. Having your ADS-B switched on, even in areas where it's not required, provides a **massive advantage to aviation safety** of being able to see other planes around you.

The risk with schemes like this new one in Florida is that it will drive more pilots to avoid the system, which could ultimately lead to more incidents and accidents.

Have more info?

We'd love to hear from you. You can reach us on team@ops.group around the clock.

Italy: New Disinsection Procedures

Chris Shieff

10 December, 2024



In March 2024, an OPSGROUP member reported a fuss on arrival at LIRA/Rome from the US over **disinsection procedures**. Turns out their aircraft needed to be sprayed - a process that local agents appeared thoroughly confused about.

This was completed by the crew, but the Italian Health Department later said *not good enough* and they were required to arrange a cleaning company to do this for them at considerable delay and cost the next day.

We did some digging, and it turns out there are indeed some new (and pretty specific) procedures that now apply to **US operators** – along with a healthy dose of the rest of the world – due to concerns about mosquito borne illnesses. You'll save yourself a headache (no pun intended) if you can get it right the first time.

Here's what we know.

New Procedures

Health authorities now require one of two things on arrival, depending on where your aircraft has been in the **past 28 days**:

- **Aircraft been in an affected country = a disinsection certificate (aircraft sprayed)**
- **Aircraft NOT been in an affected country = an aircraft declaration**

Check this list to see what applies to your aircraft. This is the list of countries, according to WHO, with current or previous Zika virus transmission. This seems to be the source that the Italian authorities are referencing when they talk about "affected countries" – it seems a bit odd that they're doing this, because this list was last updated by WHO all the way back in Feb 2023, but ☹.

Been in an affected country?

Option 1

If your aircraft has been in an affected country in the past 28 days (which includes the US), you'll need to show a **Residual Disinsection Certificate**.

This should be in line with ICAO Annex 9, Appendix 4 – you basically get the cabin sprayed with insecticide, and **get a certificate which is valid for 8 weeks** (i.e. the slime sticks around and kills any mozzies for this period of time).

↑ This is what Italy wants you to do. Spray the cabin in the US (or wherever else) with the heavy duty stuff, get your certificate, and show it to them on arrival. And in theory, it sounds like a nice easy option. **The only problem is that you can't do this in the US** – according to the US Environmental Protection Agency who say so here.

Option 2

So if you can't get this whole thing done in advance, option 2 is this: **when you land in Italy they will do a mandatory spray of your aircraft** – but this might take time to arrange through your handler and could cause delays.

Option 3

As of Sep 2024, authorities said that if you can't do the residual disinsection (the preferred option) then they will allow you to **spray the aircraft before departing to Italy**. It's valid for one flight only, and has to be before the pax board, in accordance with the "pre-embarkation" rules in this WHO document. We checked with several FBOs at airports in Italy, and only half of them had heard about this latest update, so don't count on everyone being up to speed with this change!

Not been in an affected country?

If your aircraft has not been in an affected country, you will need to **submit a declaration** instead.

The requirements are quite specific. You don't need to spray, but you'll need to list every country your aircraft has been in the last 28 days (including any transit stops).

This must be emailed to the Italian Health Authority office at your point of entry at least twelve hours before you land.

This should be on your company's letterhead, and signed by a manager. If possible, include a version in both English and Italian.

Here is the example template Universal Italy put together.

Show me the official guidance

Welcome to *Operation Confusion*. Of the four local handling agents we reached out to, not one could actually direct us to the 'official' announcement from the Italian authorities they were referring to. Officially for us, this was **highly frustrating**.

But an intrepid OPSGROUP member found this link from the Italian Ministry of Health – it certainly looks like the one that talks about all these new rules.

So the advice above is our best attempt to streamline the process, based on the recent experience of OPSGROUP members and all available information.

Crew Reports

We have received several of these since first posting this article, from various different airports across Italy:

LIML/Milan Linate (March 2024): *We had to proceed with disinsection (organized by the FBO). The process lasted 30 mins with a requirement of having all aircraft doors closed for one hour. They accepted to postpone until the crew was ready to leave. Expect a light greasy deposit on the furnitures. No odour.*

LIPE/Bologna (March 2024): *We did two trips into LIPE this week, hardly a mention of any spraying. I gave them a letter saying I treated with AeroSafe, presented 3 empty canisters and requested our ship not be sprayed. Our aircraft was not sprayed on either trip into LIPE.*

LIMC/Milan Malpensa (April 2024): *We set up disinsection through Universal and it took 5 mins. I told their crew I didn't want any of the seats sprayed and just the carpet. APU was running and crew was outside for the 5 mins. After they finished we continued to clean up the airplane. They gave a cert in Italian to the handler and one to me in English. Cost was around 400 Euros. The stuff they used was EMULDRY 50 Plus Residual Insecticide.*

LIRP/Pisa (April 2024): *Plane was shut down, when they said oh by the way we have to do this. So back out to the plane, open it up, fire up the APU for air circulation, set the bug bomb in the plane, and set it off. It was all done by some company contracted by the airport – they didn't let us have anything to do with it. Close all the doors with no one on board, APU running, for 20 minutes. Then open cargo door and main entry door for 20 minutes for venting, APU still running. Process is done at this point. Plane needs to be secured and back in to clear customs, etc. This took an extra hour or more of time. Plane is now good for 8 weeks they say, make sure you get the certificate they give you. The spray didn't smell much. It was a massive time suck, and I haven't seen such nonsense since Covid.*

LIRA/Rome (April 2024): *We arranged to have the airplane treated upon arrival. After the airplane was cleaned and crew ready to depart for the hotel, a contracted individual boarded the airplane with a Ryobi electrostatic sprayer loaded with chemical. After treatment, we closed the doors and left for the hotel. 4 days later, there wasn't any trace of the chemical. The service costs around €450. We are headed back to*

LIRA in a few days with the same airplane. They have accepted the disinsection certificate since we are still within the 8 week active period of the chemical.

LIRA/Rome (May 2024): They made up the process on the spot. Charged €500 and the actual process took about 5mins. They would not do the disinsection or any other services at the long term parking stand, or at the short term parking stand with the APU running. So we had to shut down the APU, get the fuel/lav done, start the APU back up to have the beacon on for towing to the long term stand, wait for a follow-me car and clearance to tow about 150' then open all the doors, sign 5 pieces of paper, remove all blankets and pillows and let them do the spray and close the doors. After we closed the doors (this is now 2hrs after arrival) one ministry official said we had to leave it for 2hrs and the other one told us we'd have to leave it for 40 mins then come back and open it for 20. They instructed us to leave the APU on during this time and leave the area. I told them this was not happening and that we were already over our duty day. That I would have to shut down the APU and re-close the doors and leave. I further told them I would be back a few days later and would open the doors for 20mins before we entered the airplane. After a 5 min conference, they allowed this but wanted me to take all the pillows and blankets with us. This was simply not practical so I said no and put them in the coat closet before I left. They said OK to that also. They didn't seem to know what was to be done other than signing the papers. Everything else they made up as they went along and capitulated to any pushback.

LIML/Milan Linate (Aug 2024): On arrival, we told them that we really didn't want to get the aircraft sprayed. The FBO advised us that we needed to pay the charge anyway. We said no problem, so we paid the charge, but we didn't get sprayed! I was surprised, but they were very easy about accommodating our request not to be sprayed. Overall, couldn't have been better service, 5 linemen greeted us upon arrival.

LIRI/Salerno and LIEO/Olbia (Aug 2024): Last week we flew into both of these airports from the US and we were not asked a single question about dissection, seems that they did not care at all.

Keep an eye out for new requirements elsewhere too


Dengue, in particular, seems to be in the outbreak stage of its cycle. Zika virus is also showing signs that things may soon get worse again.

Both the Centers for Disease Control and Prevention (CDC) and World Health Organization (WHO) provide the most up-to-date information on active outbreaks of these kinds of illnesses. If you have layovers in affected countries, it is highly recommended you keep an eye on things – both for your own health, and for potential impact to your operation.

If you do experience new procedures, **please let us know** so we can pass that info to the rest of the group: team@ops.group

Crew Guidance published by GPS Spoofing Workgroup

OPSGROUP Team
10 December, 2024



In August 2024, OPSGROUP co-ordinated a GPS Spoofing WorkGroup, to investigate **the GPS Spoofing problem**. The aim of the WorkGroup was to assess the impact, analyze safety risks, gather best practices and guidance for Flight Crew, and provide recommendations to industry. 950 people took part, from airlines and aircraft operators, ATC, aviation authorities, OEM's, GPS experts, and a variety of aviation organizations and other industry bodies.

Thank you to all who took part 🎉. The Workgroup is now complete, and was a great success!

The complete report is available on this page. (after September 6th, 2024)

Report section extracts specifically for flight crew are below:

- **Crew Guidance**
- **Technical Guide: the Where, Why and How of GPS Spoofing**

Crew Guidance: GPS Spoofing

If you are operating a flight into a spoofing area tomorrow, this guidance will help to mitigate the impact of GPS Spoofing. This is based on best practices collected from the flight crew participating in the GPS Spoofing Workgroup, as well as OEM and other expert input.

- Best practices for spoofing regions
- Actions before, during and after spoofing
- Typical spoofing flight profile
- One-page Checklist style summary
- Diagrams: GPS Spoofing Flight Profile, GPS Reception during Jamming & Spoofing

Crew Guidance

GPS SPOOFING



Best practices for spoofing regions

Actions before, during and after spoofing

Typical spoofing flight profile

OPSGROUP

Extract from the report of the
GPS Spoofing WorkGroup 2024

Download the Crew Guidance for GPS Spoofing, PDF, 2.7MB, 17 pages.

Technical Guide: the Where, Why and How of GPS Spoofing

This extract from the report of the GPS Spoofing Workgroup 2024 covers the technical details of GPS Spoofing:

- Why, Where and How GPS Spoofing is happening – full technical details
- Location Maps: Worldwide, Mediterranean, Black Sea, Russia & Baltics, India/Pakistan
- Spoofing statistics and details by FIR
- Aircraft types affected
- Spoofing Patterns
- Changes and current trends

Technical Guide

GPS SPOOFING



Spoofing: Why, Where and How

Location Maps and description by FIR

Current trends and changes

OPSGROUP

Extract from the report of the
GPS Spoofing WorkGroup 2024

Download the Technical Guide to GPS Spoofing, PDF, 5.3MB, 29 pages.
[This links to the Guide, available in your Members Dashboard]

Final Report

GPS Spoofing

FINAL REPORT OF THE GPS SPOOFING WORKGROUP

Technical Analysis & Impact

Flight Crew Guidance

Safety Concerns

Solutions

Recommendations

OPSGROUP

GPS Spoofing WorkGroup
September 6, 2024

Link to the Final Report of the GPS Spoofing WorkGroup.
PDF, 10 Mb, 128 pages.

Mpox: What We Know Right Now

Chris Shieff
10 December, 2024



Key Points

- **There is an active outbreak of the Mpox virus in the Democratic Republic of the Congo.**
- **Sporadic cases are reported elsewhere.**
- **It does not spread easily between people.**
- **ICAO has released limited guidance to operators.**
- **Screening, vaccination requirements and travel restrictions are not recommended.**

What's going on?

Earlier this month, the World Health Organisation (WHO) declared the current outbreak of the Mpox virus a '**public health emergency of international concern.**'

A **more virulent version** of the virus emerged in the Democratic Republic of the Congo and has since been detected in several other African countries.

ICAO has now published limited guidance to airports and operators which effectively repeats what is publicly available advice from the WHO.

While the information is not alarming, we are of course monitoring things closely.

Here is a **brief and no-nonsense** rundown of what we know about Mpox and how it is affecting our industry right now.

A little context

It was previously called Monkeypox. Mpox is an infectious virus. Its symptoms have been well publicized. If you'd like to know more about those, [click here](#).

The Mpox outbreak is **not new**. It has been spreading between people in a sustained outbreak since 2022. What's changed recently is that a new strain (or 'clade') has emerged in Africa which is linked to more severe symptoms. Cases have sporadically appeared elsewhere.

But what does 'Public Health Emergency of International Concern' *actually* mean? That comes directly from the WHO's own regs:

An 'event which is determined to constitute a public health risk to other states through the international spread of disease, and potentially require a coordinated international response...'

It sounds alarming, but really suggests methods may need to be introduced to prevent another upswing in cases with perhaps more severe consequences than 2022. In their own words, WHO doesn't want history

to repeat itself.

These methods may be as simple as **better health screening** of passengers to prevent them from travelling while contagious.

Give it to me straight - how bad is this going to be?

According to WHO, Mpox is spread between humans primarily through extended direct skin-to-skin contact. **It is not a respiratory virus.**

Contaminated bedding, clothes, utensils and surfaces have also proved contagious.

Inevitably, aviation will have some part to play. But what's important to note is that despite being a public health emergency, *Mpox is not the new Covid.*

When Covid emerged in 2019, it was novel - i.e. it hadn't been seen before. There were no vaccines or natural immunity.

Mpox is not new (it was first identified in the 1950s). It is also far **less efficient** at spreading between humans. WHO themselves have said they know how to control it (through public health measures) and a pre-existing vaccine that is already available. The key is getting that vaccine to those who need it.

The risk of it spreading widely remains low.

Aviation Guidance

Thus far, it's limited.

ICAO are saying this about international travel:

- Travellers should be given **relevant information** to protect themselves where Mpox may be a higher risk.
- Advise anyone who may have Mpox, or has been close to someone else with it, not to travel.

Notably they are **not advising** states to implement any entry/exit screening, travel restrictions or requirements for testing or vaccination.

Despite this, we have seen reports of temperature screening at airports in South Africa, Bangladesh and Pakistan - this isn't cause for alarm.

Pilots and crew may need to travel to countries experiencing active outbreaks. In that case it is important you are familiar with **signs and symptoms**, along with ways to protect yourselves.

Keep in mind when you return, symptoms usually take up to three weeks to appear. You can choose to get vaccinated but it would be worth seeking medical advice from your aviation doctor prior to receiving it. We haven't seen any guidance to suggest more of an impact on fitness to fly than any other pre-existing vaccine.

We're watching it closely

Keep an eye on our ops alerts and briefings.

We will report any **significant operational changes** from Mpox as we see them, but for now impact appears to be minimal. You won't hear from us on any health or non-aviation related impacts, so we suggest the WHO's website if you're looking for that.

Of course, you can always contact us via team@ops.group with any updates.

Climb for Contrail Prevention - What's Happening in the Maastricht UAC?

Chris Shieff

10 December, 2024



A few weeks back, the following Notam was issued for the **Maastricht UAC** (i.e. the busy airspace above FL 245 over Belgium, the Netherlands and Luxembourg):

A1832/24 NOTAMN


Q) EHAA/QSUXX/I /NBO/W /245/660/5255N00454E140

A) EHAA B) 2408010000 C) 2409192359

E) IN AN EFFORT TO MINIMISE THE IMPACT OF AVIATION ON THE ENVIRONMENT, MAASTRICHT UAC WILL BE RUNNING A CONTRAIL PREVENTION TRIAL. FLIGHTS MAY BE TACTICALLY REQUESTED TO DEVIATE FROM THE PLANNED/REQUESTED FL BY THE SECTOR CONTROLLER USING PHRASEOLOGY: FOR CONTRAIL PREVENTION CLIMB/DESCEND. ANY FLIGHT FLYING VIA MAASTRICHT UAC MAY BE CHOSEN. THE TRIAL WILL GO AHEAD DEPENDENT ON WEATHER CONDITIONS. FOR TACTICAL ENQUIRIES CTC MAASTRICHT UAC 0031 43 366 1428

Essentially if you are flying through that airspace between now and September 19 you may be instructed

to climb or descend using the phrase 'for contrail prevention.'



Maastricht have teamed up with DLR (the German Aerospace Center) in a bid to lower aviation's **'non-CO₂' climate impact**. In other words, the effect aviation is having on the environment *beyond* fossil fuel emissions.

In that sense, this trial is one-of-a-kind and has been running on-and-off since 2021.

If you're wondering why you're being asked to deviate from your desired level, and what that has to do with contrails, read on.


What does any of this have to do with contrails?

The concept of **non-CO₂ impacts** may be less familiar to operators. Non-CO₂ effects have to do with complex interactions between aircraft emissions and their effect on the surrounding atmosphere.

This includes **soot particles** – a byproduct of combustion. It may come as a surprise that contrails are not (as is often misrepresented) *just* water vapor. When water vapor exits the exhaust nozzle of a jet engine, it condenses and freezes to these soot particles creating tiny ice crystals.

These crystals form **contrails**. They are in fact a type of cirrus cloud with a fancy name that sounds like a bad cold – homogenitus. And if conditions are right, they can persist for hours – long after the aircraft that created them has disappeared over the horizon.

At night in busy airspace (such as the Maastricht UAC) these contrails can have a warming effect by trapping heat in the atmosphere, just like naturally occurring clouds.



This process occurs across quite a shallow band – around FL300 in Winter and FL360 in Summer.

So, contrails are important. Why do I need to change levels?

The strength and persistence of contrails has a lot to do with the state of the atmosphere around them. Part of the industry's approach is **predicting when the atmosphere is favourable to form contrails** and making **small flight path adjustments** to avoid the worst of those conditions.

Enter the Maastricht UAC Contrail Prevention Project.

Covering your tracks

The airspace of Maastricht often experiences conditions favorable for the formation of contrails. Therefore, it is the **ideal testbed for the trial**.

The project focuses on identifying those conditions and preventing prolonged level flight through them. In a nutshell, the German Aerospace Center identify when conditions in the Maastricht UAC are favorable for the formation of contrails by looking at satellite data.

Taking predicted traffic levels into account, the duty supervisor then gives the thumbs up for controllers to conduct **'contrail prevention activity.'**

If it goes ahead, it will begin **after 4pm local and run through the night until 6am local**.

Affected aircraft will be **directed by air traffic control to change flight level** using the phrase '*for contrail prevention.*'

What about fuel burn?

EUROCONTROL advise that **ATC will only request the minimum level change required** – i.e. will keep you as close as possible to your chosen level as conditions permit.

Anyone operating in Maastricht airspace may be selected to participate in this trial. It is important to

inform the controller if the level change will affect flight safety for which all levels will remain available.

US Rule Change for Carrying Dogs

Chris Shieff
10 December, 2024



Key Points

- **New rules apply to carrying a dog into the US, effective August 1.**
- **These rules depend on where the dog has been in the past six months.**
- **If the dog has not been a high-risk country, there is only one form to fill out.**
- **If the dog has been in a high-risk country, it will only be allowed to enter if vaccinated.**
- **Dogs vaccinated outside of the US will also need a rabies test beforehand.**

How do the new rules work?

On August 1 the **rules for bringing a dog into the US** from overseas changed.

Essentially the new requirements depend on where the dog has been in the preceding six months, and whether it has been **vaccinated** against nasties like rabies.

These may now come as a surprise to some owners who have been travelling with their pets regularly.

As the **penalty** for not doing having the right paperwork is as high as \$250,000 USD and a year in prison per dog, it's important operators check everything is in place before wheels up - and not on arrival.

Introducing Peggy - OPSGROUP's unofficial mascot for this article. Peggy was recently in a major Hollywood motion picture. Here's what her owners would face if they wanted her to re-enter the country by air.

Scenario #1 - Peggy has only been in a rabies-free, or low-risk country:

Check this list. If the dog hasn't been in one of these countries in the past six months, the owner only needs to fill out a CDC Dog Import Form.

This can be completed **as late as the day of travel**, but CDC recommends doing it at least a few days in advance.

Once you receive a receipt, it will be valid for **six months** and can be used as many times as you like provided that the dog hasn't been to a high-risk country since it was issued.

It's free, but one must be completed per pooch. No group concessions here! The owner must then show the receipt on paper or via their phone to US customs and air carrier.

A few other things the dog will need:

- It must be healthy on arrival.
- At least six months old (no puppies).
- **It must be microchipped.**

Scenario #2 - Peggy has been in in a high-risk country but is vaccinated:

Note that the list includes several countries from the Middle East, South America, Asia and Africa.

In addition to the Dog Import Form and microchip above, the owner will also need something called A Certification of US-issued Rabies Vaccination form. These need to be filled out by a veterinarian accredited by the US Dept. Of Agriculture and endorsed by the USDA.

If Peggy was vaccinated **outside of the US**, things start to get more complicated. In addition to the Dog Import Form, it will also need:

- A *Certification of Foreign Rabies Vaccination and Microchip*. This must be filled out by the owner's vet and endorsed by an official government veterinarian.
- A valid rabies test from a CDC-approved lab.
- A reservation for Peggy at a CDC-registered kennel for up to 28 days.

Scenario 3 - Peggy has been in a high-risk country and isn't vaccinated:

Peggy will not be allowed to enter the US! Nor will any other dog that falls under this category.

Rules for Air Operators

In addition to the above requirements, there are new procedures for air operators too.

From August 1, operators need to create something called an air waybill (AWB) for each dog they transport to the US. This is a document that accompanies goods shipped internationally by air. It is essentially a receipt of goods for the operator, and a contract of carriage between you and the dog's owner.

The good news is that you can request a waiver to this requirement by emailing cdcanimalimports@cdc.gov and asking for one.

They'll get back to you within one working day with a waiver **valid for 90 days**. You can only do this once though, and beyond that you will need a full AWB to carry the animal on future flights.

Beware the saga of Pistol and Boo

Whether it be in the US or abroad, customs officials take non-declarations of animals extremely seriously and the penalties can extend to the air operators carrying them.

While our clientele may like to take their family pet with them on business or vacation aboard private aircraft, they need to be aware of their obligations and meet them - as is often the case for pets carried between Europe and the US.

In other words, **don't be like Johnny**.

Back in 2015 a high-profile celebrity, Johnny, carried his Yorkshire terriers, Pistol and Boo, illegally into Australia on his private jet. He did so knowingly but (in his words) under the belief that his staff had completed the necessary paperwork - they hadn't.

He and his partner potentially faced several charges including perjury. Pistol and Boo also faced being put down. The case became went infamously public, and even involved the Australian Prime Minister before most charges were dropped.

The moral of the story is what may seem like an oversight to some, are **taken extremely** seriously by authorities - the US included. The passengers we carry may not always realize that to the extent that they perhaps should.

More Questions?

Check the new requirements on the CDC website [here](http://www.cdc.gov), and if you have any really specific questions your best bet is to get in touch with the CDC directly on (800) 232-4636.

Hab Dich! German Ops Gotchas

David Mumford
10 December, 2024



OPSGROUP members have reported several strange things happening at airports in Germany recently. We asked the German Aviation Authority and a few local handling agents and FBOs, who confirmed these were not isolated incidents. So here's the lowdown on these latest German Ops Gotchas...



#1: The Baggage Hold Gotcha

After a few back-and-forth emails with the German Aviation Authority (*LBA - Luftfahrt-Bundesamt, website here*), the following is what applies.

If you are operating a **commercial flight** (i.e. Part 135) out of a German airport, and your aircraft has an inflight-accessible baggage hold, then **ALL baggage will be required to be screened and deemed cabin baggage**. Size isn't considered, so it could be a Citation or an Airbus 330.

This means that passengers won't be able to take any security-restricted items in their luggage. If they want to carry something sharp, or perhaps some hunting gear, then this would need to have some big lockable box.

You can apply for **approval to carry prohibited items** from the Ministry of the Interior BMI. The list of goods is [here](#). However, LBA have said that it is not an exhaustive list, and the screener shall have the final judgement.

Bottom line, if you are flying most bizav aircraft out of a German airport and you have something that could be "dangerous", you are likely to have the item confiscated if screened correctly.

Possible solution: one member has reported that authorities accepted in their AOC to **install a wire-lock to the "impact-curtain"**, so it is not easy to access the compartment during flight.



#2: Sneaky Security Checks

Jan 2025 update: We're now hearing that the LBA have started charging operators for these checks! One member reported receiving a 330 Euro invoice for a check that took place at EDDM/Munich. It seems that opting-out of these checks is not possible!

These are not ramp checks, they are “security checks” performed by LBA staff to see whether crew follow the right security procedures.

They basically try to enter the aircraft, and your job is to make sure you stop them. So man the doors! **Check their identity**, make sure they’re wearing **the right ID cards**, and you will have passed the test. Another common thing is that they **leave a note behind the GPU hatch door** to check if you do the security check properly.

EDDS/Stuttgart is one of the top spots for this, but we’ve had reports of this happening at **EDDV/Hannover** and other airports in Germany too.

We asked LBA about this one too. They reference EU Implementing Regulation 2015/1998 which is all about *basic standards on aviation security*. We read it, and couldn’t find anything in it warning flight crew to watch out for people in yellow jackets trying to trick them by switching their ID cards around and leaving weird notes on their aircraft.

So we don’t like this one very much. Security is a team effort, and flight crew are a big part of this. Tricking them into compliance like schoolchildren isn’t the way to go.



#3 Fuel Payments

The simple rule we’re all used to: **if you’re a commercial flight, you don’t pay tax on fuel**. So you fuel up, pay the bill, then if you’re a commercial flight you get Customs to issue you a refund of the fuel tax.

Problem is, what’s been happening more often recently is that **Customs have not been showing up to aircraft** – presumably due to lack of staff.

We also heard one recent case where Customs **refused to accept an AOC** of a commercial flight, and the operators had to pay the associated taxes with a private operation.

Possible solution: one of the local handlers recommends that operators make sure they **always carry the charter contract** for the flight on board, along with the AOC. And if Customs don’t show up for the refund, you can **fill in a form** and apply after the flight. Here’s a copy. Email it to: poststelle.hza-

Been to Germany recently and know any more Ops Gotchas to watch out for? Let us know.

Lebanon Risk Update

Chris Shieff

10 December, 2024



- **Overflights risks of the OLBB/Beirut FIR are increasing. The outbreak of a larger scale conflict between Israel and Hezbollah is increasingly likely.**
- **Several airlines (Air France, Eurowings, Lufthansa, Swiss, Transavia and Middle East Airlines - the Lebanese flag carrier) have temporarily suspended flights to OLBA/Beirut airport.**
- **Canada has issued a new Notam (July 30) advising operators to avoid Lebanese airspace at all levels.**
- **Surface-to-air weaponry may be present capable of reaching aircraft at all altitudes.**

Risk to aircraft operating over Lebanon is increasing

There was a **significant escalation** in hostilities between Israel and Hezbollah in Lebanon over the weekend.

On July 27 a suspected Hezbollah rocket attack caused Israeli casualties in the Golan Heights region - although Hezbollah has been uncharacteristically quick to deny their involvement.

This was quickly followed by Israeli airstrikes well inside Lebanese territory.

The US Embassy has since issued an alert to citizens that scheduled flights to/from Beirut may change or be cancelled at short notice. They're also recommending anyone there develop a '**crisis plan**' to leave if the current situation escalates.

There is widespread concern that the two sides could imminently be drawn into a **full-scale conflict**. In which case the risk picture for aircraft in both the LLLL/Tel Aviv and OLBB/Beirut FIR could change dramatically.

Here is a brief summary of the situation.

Why are Israel and Hezbollah fighting?

The two have fought in several wars - the latest was in 2006. The background to these hostilities is beyond the scope and intent of this article - but you can read more about that [here](#).

The most recent cross-border fighting began almost immediately after the Hamas assault in Southern

Israel which sparked the current war in Gaza.

The situation in Gaza has mobilised Iranian-backed militants across the region to act, and Hezbollah is widely considered one of the **most powerfully equipped**.

Hezbollah has said they will not stop hostilities against Israel until there is a cease-fire in Gaza.


So Far...

Since the start of the war in Gaza, sporadic fighting across the Israeli/Lebanese border has been almost a daily occurrence. It is not immediately obvious in existing airspace warnings just how **frequent** these skirmishes have become.

Here is a statistic that may cause alarm to traffic regularly overflying – as of the end of June, the media reported 7,400 cross-border attacks between Israel and Hezbollah in the preceding nine months.

Israel-Lebanon cross-border attacks

October 7, 2023 - June 21, 2024



This has included artillery firing, rocket attacks, missiles, drones, and of most concern – air defense activations on both sides. Various instances of false identification have been reported.

This fighting has mostly been constrained. If a full-scale conflict develops as feared, things may get a lot

worse.

In the skies

Just last month, Hezbollah reported targeting Israeli fighter jets using **surface-to-air missiles** for the first time. Existing airspace warnings for the OLBB/Beirut FIR **do not any mention level restrictions**.

There has been some credible concern recently that Hezbollah might possess more sophisticated surface-to-air weaponry. One report speculates this includes mobile Iranian made radar-guided SAMs which are capable of targeting aircraft as high as **90,000 feet** with range of up to 100kms (depending on the variant).

The Wall Street Journal have also suggested another system may be present with similar capabilities supplied by Wagner Group mercenaries.

It is possible we have just not seen these types of weapons used by Hezbollah in this conflict to date.

While the LLLL/Tel Aviv FIR has arguably been a masterclass in how to maintain safe and informed overflights near a conflict zone in recent month, should a larger conflict arise it is **unlikely the safety of civil aircraft in the OLBB/Beirut FIR will be protected to the same extent**.

Existing Airspace Warnings

We maintain a Safe Airspace Risk Level of Two (Danger Exists) for the OLBB/Beirut FIR.

Here is a summary of existing state-issued airspace warnings for Lebanon:

- **Canada** Operators should not enter the OLBB Beirut FIR at all levels due to risk of military activity. CZQX Notam H3476/24. [New, July 29.](#)
- **US FAA** Exercise caution within 200nm of the Damascus FIR due to military activity. Possibility of GPS interference, communication jamming, and long-range surface to air missiles in the area. KICZ Notam A0009/18.
- **United Kingdom** Caution to UK operators in the OLBB/Beirut FIR due to potential risk from military activity. EGTT Notam V0025/24.

Why have these warnings not been upgraded?

History has taught us that we need to be more responsive to airspace threats – a danger may exist or develop before states publish official airspace warnings or restrictions. And all of that **takes time**.

The events of the past days have happened quickly, and extensive diplomatic efforts are now underway to prevent a larger-scale conflict in the Middle East, but it remains to be seen if one can be avoided. **We're monitoring the situation closely** – keep an eye on safeairspace.net for updates.

Updates

Alerts

Type a country



Level 1

Level 2

Level 3

Lebanon

30 Jul

Risk summary updated: Overflights risks of the OLBB/Beirut FIR are escalating. The outbreak of a larger scale conflict between Israel and Hezbollah is increasingly likely. Canada has issued a new Notam advising operators to avoid Lebanese airspace at all levels.

Lebanon

30 Jul

New Canada Notam: Canadian operators should not enter the OLBB/Beirut FIR due to risk of military activity.



Teterboro: RIP the RUUDY SIX

Chris Shieff

10 December, 2024




For some time now, the problematic **RUUDY 6 SID** out of KTEB has been causing trouble. In fact, just prior to the pandemic the FAA reported it had resulted in nearly two hundred **pilot violations** in just six years.

If you're not familiar with it, it is a departure from Runway 24. Here's the chart:

KTEB/TEB
TETERBORO

JEPPESSEN TETERBORO, NJ
15 OCT 21 10-3A
RNAV SID



The reason for the high number of deviations is cause for debate with **both lateral and vertical excursions** reported. In the case of the latter, one suggestion is that the procedure itself isn't that clear. For instance, a typical IFR clearance out of TEB includes the phrase "*climb via the SID*."

Take another look at the chart – it requires a level off at 1500' and an instruction to maintain 2000'.

This can be interpreted in two different ways – either to maintain 1500' until cleared to 2000', OR to continue climb to 2000' passing the waypoint WENTZ.

The Teterboro Users Group (TUG) since clarified the latter is correct, given there are actually three things going on at once:

- **A turn to WENTZ to separate aircraft on Newark's 22L ILS above.**
- **A level restriction at WENTZ to keep aircraft away from aircraft descending to 2500' above.**
- **Achieving the minimum vectoring altitude for the area - hence the subsequent climb to 2000.'**

And all of this while managing the energy of high-performance business jets shortly after take-off into some of the busiest airspace in the world. There is little room to get things wrong.

But people were, and quite consistently. And so, work began to develop a **clearer SID** to replace the

troublesome RUUDY.

Welcome Wentz.

On July 11 that finally happened with the publication of the new **WENTZ ONE SID** – almost.

The WENTZ ONE is effectively an improvement to remove the ambiguity. It does away with the step climb to 2000', instead requiring aircraft using it to maintain the one level – 1500'.


ATC will issue any subsequent climb instruction.

Here's what the new procedure looks like:

KTEB/TEB
TETERBORO

JEPPESSEN
5 JUL 24 10-3C Eff 11 Jul

TETERBORO, NJ
RNAV SID



Here's the kicker though, while the charts have been published, **no one is flying it just yet**. Why?

TUG explains that this is due to FAA controller training requirements, which are essential. Given the pending relocation of Newark's airspace from NY TRACON to Philadelphia TRACON it is difficult to predict exactly when this process will be finished.

So, while the plate will appear in your EFB, expect the RUUDY SIX for a short while yet.

What about an instrument approach to Runway 01?

While we have you here – there is another problem pilots need to contend with at TEB.

An instrument approach to Runway 01, or lack thereof.

Right now, the common procedure is the ILS 06, **circle-to-land** 01 to keep you clear of Newark.

This approach is **challenging** for a number of reasons. If you're not familiar with those, check out Code 7700's full briefing here.

For some time now TUG has been advocating tirelessly for a **proper RNAV approach** which is long since overdue. There has been some progress for some Honeywell users. Since last year there has been a **coded FMS visual approach** that replicates the visual to Runway 01, but with lateral guidance and vertical guidance using familiar waypoints DANDY and TORBY. It does this with moderate angles of bank and a gentle 3.5 degree slope alleviating some of the existing threats of the procedure.

You can watch that approach below:



With regards to a publicly available instrument approach to KTEB's 01, TUG advises we will need to wait a while longer yet. They will have a formal update for us later this year.

400% increase in GPS Spoofing; Workgroup established



GPS Spoofing Risk changes, grows

- **900 flights a day on average are now encountering GPS Spoofing**
- **Safety risks changing and growing: EGPWS primary concern**
- **GPS Workgroup established to address issue**

Troubling data shows a significant spike in GPS Spoofing over the last few months, with an increasing impact on flight safety.

The number of flights affected has risen from an average of 200 daily in the period January-March, to around 900 daily for the second quarter of 2024. On some days, as many as 1350 flights have encountered spoofing. Flight crews also report that the intensity of the spoofing is increasing.

At the same time, the number of locations where spoofing is highly active has increased from three to more than ten. At the outbreak of the new spoofing phenomenon in September 2023, spoofing was encountered in northern Iraq (near Baghdad), Egypt (near Cairo), and Israel. Since then, the Black Sea, Cyprus, the Korean border, and Russia have become spoofing hotspots.

Safety risk changing and growing

For flight crews, the workload and knock-on safety risk resulting from spoofing encounters is both changing and growing. Initially, the primary risk from a GPS spoof was navigational: autopilots began turning aircraft unexpectedly, aircraft position became uncertain, IRS was sometimes lost. With ATC help, often through radar vectors, the situation could be resolved.

With both the increase in intensity and frequency of spoofing this year, a second, more concerning set of risks is emerging.

The list is long. GPS is interwoven into many, if not most, aircraft systems these days. The EGPWS – our trusted friend to keep us away from terrain – is suffering heavily, and is becoming unreliable. False alerts – sometimes hours after the spoofing event – are now routine, and as a result, many are inhibiting the system. Crews are losing trust in what was until now an exceptionally reliable and critical device to eliminate CFIT accidents.

Go-arounds directly caused by GPS spoofing effects are also being seen more regularly. False EGPWS alerts are the primary culprit, but in some cases, the indicated wind on the Navigation Display is false and leads to confusion. In others, autopilot behaviour and unusual glideslope/localizer indications are causing missed approaches. Any go-around immediately increases crew workload and reduces the safety margin.

Safety layer of “Swiss Cheese” removed

Other aircraft systems directly affected include TCAS, ADS-B, HUD guidance, and transponders. The aircraft clock, which crews are getting used to seeing “run backwards”, is often one of the first victims of a spoofing encounter, and has knock-on effects which include making CPDLC unusable. Eurocontrol report now seeing this on a daily basis.

For Air Traffic Control, especially in Oceanic and remote regions requiring on-board responsibility for navigation accuracy, life has thus become more challenging. Shanwick and Gander OACC’s now deal daily with aircraft unable to meet the RNP4 requirement for oceanic crossings as a result of spoofing. Controllers have to work harder to separate aircraft, and this has caused occasional diversions to Iceland.

The trouble is that these shifts in safety risk are happening without much attention to them. They are largely unaddressed, latent pitfalls, that will become painfully clear when the first accident attributable to spoofing occurs. A single, full layer of the “Swiss Cheese” has quietly been pulled out of our safety system this year.

GPS Spoofing Workgroup established

A GPS Spoofing Workgroup has been hastily established to bring the international civil aviation community together and address the problem. The Workgroup is **now running**, and will tackle the issue by collecting data and information, surveying flight crew, discussing the distinct elements of the problem, and producing a community report. With the 14th ICAO Air Navigation Conference taking place at the end of August, the timing of the final report will aim to support discussions there.

450 participants have registered to take part in the Workgroup, which includes representatives of industry organizations IFALPA, IFATCA, OPSGROUP, IBAC, EBAA, ECA, and BALPA. Airlines and Operators represented include Aer Lingus, Air Atlanta, Alaska Airlines, Cathay, Cargolux, Singapore Airlines, Turkish Airlines, United Airlines, Netjets, El Al, Royal Jordanian, Italian Air Force, USAF, American Airlines, LOT Polish Airlines, and Fedex.

An encouraging element of the Workgroup is the involvement of PNT and GPS experts from NASA, Boeing, Collins Aerospace, FlightSafety International, Honeywell International, Safran Electronics & Defense, Satcom Direct, Aircraft Performance Group, Fokker Services, Honda Aircraft Company, Zurich University of Applied Sciences, and SkAI Data Services. Aviation Authorities participating include the Swedish CAA, Transport Canada Civil Aviation, Civil Aviation Authority of Singapore, Civil Aviation Authority of Thailand, CAA Isle of Man, Eurocontrol, FAA, and NATS UK.

To date, the industry has largely focused on ad-hoc mitigation efforts to deal with the GPS Spoofing problem. The focus of the Workgroup will be to shift to discussing quickly available solutions, and broaden industry awareness of the growing safety risks. It will also seek to provide Flight Crews with better guidance, actions and GPS systems information.

The Workgroup is now complete. A final report will be published on September 6, 2024.


INDUSTRY COLLABORATION

GROUP DISCUSSION

INFO GATHERING

IMPACT REVIEW

FLIGHT CREW // TECH EXPERTS // OEM'S
OPERATORS // INDUSTRY GROUPS // ATC
A/C MANUFACTURERS // REGULATORS



WORKGROUP REPORT

CREW GUIDANCE

SAFETY REVIEW

SITUATION REPORT

LOCATION MAP

SECURITY ANALYSIS

RECOMMENDATIONS

GPS SPOOFING WORKGROUP

JULY 17 – AUG 14 **REGISTER NOW**