

Timeline of North Atlantic Changes

OPSGROUP Team
19 June, 2024



This page has a timeline of big NAT changes, for the six Oceanic Area Control Centres (OACC's): EGGX/Shanwick, CZQX/Gander, BIRD/Iceland, ENOB/Bodø, LPPO/Santa Maria, and KZWY/New York Oceanic.

2024

- **March 2024:** Beginning of the process of **Oceanic Clearance Removal (OCR)** for all NAT FIR's. More info.
- **March 2024:** **Comms Failure** Procedures simplified. More info.
- **March 2024:** **Squawk 2000** 10 minutes after OEP is now standard in all NAT FIR's, **except** Reykjavik. More info.

2023

- **In Sep 2023, the US FAA officially renamed WATRS airspace in the West Atlantic, to simply WAT.** This small but important change is part of an effort to align control areas with ICAO regions. Existing B050 authorizations will be re-issued within 24 months.
- **In Jan 2023, there were some changes to the boundaries of the datalink exempt airspace in the northern bit of the North Atlantic.** This used to extend down south to SAVRY, but now only goes as far as EMBOK. So now you need datalink in the NAT oceanic airspace over Greenland controlled by Gander. More info

2022

- **From June 14, 2022, HF data link (ACARS) does not meet the satcom part of the NAT DLM requirement - you need Inmarsat or Iridium for that.** So if you want to fly in NAT DLM airspace (FL290-410 in the NAT region) “J2” in field 10a of your FPL won’t work anymore - you need “J5” for Inmarsat or “J7” for Iridium. More info.
- **From March 1, 2022, all North Atlantic tracks at FL330 and below will be abolished.** It means operators will have the flexibility to file random routes at FL330 and below when flying between Europe and North America. Particularly for operators unable to file routes across OTS tracks with active flight levels, this means much greater flexibility in choosing their own trajectory. More info

2021

- **The “MAX UPLINK DELAY VALUE TO 300 SECONDS” message will now be sent to all aircraft - and each time you logon to a new OACC.** This change came in July 2021 with the new NAT Doc 007.
- **No NAT Tracks** experiment. Starting February 2021, Shanwick and Gander will experiment with not issuing any NAT Tracks on quiet days. See article. **Update: The No NAT Tracks experiment ended in June 2021** - it’s over. There won’t be any further NAT OTS NIL days.

2020

- **Datalink Mandate.** Effective Jan 20, 2020, datalink (CPDLC and ADS-C) is now required between FL290-410 in the NAT region. There are exempted areas: North of 80N, Surveillance airspace over a section of Greenland and Iceland (where ATC can see you on radar or ADS-B), and New York Oceanic East. Aircraft without datalink can request to climb/descend through datalink mandated airspace, but will only be considered on a tactical basis - most likely you’ll get stuck under FL290. More info

2019

- **Micro-SLOP** ATC don’t seem to like the term, but that’s basically what it is. Before, you could only SLOP centreline, 1NM or 2NM to the right. But from Aug 2019, Gander, Shanwick, Santa Maria and Bodo started allowing offsets right of centreline in tenths of a nautical mile up to a maximum of 2NM. From 12th Sep 2019, Iceland and New York Oceanic will allow this too. Check out our article for more info.
- **ASEPS.** Reduced longitudinal separation (down to as close as 14NM) has been happening since April 2019 in Gander, Shanwick, and Santa Maria. But from Oct 2019, lateral separation will be reduced to 19NM from the previous PBCS limit of 25NM for compliant aircraft. To be able to get this reduced separation, you’ll need ADS-B and to be fully PBCS compliant (i.e. meet the specs of RNP4, RCP240 and RSP180). Read the ICAO Bulletin for more info.
- **OWAFS** Operations Without a Fixed Speed. In other words, you get to decide how fast you fly. It’s been happening in the Shanwick, Santa Maria, and New York Oceanic FIRs since Apr 2019. Iceland say they will start doing this some time around Oct-Nov 2019. You get a normal oceanic clearance, with a fixed Mach Number, like you always did. But then somewhere after

the Oceanic Entry Point, you may get a CPDLC message saying RESUME NORMAL SPEED. You should reply with WILCO. What that means is: Fly ECON, or a Cost Index with Variable Mach. You can fly within 0.01 up or down of your cleared Mach, but if it varies by 0.02 or more you must advise ATC. Read the ICAO Bulletin and check out our article for more info.

- **PBCS** From March 29th 2019, there may be more than just three daily PBCS tracks. They will continue to be only FL350 to FL390 inclusive and only on the designated tracks during the period the tracks are in effect. There may be days where there are no PBCS tracks, 3 PBCS tracks, 5 PBCS tracks, potentially even all the tracks.
- **Contingency Procedures** From March 29th 2019, new contingency and weather deviation procedures were introduced. For contingencies, you now turn at least 30 degrees and offset by 5 NM. For weather deviations, you now do your 300ft up/down offset when 5 NM away from track. More info here.

2018

- **PBCS** From March 29th 2018, PBCS is a requirement for the daily mandated PBCS NAT Tracks (right now, that the 3 core tracks each day) between FL350-390. PBCS for the NAT means having both RCP240 (4 minute comms loop) and RSP180 (3 minute position reporting). If you're missing approval for either, then you can fly anywhere other than along the core NAT tracks FL350-390. Read more about PBCS in our article, and check out the NAT Circle of Change for an easier graphical representation.
- **RLAT** From January 4th 2018, Shanwick and Gander increase the number of RLAT tracks - most tracks between FL350-390 will now be RLAT - 25nm separation between them. *RLAT replaced by the term PBCS.*

2017

- **SLOP** - Offsetting is now mandatory. Choose 0, 1, or 2nm right of track. We think 1 or 2 is best. Consider the recent A380 story.
- **TCAS 7.1:** From January 1st, 2017, TCAS 7.1 is required throughout the entire NAT region.
- **Cruising Level:** Effective 2017, you no longer need to file an ICAO standard cruising level in NAT airspace.
- **Gross Nav Error:** This is now defined as greater than 10nm. Everywhere else in the world, it's 25nm.
- **Datalink Mandate:** Since Dec 2017, datalink now required throughout the NAT Region from FL350-390. Exempt areas: Tango Routes, airspace north of 80N, Surveillance airspace, Blue Spruce routes, and New York OCA.

2016

- **Confirm Assigned Route** Introduced August 2016, you will see this message when you enter NAT airspace with datalink, and you should reply with the planned route in NAT airspace. Designed to catch errors.
- **NAT HLA** The airspace formerly known as MNPS. Changed February 2016. NAT HLA = NAT High Level Airspace. Now includes Bodo Oceanic, and aircraft must be RNP 4 or RNP10.

Previous MNPS approvals good through 2020.

2015

- **RLAT** Started December 2015, spacing on the NAT Tracks reduced to “Half Track” (30nm) for 3 core tracks. RLAT=Reduced Lateral Separation Minima. *Next phase of this (ie. all NAT Tracks 350-390) was introduced in Dec 2017.*
- **SLOP** Offsetting right of track by 1nm or 2nm became Mandatory.