

# Why, How and Where should you SLOP?

OPSGROUP Team  
13 August, 2019



**In Short:** Strategic Lateral Offset Procedures (SLOP) costs nothing and increases flight safety. If the airspace permits it, you should be “randomly” offsetting, especially across the North Atlantic. **Left is for losers** – don’t SLOP left of track.

**Update:** August 2019 – you can now “MicroSLOP” in the NAT. Check out the changes.

We had a discussion in OpsGroup recently about SLOP (Strategic Lateral Offset Procedures) and it elicited some interesting responses, as well as some confusion.

## So - Why, How and Where should you SLOP?

**Why?**




GPS technology allows modern jets to fly very accurately, too accurately it turns out sometimes! Aircraft can now essentially fly EXACTLY over an airway/track laterally (think less than 0.05NM), separated only by 1000FT vertically. A risk mitigation strategy was proposed over non-radar airspace to allow pilots to fly 1-2 nautical miles laterally offset from their track, **randomly**, to increase flight safety in case of any vertical separation breakdown.

How did we get here?

### Navigation paradox

What we just described is known as the navigation paradox. The research shows that “**increases in navigational precision**” actually **increases the collision risk** – huh?




Here are some interesting stats to consider:

- In a simulation, aircraft cruising at **random** altitudes have **five times fewer** collisions.
- During a 2000 study, it was shown that hemispherical cruising altitude rules resulted in **six times more mid-air collisions** than random cruising altitude non compliance.
- If more **randomness** was applied to the hemispherical cruising level model, the navigational paradox risk could have been largely reduced and **up to 30 midair collisions avoided** (up to 2006). Including the tragic GOL 2006 accident.

So we get it; the rules of the air, sometimes inject risk to flight safety due to their lack of randomness.

### A way to reduce risk and inject randomness?



It was 2004 when SLOP was adopted in the most congested non-radar airspace in the world, namely the North Atlantic.

Although the **Navigation Paradox** is the reason SLOP was introduced and continues to be implemented, there are some nice risk mitigation side-effects too: wake turbulence reduction (at times), contingency buffers if you experience severe turbulence and can't maintain altitude (“level busts”), etc.

SLOP therefore reduces the risk between traffic which is not operating in accordance with the correct air traffic control clearance or where an error has been made in the issue of an air traffic control clearance.

Still, there is a large number (>40%) of aircraft not adopting these procedures even though they are now mandatory on the NAT.

If >40% of pilots are using **SLOP 0** (meaning no offset at all), what does that matter? That means half the flights are operating over the same lateral paths and all it takes is one minor vertical deviation for there to be a significant loss of separation.

The daily NAT track message always reminds pilots to employ SLOP procedures:

FOR STRATEGIC LATERAL OFFSET AND CONTINGENCY PROCEDURES FOR OPS IN  
 NAT FLOW REFER TO NAT PROGRAMME COORDINATION WEBSITE  
 WWW.PARIS.icao.int.  
**SLOP SHOULD BE STANDARD PROCEDURE, NOT JUST FOR AVOIDING WX/TURB.**

### How should you SLOP?



Consider some best practice advice:

- **LEFT IS FOR LOSERS - never offset LEFT.** On bi-directional routes a LEFT offset will **INCREASE collision risk** rather than decrease it. There are areas in the NAT Region where bi-directional traffic flows are routinely used. And there are times when opposite direction traffic may be encountered in any part of the Region. Once upon a time (between introduction of RVSM and pre-SLOP, it was ok to go LEFT, not anymore!) The only exception would be in certain airspace where **ATC request you** to SLOP LEFT (e.g. China).
- The system works best when **every 2 out of 3 crossings you fly, you apply an offset.** Shanwick says this generally means at least 1 out of 3 aircraft are *slopping*.
- You don't need to ask ATC for approval; **you can SLOP from the NAT entry point to the NAT exit point.**
- Only offset if your FMC has the function to do so - **do not do it manually.**
- **Good airmanship applies** here. What's happening around you? Who is above, below and near you on the same track. Co-ordinate on **123.45** if needed.
- **2nm RIGHT** is the **maximum** approved SLOP.
- **Flip a coin** to decide like some do! Captain is PF? 1R going west; First Officer 2R going east etc. Studies show that on the NAT, 40% do 1R and only 20% go 2R. Don't be afraid to go the full 2R!
- **If you are overtaking** someone, the ICAO guidance in NAT DOC 007 is to **apply SLOP** so as to create the "least amount of wake turbulence for the aircraft being overtaken".

### Where though?



Our friend Eddie at Code 7700 gave a great comprehensive list so here it is verbatim.

- **Africa**, almost all remote locations employ SLOP. Check the Jeppesen Airways Manual / Air Traffic Control / State Rules and Procedures - Africa) to be sure. Rule of thumb: if you are in

radar contact, you probably should not SLOP.

- One notable exception where they don't want you to SLOP is in the **HKNA/Nairobi FIR**. The AIP states: "*SLOP is not applicable in the Nairobi FIR due to efficient surveillance and communication systems.*" (We do remind you however that recently in the Nairobi FIR, a 767 and 737, both at FL370 came a little too close for comfort).
- **Australia** is another special case. You may only offset in the **OCA**, and, if you're still on radar, then you need to tell ATC, both when starting the offset, or changing it. Within domestic CTA airspace, you must fly centerline. (According to Australian guidance in Jeppesen Pages).
- **China**, on routes **A1, L642, M771, and N892** (according to China guidance in Jeppesen Pages). In some areas they employ their unique SLOP offsets, but do allow the standard 1 nm and 2 nm offsets.
- **New York, Oakland and Anchorage Oceanic FIRs** (according to U.S. FAA guidance).
- **Oceanic airspace** in the **San Juan FIR** (according to U.S. FAA guidance).
- **North Atlantic Track Region: SLOP is mandatory** (according to the North Atlantic Operations and Airspace Manual).
- **The Pacific** (including the NOPAC, Central East Pacific (CEP) and Pacific Organized Track System (PACOTS) (according to U.S. FAA guidance).
- **South Pacific** airspaces (according to U.S. FAA guidance).

#### FAQ:

- **Should I SLOP crossing the Atlantic even if I'm on a random route or above the published NAT FL's?**

Yes! You should especially do it then. There is a higher chance of opposite direction traffic. That extra mile or two (randomly selected of course) could be a life saver!

- **What about micro-slop?**

That is lateral offsets between 0 and 1 nm (0.1 etc). ICAO mentions "*LOP provisions as specified in ICAO PANS-ATM Doc.4444 were amended 13 November 2014 to include the use of "micro-offsets" of 0.1 Nms for those aircraft with this FMS capability. Appropriate guidance for the use of this amended procedure in the North Atlantic is under study and hence pending.*"

And now, since August 2019, this is beginning to be approved for operations on the NAT. Read the update!

---

We might have missed something or maybe we didn't cover your specific question?

Drop us a line and we will do our best to answer.

**Bottom line, SLOP costs nothing but increases flight safety.**

---

# No, Pakistan's airspace is not closed


David Mumford

13 August, 2019



Several reports have emerged in the media over the past few days claiming Pakistan has closed a number of airways to Indian carriers, linking these closures to the rising tensions between the two countries over the disputed Kashmir region.

But these reports are not strictly accurate. Pakistan **has partially closed** some airways in the north of the country used for overflights between India and Afghanistan, which pass over OPDI/Dera Ismail Khan airport – but these particular airway closures have been ongoing since 23rd July. Local agents say these closures are simply due to operational reasons, and not related to the current political situation.



**Here's the Notam which has caused all the fuss:**

OPLR NOTAM A0785/19

FLW RTE SEGMENTS OF INTL ATS RTE WI LAHORE FIR WILL NOT BE AVBL  
AT OR BELOW FL460 DUE OPS REASONS.

INTL ATS RTE RTE SEGMENT

=====

A466 SAKUV-SAJAN

N644 REGET-D.I.KHAN

P500/M881 LAKRA-D.I.KHAN

ALTN RTE SEGMENT AVBL FOR TRANSITS AT OR ABOVE FL300:

SULOM / LA - INDEK DCT NONIB - HANGU - LAJAK / SITAX (VIA SAJAN) / DOBAT (VIA REGET) AND VICE VERSA.

NOTE: FLT BELOW FL300 TO OPR VIA INDEK DCT 3333N07251E (BTR VOR 114.6 MHZ) DCT KALMI NONIB AND VICE VERSA.

GND - FL460, FM 06TH AUG TO 05TH SEP 2019 BTN 0245-1100 DLY (EXCLUDING SUNDAYS),  
06 AUG 12:30 2019 UNTIL 05 SEP 11:00 2019.

CREATED: 06 AUG 12:43 2019.

So these airways will be closed between 0245-1100z daily (except Sundays) until Sep 5. And there's an **alternate route** for operators to use, from SULOM on the Indian FIR boundary, to LAJAK on the Afghanistan FIR boundary. Hardly a big deal.

The rest of Pakistan's airspace remains **open to overflights**.

It is true that this week has seen a **worsening of diplomatic ties** between India and Pakistan with

regards to the disputed Kashmir region.

Indian-administered Kashmir has been on **lockdown** since 5th August, when the Indian government decided to take back control of the region by stripping it of its special constitutional status.

Authorities in Pakistan are not too happy about this, and have responded by downgrading their diplomatic ties with India and suspended trade between the countries. Both countries' air forces are now on high alert, and there has been **daily artillery shelling** along the Line of Control by both sides.


But for now, most of the airspace over Pakistan remains open to overflights.

---


## NOTAMs: Creating the solution through community collaboration

Mark Zee

13 August, 2019



**Update: November 1st, 2019: The Notam Team is up and running** - we're fixing Notams. Follow our progress at [fixingnotams.org](http://fixingnotams.org).



# FIXING NOTAMS

There cannot be a more agreed upon problem in aviation. **Every single airline, every single flight: the most critical information about that flight is passed to the pilots in the style of a Telegram from the early 1900's.** Coded, abbreviated, often undecipherable, upper case chunks of text: the least human-friendly format imaginable.

A news story in 2013 declared "**Plug pulled on the world's last commercial electric telegraph system**".

Shhh. Don't tell them. Not true. Our NOTAM system is still proudly flying the flag. We use the ITA-2 International Telegraph Alphabet character set from 1924, instead of ASCII, which the rest of the world switched to in 1963. Ever wonder why Notams are all upper case? That's why. We use Q-codes (from 1909) to categorize the message. We use abbreviations heavily, because it costs more money to send messages in plain text format. Wait, scratch that - that logic ended in the 90's because, well, the internet.

And so, while the passenger is choosing emojis for their last WhatsApp message before the aircraft doors close, in the cockpit the pilot is deciphering what the impact of this Telegram might be ☺♀:

```
A4732/19 NOTAMN Q) LIMM/QOBCE/IV/M/A/000/999/4526N00916E005 A) LIML B)  
1907040000 C) 1907172359 E) REF AIP AD 2 LIML 3-3 NEW OBST ERECTED TWO  
CRANE RWY35 PSN 5943.8M AFTER THR35 AND 172.1M RIGHT RCL ON TAKE OFF  
DIRECTION COORD (WGS-84): 453022.0N 0091555.0E MAX ELEV AGL 69.2M/227.0FT  
MAX ELEV AMSL 185.7M/609.3FT ROTATING JIB 77M ICAO SIGNAL UNPROVIDED.
```

□. If that seems tough to get through, now consider what 50 pages of it looks like:



That is the average size of the Notam Briefing package that each crew is given. And so, your job as a pilot at briefing time, is to **find the one Notam that will end your career or endanger the aircraft**, in a package the same size as a short novel. Buried deep in Birds of Bangkok, War and Peace by Greece and Turkey, Unlighted Tiny Obstacles, Goat grazing times, Grass cutting timetables – is a runway closed, a diversion airport unavailable, a decision height changed. And you'll miss it.

Air Canada 759 missed the one telling them that 28R was closed in San Francisco, so they tried to land on the taxiway. Only an alert United crew prevented the worst crash in American history, and then only by 14 feet, or 1 second. That led to the NTSB to declare “*Notams are Garbage*”.

From the Final NTSB Report: “*Concerns about legal liability rather than operational necessity, drive the current system to list every possible Notice to Airmen (Notam) that could, even under the most unlikely circumstance, affect a flight. The current system prioritizes protecting the regulatory authorities and airports. It lays an impossibly heavy burden on individual pilots, crews and dispatchers to sort through literally dozens of irrelevant items to find the critical or merely important ones. When one is invariably missed, and a violation or incident occurs, the pilot is blamed for not finding the needle in the haystack!*”

Thank you, Robert Sumwalt, for calling the problem out.

It's not just the volume, or readability – it's the **Mensa-level problem solving skills** required to parse the contents. Answer this question: If you're on Parking Stand 505 Right, can someone else use Stand 503 Left?

ZLXY/XIANYANG L0090/17 WHEN STAND NR.501 BE USED, STAND NR.502, 503, 503L, 503R CAN NOT BE USED SIMULTANEOUSLY. WHEN STAND NR.503L OR NR.503R BE USED, STAND NR.501, 503 CAN NOT BE USED SIMULTANEOUSLY. WHEN STAND NR.503 BE USED, STAND NR.501, 503L, 503R CAN NOT BE USED SIMULTANEOUSLY. WHEN STAND NR.505R BE USED, STAND NR.505 CAN NOT BE USED SIMULTANEOUSLY. WHEN STAND NR.505 BE USED, STAND NR.505L, 505R CAN NOT BE USED SIMULTANEOUSLY. WHEN STAND NR.505L BE USED, STAND NR.505, 506, 508 CAN NOT BE USED SIMULTANEOUSLY.

If you did figure it out, how long did it take? Now multiply that time by 250, a straw-poll average number of Notams in a briefing. Think this is manageable in the 20 minutes the crew have to brief the flight?

In 2007, the annual count of Notams reached 500,000. This year, 2019, we are on track for 2 million Notams. The problem is intensifying, and rapidly. **We are drowning in the data, but missing the message.** Every change imaginable is stuffed into the system:

**FTTA A1219/16 PASSENGER FACILITIES READ 2 HOTELS AND 4 INNS IN THE CITY INSTEAD OF 1 HOTEL AND 4 INNS IN THE CITY ASECNA AIP MODIFY AIP 14AD2.3-02. 13 JUN 10:05 2016 UNTIL PERM.**

And this Chinese entry is the best one of 2019 so far ...

**F2298/19 NOTAMN Q) ZSHA/QXXXX/IV/NBO/A/000/999/3014N12026E005 A) ZSHC B) 1905050852 C) PERM E) REF AIP CHINA SUP15/18(2018-5-15)ZSHC AD2.24 -20G, MORSE CODE OF IXX CHANGE FM 'DOT, DOT', 'DASH, DOT, DOT, DASH', 'DOT, DOT, DOT' TO 'DOT, DOT', 'DASH, DOT, DOT, DASH', 'DASH, DOT, DOT, DASH', OTHERS REMAIN.**

Say it out loud.

In 1964, Flight International published a snippet from the FAA, declaring that the Notam system was being revamped, and from March 15th that year only essential, critical Notams would be allowed to remain. **That was 55 years ago.** We've tried, and we've failed, many, many times, to solve the problem.

#### **INNAGE AND OUTAGE, BUT NO GUFF**

TWO months ago the FAA announced that it was revising its procedures for issuing Notams in an effort to eliminate much of the useless "guff" which clutters up operations departments all over the world (e.g., "work in progress 20yd north of block 69 and trenching in progress 100ft east of threshold of R/W 27" to quote from recent Ministry of Aviation Notam). As from March 15 the FAA was issuing Notams "only on items which have direct operational

But – enough about the problem. If you are a pilot, dispatcher, or controller, you know only too well the problem, and its impact.

**How about we talk about how we find the solution instead?**

Let's start here.

# THE NOTAM TEAM



**I'm gathering a team of people that understand the problem from the user perspective.** A team of pilots, dispatchers, controllers, and anyone else that wants to help. A team of people that care about solving the problem because of how it affects us every day, and because we know that one day, we'll be bitten by it. A team motivated by a desire to make this better for our colleagues, and those that will follow us.

We're not fixing it because we have to, but because we want to.

We're not fixing it to make a profit, or because it enhances the bottom line somewhere. We're fixing it because we want it to change.


Most importantly, we're fixing it as a community, collaborating to create the space to allow the solution to come.

Zooming out a little, if we look at this as not an aviation problem, but a communication problem, it becomes less unique, less challenging. Many bigger problems have been solved by looking at them differently.

So we're going to collaborate with smart thinkers, problem solvers, designers, coders, creatives. We're going to work together as people, rather than agencies or companies. We're going to jump into a process that might be messy, challenging, difficult, and will often seem impossible.

As per this handy graph I've drawn:

## The path to fixing Notams



Don't join us to force change – this is the change. Don't join us to shout louder – this problem is bigger than any one agency or organization. Don't join us if you think this is someone else's problem to fix – **it's our problem, and we'll fix it together.**

The first step is creating the space for this magic to happen. Join us if you have no idea how to solve it yet, but you have positive energy to contribute.

**The Notam Team needs you!** We start July 1st (yep, you're already late, so jump in). We have set a lifespan of 9 months – do, or die.


The first part of the process is the gathering, the coming together. Once we've all said hello and had a look around, we'll start with the first and most important step – creating that space for the solution. Figuring out how best to collaborate, invite creativity in, think differently. Then, the research – the science, the data, the hard facts. Identify the problem, and the impact. And from there ... well, it's unwritten. Not knowing is part of the approach. Oh, and we're going to have fun. There's no creativity without fun.

I believe the problem is eminently solvable, but only as a community. And I hope you'll join us! If you're in – just write to me at [mark.z@ops.group](mailto:mark.z@ops.group).

---

## July 2019 North Atlantic Update

David Mumford  
13 August, 2019



There are **four new things** to tell you about the North Atlantic, following the flurry of new and updated NAT Bulletins that ICAO issued last week. Get ready for some acronyms! Here's a summary:

## 1. OWAFS

*Operations Without an Assigned Fixed Speed*

ICAO NAT Bulletin 2019\_001

We wrote about this before. This Bulletin just formalises the practice that has already been in place since April 2019 in the Shanwick, Santa Maria, and New York Oceanic FIRs (not WATRS).

**Here's how it works:** You'll get a normal oceanic clearance, with a fixed Mach Number, like you always did. But then somewhere after the Oceanic Entry Point, you may get a CPDLC message saying **RESUME NORMAL SPEED**. You should reply with **WILCO**. What that means is: **Fly ECON, or a Cost Index with Variable Mach**. You can fly within 0.01 up or down of your cleared Mach, but if it varies by 0.02 or more you must advise ATC.

## 2. ASEPS

*Advanced Surveillance Enhanced Procedural Separation*

ICAO NAT Bulletin 2019\_002



ASEPS was another trial that started in April 2019 – this time in the Shanwick, Gander and Santa Maria FIRs.

So far it has only been for **longitudinal separation**, which can be brought down to as close as **14NM** for compliant aircraft (RVSM/HLA approval, ADS-B, and fully PBCS compliant – which means meeting the specifications of RNP4, RCP240 and RSP180).

But in the new Bulletin, from October 2019 they plan to reduce **lateral separation** for compliant aircraft as well – down to **19NM** from the previous limit of 25NM.

There are no plans to change the design of the NAT Tracks, which will continue to be spaced 25NM apart. The initial benefit of the 19NM lateral separation will basically just be that steeper route angles will now be

available for pairs of aircraft flying parallel routes outside of the NAT Track system - the current "gentle sloping turn" limitation is 3 degrees latitude between 10 degrees of longitude, but on 10th October 2019 that will change to a limitation of 4 degrees latitude between 10 degrees of longitude. The result of this will be a lateral separation of 19NM on the steeper turning routes.



Images courtesy of 30WestIP

### 3. Data Link Performance Improvement Options

Nothing to worry about, this is just a list of common datalink errors and what to do about them.

## Two key take-aways:

1. Update your aircraft avionics software as soon as updates are available.
2. Answer your messages within 60 seconds or send a Standby message (recent data indicates Business Aviation operators are very bad at this).

## 4. NAT DLM - The North Atlantic Data Link Mandate

ICAO NAT Bulletin 2017\_001\_Revision 04

This one is just a slight revision to the plans for the datalink mandate. Datalink is currently required between **FL350-390** in the NAT region, and from 30th Jan 2020 this mandate will be extended to between **FL290-410**.

So with this revised Bulletin, the **change** is that they have decided they will **cap it at FL410** - whereas previously there were no plans for any upper limit at all. This will basically match the NAT HLA and RVSM vertical limits and makes sense. This will allow non-compliant aircraft to continue to operate at FL430 and above - mostly GA/BA operators.

---

### Further reading:

- **OPSGROUP members** can watch the replay of Member Chat #9, where we discuss all these changes in more detail.
- The last round of important changes on the NAT went into effect on 29th March 2019: the PBCS tracks were expanded; real-time Space-Based ADS-B surveillance and reduced longitudinal separation standards were introduced; and the contingency and weather deviation procedures were changed.
- Check out our NAT Plotting & Planning Chart - updated for July 2019.

*Special thanks to Mitch Launius at **30WestIP.com** for help with this post. For assistance with international procedures training for business aviation crews worldwide, check out the website.*

---

## Africa: Hajj 2019 routes in operation

David Mumford  
13 August, 2019



The Hajj routes for 2019 will take effect from 18 Jul through to 9 Oct.

### What are Hajj routes?

Every year, millions of pilgrims travel to Mecca and other sites in Saudi Arabia – and this changes the predominant traffic flow over the African continent. ATC in the FIRs most affected put in place standard routings to help flow that traffic.

Normally, traffic is very much north-south predominant, with Europe-Africa flights being the main flow. When Hajj operations start up, a good amount of traffic starts operating east-west (ie. Africa-Saudi Arabia and vice versa), and this is something to be aware of when cruising along at FL330 with spotty HF comms.


So, in addition to the normal IFBP belt and braces on 126.9, keep an eye out for a much higher amount of crossing traffic during the coming months.

The FIR's affected are: Algiers, Accra, Brazzaville, Dakar, Jeddah, Kano, Khartoum, N'Djamena, Niamey, Roberts, and Tripoli.

Of these, **watch out for Tripoli** – risk remains high across Libyan airspace at all flight levels, and multiple countries have **“do not fly”** warnings in place. There are **daily airstrikes** taking place, severe limitations in ATC services, and massive areas of the FIR are without surveillance and communications capabilities.

**Malta FIR** is currently managing all east-west routes in this airspace, and operators can contact them for additional information on email: [airspace.cell@maltats.com](mailto:airspace.cell@maltats.com)

The Hajj routings are contained in this **ASECNA AIP Supplement**.



**Further reading:**

- Read IFALPA's information on recommended procedures when operating in the African region [here](#).

---

## At long last, Pakistan declares airspace fully open again

Mark Zee  
13 August, 2019



**Pakistan airspace is open!** In a clearly written, yet quietly announced in-the-dead-of-night Notam, Pakistan has today declared the entirety of its airspace fully open and available for all overflights.

This is very welcome news for long-haul airlines and operators transiting the Middle East and Asia, where finding a usable and safe route route through the region has become akin to navigating a level of Pac-Man with few escape options left.


Pakistan being open again makes the traditional and preferred Europe-Asia route through Afghanistan, Pakistan, and onwards to India available again, and means that city pairs abandoned after the February shutdown will likely be restarted.

The good-news Notam was issued around midnight Pakistan time:

A0710/19 NOTAMN  
 Q) OPXX/QARXX///E/000/999/  
 A) OPKR OPLR  
 B) 1907151908 C) PERM  
 E) WITH IMMEDIATE EFFECT PAKISTAN AIRSPACE IS OPEN FOR  
 ALL TYPE OF CIVIL TRAFFIC ON PUBLISHED ATS ROUTES


### So, what does this mean?

In recent months, operators have had to avoid Pakistan and route much further south, as this graphic from an article we worked on with Reuters in April shows:




The impact has been significant. Avoiding Pakistan has meant up to an additional 410 miles, or an hours flying time, for Europe-Asia flights.

For many long-haul operators trying to get to India, the dog-leg around Pakistan made the trip unworkable, either because of fuel endurance, or crew hours. Many operators cancelled flights to Delhi, the worst located airport in terms of the airspace closure.



Now, with this reopening, we have the ability to fly closer to optimum routings once again.



So, good news for airlines and long-haul operators.

## Incredible people making aviation a force for good, and how you can help

Mark Zee  
13 August, 2019



**What does your overnight look like when you are downroute?** After you've checked in to the hotel,

and maybe had a quick nap, what's on your list of things to pass the time? Maybe you'll swap your pilot uniform for a tourist t-shirt, head into the city, and explore a little. Perhaps you'll have arranged a coffee with an old friend or colleague. Or, maybe just hang out at the crew hotel and relax.

Not Kimberly Perkins. There's something more rewarding to be done.

Through her non-profit organization **Aviation for Humanity**, Kimberly will be heading to the local school, shelter, or orphanage, to meet the children and present them with backpacks and school supplies. She's not alone. Having started the mission in 2016, they've already helped hundreds of people in places like Ethiopia, Tanzania, Mongolia, Nigeria, and Puerto Rico - and closer to home, in Hawaii - where kids in need in Kona received supplies over several visits.



If you're like me, aviation has given you a lot - not just a career, but a lifetime of wonder, beauty, excitement, and joy. Aviation is special - that's why we're in it. And it's no secret that we're going through a tough time right now in the eyes of the public. So, when I see **aviation giving back** - doing something for the world - it's important to highlight and bring attention to that. We need more of this.

This is why I want to celebrate and share the work that Kimberly, and the many volunteers, are doing. So, how does it work? Pretty simple:

1. You contact Aviation for Humanity, and tell them where you're going
2. They will locate an underfunded school or orphanage for you to visit, and arrange for the supplies.
3. You go, and share the story of the journey back with Aviation for Humanity.

Imagine using your trip abroad to make a difference in the world - just one short visit, and you can give an entire school or orphanage much needed supplies.



Running a non-profit isn't easy, and there's **another way** you can help right now. Kimberly needs a volunteer Executive Director - to manage coordination with volunteers, logistics for shelter visits, managing social media, fundraising, writing articles, and other things that move the mission forward. Is that you? Maybe you've recently retired and are looking for a way to contribute back to aviation? Maybe you've got extra time on your hands, or you know someone that this might be suited to? 2-6 hours a week will get you started.

I love seeing the work that OPSGROUP members are doing individually. As I was 'wow-ing' my way through the work that Kimberly does, I found **another group member** featured on an Aviation for Humanity trip - namely **Cheryl Pitzer**. Cheryl was on our Member Chat a few weeks ago (#7, see it here in the dashboard).



Cheryl, pictured right, flies the MD-10 "Flying Eye Hospital" for Orbis International – an amazing airplane that is part of the Orbis mission of bringing people together to fight avoidable blindness. On that call, Cheryl told us about the work Orbis does, the challenges of operating the airplane internationally, and the reward of using aviation as an agent for good in the world. This is another incredible cause that you too can get involved in.

Kimberly and Cheryl are true aviation pioneers, not just for the non-profit causes that they work so hard on, but also as pioneering women in aviation. It's no secret that this beloved industry of ours has a massive imbalance of diversity. The numbers and statistics identify the issue – averaging out the small amounts of data that are actually published on the subject, show that the **global percentage is around 5%** – that's both the number of female pilots, and the number of women in top management positions at airlines.

Changing those numbers – attracting more women to aviation – is just part of the issue. What is life like if you are one of the 5%? From an interview that I read in another publication, Kimberly said *"As I moved through my flying career, I was never lucky enough to encounter a female manager mentor. As I looked up that corporate ladder, it was a sea of men. Such an environment can be lonely, unwelcoming and intimidating"*.

For me, right now, that is something that we can all do something about. What is the environment like at your airline or operation? Could you see how it could be **lonely, unwelcoming and intimidating**? How can you change that?

Just like the work that's being done for the non-profits, you can do something to make a difference. That difference grows, it's exponential. It starts with the realisation that you have the power to make things better for other people, **especially if you are in a leadership position**. A good place to start is by

realising that if you do have the power to make things better, but you don't, then you're simply part of the problem.

I certainly see some of the inherent aviation gender biases here in OPSGROUP. It's usually not intentional, nor anything usually deep rooted in opinion - it's just been built into the system over the last 80 years of how commercial aviation used to work. Sometimes we have group calls that end with someone saying "Thank you Gentlemen". The very term NOTAM is indicative of the problem - **Notice to (air) Men**. I like to imagine what it would be like to turn up to work every day and read a flight briefing that is headed "**Notice to Women**". I certainly would feel excluded.


You might think that this is subtle, tiny, not important. But the things that create environments that are lonely, unwelcoming and intimidating are usually subtle and unintentional. Only by putting ourselves in the position of others, can we see the full impact.

It's a process of education that starts with the willingness to see things a little differently, and then making a decision to do something that changes things for the better. Just like Kimberly and Cheryl have done.

---

## Charter Flights Within Russia Now Require Cartel Approval

David Mumford  
13 August, 2019



There's a new rule for **charter flights to Russia**, effective 21 JUN, which says you must now seek permission from a bunch of different Russian carriers and companies (a.k.a. the 'Cartel') before you can go.

The way it's written suggests that it applies to **all** charter flights, even if you fly straight in and out again. But local agents are saying it's more complicated than that. They say that for aircraft with less than 20 seats, you only need Cartel approval for **charter flights with domestic legs** in Russia:

Russia is issuing new rules thick and fast at the moment. Last week it was for **private flights** – to fly domestic legs in Russia you now have to get approval from Customs in advance. If the early feedback from local agents is correct, the new rule issued this week for **charter flights** seems to have been designed to establish a parallel framework for dealing with foreign commercial operators wanting to fly domestically within Russia.

The process seems fairly straight-forward: you send off an email to the group of Russian carriers and companies, and once you get permission from all of them, you can then apply for your landing permit.

They're saying that your request for approval should be made at least 5 days in advance of your planned flight. But you also have to then add on extra time to get your landing permit – there's a 1-day lead time for aircraft with less than 20 seats, and a 5-day lead time for those with 20 seats or more.

Here is the info you need to send them:

- Full company name and postal address, telephone number, e-mail address, and the name of the country that issued your AOC.
- Flight details: date of a flight, flight number, point of departure, point of destination, and anywhere else you're stopping en-route.
- Aircraft details: type, nationality, and reg.
- Passengers: names and total number, and details of any cargo transported.
- Charterer of the aircraft: name, postal address, and e-mail address.
- Consignor and consignee details

To check out exactly who is in the Cartel, plus the email addresses you should send your requests to, click [here](#) if your aircraft has **less than 20 seats**, and [here](#) if it has **more than 20 seats**.

Once that's all done, and you have permission from everyone, send copies of everything along with your landing permit application straight to the authorities, at: [permit@matfmc.ru](mailto:permit@matfmc.ru) and [aviapermit@scaa.ru](mailto:aviapermit@scaa.ru)


This is a new procedure, so we expect there will be some teething problems early on, but initial reports from OPSGROUP members suggest that it's already working, with non-objections coming back from the Cartel fairly quickly.

For full details of this new rule, straight from the horse's mouth, check out Russian AIP SUP 14/19.

---

## US issues Emergency Order - No Fly Zone for Civil Aircraft - Iran


Mark Zee  
13 August, 2019



**The FAA has issued an Emergency Order to US Civil Aircraft**, prohibiting all American aircraft operators from entering the Tehran Flight Information Region (OIIX) FIR in the area above the Persian Gulf and Gulf of Oman.

Notam A0019/19 was issued at 0148 UTC, June 21st.

The Notam specifically prohibits any airline or aircraft operator from flying within Iranian airspace in the region that the US drone was shot down in on June 20th.



Some airlines had already reported suspending operations in Iranian airspace. This Notam ensures that US operators cannot operate in the area. Although the official applicability is to US aircraft only, since MH17 all countries rely on advice from the US, the UK, France and Germany to highlight airspace risk.

**The full Notam follows (bolded parts by OPSGROUP):**

A0019/19 NOTAMN Q) KICZ/QRDLP/IV/NBO/AE/000/999/

A) KICZ PART 1 OF 2

B) 1906210148

C) PERM

E) SECURITY..UNITED STATES OF AMERICA PROHIBITION AGAINST CERTAIN FLIGHTS IN THE OVERWATER AREA OF THE TEHRAN FLIGHT INFORMATION REGION (FIR) (OIIX) ABOVE THE PERSIAN GULF AND GULF OF OMAN ONLY.

ALL FLIGHT OPERATIONS IN THE OVERWATER AREA OF THE TEHRAN FLIGHT INFORMATION REGION (FIR) (OIIX) ABOVE THE PERSIAN GULF AND GULF OF OMAN ONLY ARE PROHIBITED UNTIL FURTHER NOTICE DUE TO HEIGHTENED MILITARY ACTIVITIES AND INCREASED POLITICAL TENSIONS IN THE REGION, WHICH PRESENT AN INADVERTENT RISK TO U.S. CIVIL AVIATION OPERATIONS AND POTENTIAL FOR MISCALCULATION OR MIS-IDENTIFICATION.**THE RISK TO U.S. CIVIL AVIATION IS DEMONSTRATED BY THE IRANIAN SURFACE-TO-AIR MISSILE SHOOT DOWN OF A U.S. UNMANNED AIRCRAFT SYSTEM ON 19 JUNE 2019 WHILE IT WAS OPERATING IN THE VICINITY OF CIVIL AIR ROUTES ABOVE THE GULF OF OMAN.**

**A. APPLICABILITY.** THIS NOTAM APPLIES TO: ALL U.S. AIR CARRIERS AND COMMERCIAL OPERATORS; ALL PERSONS EXERCISING THE PRIVILEGES OF AN AIRMAN CERTIFICATE ISSUED BY THE FAA, EXCEPT SUCH PERSONS OPERATING U.S.-REGISTERED AIRCRAFT FOR A FOREIGN AIR CARRIER; AND ALL OPERATORS OF AIRCRAFT REGISTERED IN THE UNITED STATES, EXCEPT WHERE THE OPERATOR OF SUCH AIRCRAFT IS A FOREIGN AIR CARRIER.

**B. PERMITTED OPERATIONS.** THIS NOTAM DOES NOT PROHIBIT PERSONS DESCRIBED IN PARAGRAPH A (APPLICABILITY) FROM CONDUCTING FLIGHT OPERATIONS IN THE ABOVE NAMED AREA WHEN SUCH OPERATIONS ARE AUTHORIZED EITHER BY ANOTHER AGENCY OF THE UNITED STATES GOVERNMENT WITH THE APPROVAL OF THE FAA OR BY A DEVIATION, EXEMPTION, OR OTHER AUTHORIZATION ISSUED BY THE FAA ADMINISTRATOR. OPERATORS MUST CALL THE FAA WASHINGTON OPERATIONS CENTER AT 202-267-3333 TO INITIATE COORDINATION FOR FAA AUTHORIZATION TO CONDUCT OPERATIONS.

**C. EMERGENCY SITUATIONS.** IN AN EMERGENCY THAT REQUIRES IMMEDIATE DECISION AND ACTION FOR THE SAFETY OF THE FLIGHT, THE PILOT IN COMMAND OF AN AIRCRAFT MAY DEVIATE FROM THIS NOTAM TO THE EXTENT REQUIRED BY THAT EMERGENCY.

**THIS NOTAM IS AN EMERGENCY ORDER ISSUED UNDER 49 USC 40113(A) AND 46105(C).**

ADDITIONAL INFORMATION IS PROVIDED AT:

[HTTPS://WWW.FAA.GOV/AIR\\_TRAFFIC/PUBLICATIONS/US\\_RESTRICTIONS/](https://www.faa.gov/air_traffic/publications/us_restrictions/)

Earlier today, we published an article summarizing the risk to Aircraft Operators in the Gulf region - "**The Threat of a Civil Aircraft Shootdown in Southern Iran is Real**"

In addition to the Notam, the FAA Threat Analysis Division have also published background information on the current situation (download that PDF [here](#) )


In that document, the FAA says: "Although the exact location of the attack is not yet available, there were numerous civil aviation aircraft operating in the area at the time of the intercept. According to flight tracking applications, the nearest civil aircraft was operating within approximately 45nm of the Global Hawk when it was targeted by the Iranian SAM. FAA remains concerned about the escalation of tension and military activity within close proximity to high volume civil air routes and the Iran's willingness to use long-range SAMs in international airspace with little to no warning. As a result, there is concern about the potential for misidentification or miscalculation which could result in the inadvertent targeting of civil aviation."

The Iran risk is being monitored at Safe Airspace - the Conflict Zone & Risk Database. The Iran country page also has more information on further overflight considerations in other parts of the Tehran FIR.




## The Threat Of A Civil Aircraft Shootdown In Iran Is Real

Mark Zee  
13 August, 2019



As we know by now, at 23:35Z last night (June 19, UTC), Iran shot down a US UAV on a high-altitude recon mission in the Straits of Hormuz. This was no small incident. The UAV was a \$200 million aircraft, weighing 32,000 lbs, with the same wingspan as a 737.

Although Iran and the US have slightly different versions of the position of the shooting down in the media, the approximate area is very clear, and marked on the map below, which shows the airspace picture at 2335Z, the time of the shootdown.



A high-res version of this map is available [here](#).

For civil operators, the Straits of Hormuz have always been an area of high military activity, so it's tempting to mark this as 'more of the same'. However, over the last few weeks tension between the US

and Iran has heightened, and the launching of a surface to air missile by Iran represents an escalation in the current situation that crosses a threshold - warranting a very close inspection by airlines and aircraft operators overflying, or using airports like Dubai, Abu Dhabi, Ras Al Khaimah, Muscat, and Fujairah.

As we approach five years since MH17, we should remember the build up to that shootdown took several months, and there are the warning signs here that we must pay close attention to. In the lead up to MH17, 16 military aircraft were shot down before MH17 became the 17th. Look closely at the map. Civil aircraft were very close to the site of this incident.

This morning, we sent this out to our members in OPSGROUP:

**OIZZ/Iran** *Earlier today, a large US military drone was shot down by Iran over the Strait of Hormuz. The US say it was over international waters, Iran say it was within their FIR. Either way, it means that SAM missiles are now being fired in the area, and that represents an escalation in risk. It appears a 787 was very close to the missile site this morning. Avoiding the Strait of Hormuz area is recommended - misidentification of aircraft is possible. If you are coming close to Iran's FIR, it's essential that you monitor 121.5, as Iran uses this to contact potentially infringing aircraft. Local advice from OPSGROUP members says 'Even if the operator/pilots think they will come close or penetrate Irans Airspace they should contact Iran Air Defense on 127.8 or 135.1'. If the Iranians have an unidentified aircraft on their radar and not in contact with them they will transmit on guard with the unidentified aircraft coordinates, altitude, squawk (if there is one), direction of travel and then ask this aircraft to identify themselves as they are approaching Iranian ADIZ. Monitor [safeairspace.net/iran](http://safeairspace.net/iran) for the latest.*

Last September, when Syria shot down a Russian transport aircraft, we published an article on that risk, and noted "*50 miles away from where the Russian aircraft plunged into the sea on Monday night is the international airway UL620, busy with all the big name airline traffic heading for Beirut and Tel Aviv. If Syria can mistakenly shoot down a Russian ally aircraft, they can also take out your A320 as you cruise past.*" That same risk of misidentification exists here in the Straits of Hormuz.

Apart from the misidentification risk, is the risk of a problem with the missile itself. The missile used by Syria in September was a Russian S-200 SAM, which was the same missile type that brought down Siberian Airlines Flight 1812 in 2001. The missile can lock on to the wrong target, and this risk is higher over water. The missile system used by Iran last night was a domestically-built Raad Anti-Aircraft system, similar to the Russian Buk that was used against MH17. Any error in that system could cause it to find another target nearby - another reason not to be anywhere near this part of the Straits of Hormuz.

Bear in mind that as an aircraft operator you won't be getting any guidance from the Civil Aviation Authorities in the region. As we saw with Syria, even when an aircraft had been shot down on their FIR boundary, the only Notams from Cyprus were about firework displays at the local hotels. It won't be any different here. **You need to be the one to decide to avoid the area.**

A further risk, if you needed one, is retaliation by the US. It seems probable that the US will at least try to find an Iranian target to make an example of. If you recall the Iran Air 665 tragedy, back in July 1988, which occurred in the same area, the US mistakenly shot down that aircraft thinking it was an Iranian F-14.

**Bottom line:** we should not be flying passenger aircraft anywhere near warzones. That's the lesson from MH17, and that's the lesson we need to keep applying when risks like this appear on our horizon.

The Iran risk is being monitored at Safe Airspace - the Conflict Zone & Risk Database. The Iran country page also has more information on further overflight considerations in other parts of the Tehran FIR.

Updates

Alerts

Type a country




Level 1

Level 2

Level 3

- Iran** 18 Jun  
Summary updated, new Iranian anti-aircraft missile system, increasing tension, and additional US troops to Iran.
- Syria** 03 Jun  
Risk summary updated
- Japan** 27 May  
US warning for Sea of Japan expired, no current warnings for Japan.
- Yemen** 21 May  
German Notam updated, advice remains the same: German operators are prohibited from



Further reading:


- The FAA published guidance in May that we have previously reported on and is still very much valid.

#### Sources for this article:

- The Drive
- The Aviationist
- The New York Times
- Safe Airspace
- OPSGROUP members
- Medium: Why are we still flying airline passengers over war zones

## New features - Conflict Zone & Risk Database

David Mumford  
13 August, 2019



To make it even easier to get a current risk picture for International Flight Ops, we've added a bunch of new features to the **Conflict Zone & Risk Database** at SafeAirspace.net.

Thank you to all OPSGROUP members – all our airlines, aircraft operators, pilots, dispatchers, and industry colleagues who've made this possible. Now we have a simple, single source of information for all risk warnings, analysis, that includes our Risk Radar project (so **for the first time** we can see what other operators are doing), all state warnings, and the ability to auto-generate a live Summary PDF of the current situation.

Start at SafeAirspace.net, where you have the current risk map, and feed of Updates and Alerts:

**LIBYA** **18 July**  
Summary updated. New human-aircraft conflict, missile systems, increasing tensions, and additional oil issues in Libya.

**SYRIA** **10 July**  
Risk summary updated.

**JAPAN** **10 July**  
All warning for the rest of Japan except the current warnings for Japan.

**Vietnam** **10 July**  
DANGER: System updated. Please review the current, historical, and predicted risks.

**Conflict Zone & Risk Database**  
All current warnings, in one place.

Risk Summary | Level 1 | Level 2 | Level 3

Click Country for More Information

On each country page, you will now see Risk Radar information like this:



Iran: What are other operators doing?

**⚡ 39 % with Avoid or Do Not Land policy**

Avoid	24%
Do not land	15%
Specific routes only	8%
Case by case	20%
Unrestricted	27%
No policy	7%

For each country, you'll see the current list of warnings, both from the country concerned and other states:

#### Current warnings list :

Source	Reference	Issued	Valid to
Germany	Notam B0261/19	05 Apr 2019	04 Jul 2019
France	AIC 03/19	24 Jan 2019	Ongoing
USA	Notam KIC2 A0025/19	10 Dec 2018	30 Dec 2020
UK	UK AIP ENR 1.1 (1.4.5)	22 Oct 2018	Ongoing
USA	Notam KIC2 A0009/18	14 Apr 2018	Ongoing
UK	UK AIP ENR 1.1 (1.4.5)	12 Jun 2015	Ongoing

Scrolling down, you'll get the current Notam/AIC/AIP reference and a copy of the text:

**Source: USA**

Reference: [US FAA Background Notice](#)

Issued: 16-May-19; valid until: 16-May-20

**Plain English:** Exercise caution in the overwater airspace above the Persian Gulf and Gulf of Oman region.

Due to increased political tensions and heightened military activities in the region, there is an increasing inadvertent risk to U.S. civil aviation operating in overwater airspace above the Persian Gulf and Gulf of Oman. As a result, on 16 May 2019, the FAA issued Notice to Airmen (NOTAM) 2019-0015778, advising U.S. civil flight operations to exercise caution when operating in the above area.

For each country, there is a Summary and Analysis, so you get some background on why these warnings exist:

### Iran

**Risk Level: Two - Danger exists**

[\[about risk levels\]](#)

Developments in Iran should be closely monitored, especially for US operators. In June 2019, tension between the US and Iran has continued to rise, with the US sending 1,000 additional troops to the region, while Iran announced the deployment of an indigenous air defense missile system, capable of tracking and shooting down six targets at the same time. On 16 May 2019, the US issued a new Notam and Background Notice advising operators to exercise caution in the overwater airspace above the Persian Gulf and Gulf of Oman region. The US has deployed warships and aircraft to the Gulf, and several attacks on tankers in the Strait of Hormuz have been blamed on Iran.

Consider carefully overflights of the Tehran FIR (000), as landings in Iran for US operators especially could be an issue. A Norwegian 737 was stuck in Iran for two months, due to sanctions around spare parts. The US says that Iran has publicly made threats to US military operations, and are concerned about "a possible risk of miscalculation or misidentification, especially during periods of heightened political tension and rhetoric". They also warn of increased GPS jamming by Iran throughout this region.

A new feature is the ability to generate a **live summary** into a PDF, so you can print out everything into one document to share with your crew, dispatchers, and security team:

 Print PDF


19 JUN 2019

WORLD AIRSPACE RISK SUMMARY



RISK SUMMARY  
19 JUN 2019

ISSUED BY OPSGROUP  
SITA PHILIPS AIRTECH  
ATTN: KAREN KUHL  
EMAIL: REPORT@SAFEAIRSPACE.NET



World airspace risk map at SafeAirspace.net as of Jun 19th, 2019

### LEVEL 2: Danger exists

**Criteria:** Any of these will trigger Level 2: A prohibition warning is issued by another state, for specific altitudes or areas (usually with a "Do not operate below FLxxx"), but not for the entire airspace; OR more than one caution warning from other states; OR an OPSGROUP quick assessment of risk shows a clear threat to operators, and that risk is at least low.

#### Iran Level 2

Developments in Iran should be closely monitored, especially for US operators. In June 2019, tension between the US and Iran has continued to rise, with the US sending 1,000 additional troops to the region, while Iran announced the deployment of an indigenous air defense missile system, capable of tracking and shooting down six targets at the same time. On 16 May 2019, the US issued a new Notam and Background Notice advising operators to exercise caution in the overwater airspace above the Persian Gulf and Gulf of Oman region. The US has deployed warships and aircraft to the Gulf, and several attacks on tankers in the Strait of Hormuz have been blamed on Iran.

Consider carefully overflights of the Tehran FIR (OIR), as landings in Iran for US operators especially could be an issue. A Norwegian T337 was stuck in Iran for two months, due to sanctions around spare parts. The US says that Iran has

#### Kenya Level 2

Kenya is affected by the ongoing Somali Civil War. There is a high threat from terrorism, including kidnapping. The main threat comes from extremists in response to Kenya's military intervention in Somalia. IED attack at HJK/Nairobi in 2014.

 Risk Rating

12% avoiding

**26FEB19** USA Notam KICZ A0002/19 Exercise caution below FL260 in Kenya's airspace east of 40 degrees East longitude (the border region with Somalia) due to extremist and militant activity.

**26FEB19** USA US FAA Background Notice Exercise caution below FL260 in Kenya's airspace east of 40 degrees East longitude (the border region with Somalia) due to extremist and militant activity.

**12AUG16** UK UK AIP ENR 1.1 (1.4.6) Risk to aircraft overflying Kenya at less than FL260.

You can download an example of the PDF, generated on June 19th, 2019, here:

[PDF Summary - World Airspace Risk at SafeAirspace.net](#)



Download PDF, 800kb

You can generate your own live PDF here.

### About the Conflict Zone & Risk Database

The Conflict Zone & Risk Database provides a single, independent, and eternally free resource for all airspace risk warnings, so that airlines and aircraft operators can easily see the current risk picture for unfamiliar airspace.

Safe Airspace is an initiative from OPSGROUP, an independent organisation with 5000 members, made up of airlines, corporate flight departments, private operators, charter operators, military, and government.

The Conflict Zone & Risk Database was launched in September 2016 as the lifespan of the ICAO CZIR was coming to a close, keeping the work ICAO did on the project alive, and providing the autonomous platform needed to make the concept work.

### Objective - one single source

A single source for all risk warnings issued about an individual country, independent of any political or commercial motivation, so that a pilot, flight dispatcher, security department, or anyone responsible for flight safety can quickly and easily see the current risk picture.

### Oversight and independence

The CZ&RD is managed by OPSGROUP. Because we are outside the chain of government, we are responsible only to our member airlines and aircraft operators, and more importantly, to the people ensuring a safe flight operation, and to the passengers that fly on our aircraft. For this reason, all information pertinent to a country can be assured to be carried here.

### Eternally free

To remain completely independent of any bias, and to ensure that everybody has access, the Conflict Zone & Risk Database is completely free of charge. We have no commercial interest in publishing this information, it exists as a public service because our members care deeply about flight safety.

### Contacting us


We rely on your input. If you have information to add, please email [report@safeairspace.net](mailto:report@safeairspace.net). You can also use this address to discuss any content here. The collaborative effort is our focus. We're still a team of humans, and we miss stuff. If you see something missing here, please tell us!

All submissions are anonymous, and our only concern is for the safety of all airspace users – the crew and the passengers. We appreciate your help.

---

## Australia confirms TSP is a nightmare

David Mumford  
13 August, 2019



**Update June 17, 2019:** We have launched a **TSP Victim Support Group** for OPSGROUP members, so we can share experiences, and help each other to get the approval. We feel the pain!

---

**Oops, Freudian slip:** What we meant was, **Australia confirms TSP is required**. But trust us, it's a nightmare.

A TSP is a Transport Security Program, and if you don't know what that is yet, prepare for some painful bureaucracy.

Over the last few years, they exempted lots of corporate and private ops. Now they say they've changed their mind. **Everybody operating a jet needs one** – Private, Charter, Commercial, Air Force One – whoever. **You have got to do one, no exceptions.**

The official line is that it takes **two months** to get one. The best we've heard from OPSGROUP members is

40 days.

If you've got a trip planned and need TSP approval quicker than that, you can always check with [guidancecentre@homeaffairs.gov.au](mailto:guidancecentre@homeaffairs.gov.au) to be sure - they might be able to help you with a shorter timeframe, but there are no guarantees.

The official guidance on **how to apply** can be found [here](#), and they have at least been good enough to provide a **template application form** (all 66 pages of it - ouch!!) which can be found [here](#). If at all possible, save yourself some misery and get someone else to apply on your behalf!

**Have you applied for a TSP before?** What do they want to see, exactly? What does a good TSP look like? Are you willing to **share your approved TSP as a guide to help others**? If you send us yours, we'll anonymize it completely, and it will be used internally within the group as a shining example of perfection!

---

## Flying within Russia just got tougher - leave your business jet at home

David Mumford  
13 August, 2019



There's a new Customs procedure in Russia that we're trying to get to grips with. It's called "Import 53" (IM53), and it affects **foreign aircraft looking to do private flights on domestic legs within Russia**. It's a tricky one - so much so that some of the Customs authorities at the airports there in Russia don't

even understand it themselves.

The standard block of text doing the rounds is this:

*Please be aware cabotage flights are strictly prohibited in Russia. To perform flights inside Eurasian Economic Union(EAEU) by aircraft with foreign registration, customs clearance must be obtained by aircraft owner in accordance with the customs legislation. Import to the territory of the Eurasian Economic Union (EAEU) of a foreign aircraft of business aviation with dry weight(BOF) less than 28 tons with the number of passenger seats less than 19 without payment of customs taxes is possible according to customs procedure called IM53(Import 53) which must be performed without commercial benefit by aircraft owner, authorized person or by customs broker. Otherwise, 3% of the amount of import customs duties and taxes would be applied upon the release of the aircraft for domestic consumption.*

Most of the bigger handling agents at the major airports are sending this out. **But what does it mean?** We asked a dozen questions to try to get a clear answer, and it seems this is it:

**Private flights:** you **can** operate domestic legs in Russia if your aircraft is below 28 tonnes (62,000 lbs) **and** less than 19 seats – by applying for IM53. If your aircraft busts either of those two metrics (above 28 tonnes, or 19 seats or more) you **can't** apply for IM53, and you therefore **can't** fly domestic legs in Russia.

And here's where it gets **super annoying** – to get IM53 approval, you have to request it direct with Customs **yourself**, or use a customs broker. From the handling agents we've spoken to, they are **not allowed** to help with this.

(Also watch out for the whole 'Eurasian Economic Union' thing – that includes: Russia, Belarus, Kazakhstan, Armenia, Kyrgyzstan. So watch out if you're planning on flying between Russia and any these other countries, as Customs will consider it to be a domestic flight!)

We have received reports from members saying that this new rule is already affecting some of their trips to Russia, and that some local Customs at smaller airports are as confused as everyone else about exactly how it interpret them:

*Our local handler in [insert second tier Russian city] advises us to cancel the trip there.*

*The problem is that this Customs procedure, Import 53, is pretty new, and very complicated. It must be opened first in the airport of entry, then closed in the last airport of EAU. Their Customs officers don't know how to interpret the new rules (probably afraid, who knows?), and refuse to do this.*

*The last client who arrived to [insert second tier Russian city] had to delay the departure for 6 hours due to the new Customs procedure, and our handler says it is a very good result, and they were lucky.*

*Our handler cannot guarantee that everything will go well in [insert second tier Russian city], the situation*

could become worse any time, and there is nothing we can do with Customs. If the customer still wants to go there, it will be at their own risk.

With the new IM53 rule, the authorities seem to be attempting to establish a standard rule for foreign aircraft operating domestic legs in Russia. Have you been to Russia recently and tried to do a domestic leg? How did it go? Let us know, and help us get the word out.

---

## Rockwell GPS fix coming soon

David Mumford  
13 August, 2019



A large number of operators have been affected this week by a software glitch in some Rockwell Collins GPS receivers. After a few days of head-scratching, the cause of the problem was tracked back to the receivers' failure to compensate for the "leap second" event which happens once every 2.5 years when the US Government update their satellites - which they did on 9th June.

This meant that certain aircraft equipped with the affected GPS receivers suddenly started getting 'ADS-B fail' messages, which initially led to groundings of aircraft which did not have GPS on their minimum equipment lists (MEL).

In a note from Rockwell on Monday 10th June, they advise that the next scheduled update by the U.S. Government to the GPS constellation is set for Sunday 16th June at 0000Z. **This is when things should**

**start working again, but they are not guaranteeing this will definitely fix the issue.** Rockwell told OPSGROUP it's a 'wait and see' situation.

In the meantime, it seems as though all the affected aircraft have been identified, and you should know at this stage if yours is working or not. Some aircraft remain grounded because there is no MEL relief. Rockwell are advising those who have not powered on their GPS units since the 9th June should leave them switched off. Make sure to check the advice from your OEM - some are advising to pull the GPS circuit breakers to prevent further issues.

Until the issue is fixed, many aircraft will be forced to fly non-RNP routes below FL280 and navigate VOR-VOR, or else remain on the ground.


For more on this, or if you have something to share, head over to the OPSGROUP forum.

---

## FOCM: Flight Operations Coffee Morning

Mark Zee

13 August, 2019



OPSGROUP is hosting the first FOCM in New York City on June 12th, and we'd love you to come along.

FOCM - Flight Operations Coffee Morning - is an OPSGROUP event where you can meet other pilots, dispatchers, controllers, and Ops specialists, hang out, have a coffee, and talk flight ops.

Dave and Mark from OPSGROUP, will host a quick Q&A about **International Flight Ops**, and our work as a group. We'll talk NAT Tracks, Ramp Checks, Flight planning, Airspace Risk, Notams, the latest challenges - and what we can do to make things better.

And you get to meet and connect with other people working in Flight Ops in New York, New Jersey, and beyond. We'll have A380 Captains and Gulfstream FO's, Corporate dispatchers, New York ATC, and a bunch of other good people.

OPSGROUP is a collective of 5000 pilots, dispatchers, controllers, and ops specialists that work together to share information and resources, making flight ops simpler and safer. We're hosting this because we love connecting people. It's totally free.

## Event details

When: Tuesday June 12th, 2019

Where: Lower East Side, NYC - address on RSVP

Cost: None!

**RSVP here:** <https://focm.splashthat.com/>



PDF Flyer - Print it out!

## Total ban on US private flights to Cuba

Mark Zee

13 August, 2019



Effective today, June 5th, no US private aircraft will be allowed to travel to Cuba. The rule comes from the BIS - the US Bureau of Industry and Security, part of a further clampdown on Cuba policy by the US government.

We spent the day here in OPSGROUP clarifying the new rules and what it means for US operators.

**What happened?** BIS issued a new rule today, **June 5** called “Restricting the Temporary Sojourn of Aircraft and Vessels to Cuba”. [official copy here] [Guidance here].

This is tough to read and understand. Nothing new about that. So, we asked OPSGROUP, discussed it with a whole bunch of members, got some legal interpretation, and got some great help from the NBAA.

### **Here's the plain English wrap up:**

- **US Part 91 private flights:** Effective June 5, you cannot operate an N-reg aircraft privately to Cuba for any reason. This includes Corporate. It doesn't matter if your passengers meet the “category requirements (see later)”, it's a no go.
- **Part 135 Air Ambulance:** You can go, and you don't need a license. From the rules: “Air ambulances operating under 14 CFR part 135, may depart from the United States under its own power for any destination”. “Air ambulances will remain eligible for the license exception when destined to Cuba”.
- **Part 135 Charter:** This was unclear because of the wording of the new rules. **But you can go.** We asked BIS specifically about this, and the wording of the new paragraph is meant to be read as a series of options that allow you to go to Cuba - 135 is covered under the “AOC

holder" bit.

- **Part 129:** You can go. Part 129 is foreign operators. An example would be Air Canada doing a charter from JFK-HAV. That's allowed.
- **Part 121:** No changes. Airlines can operate.

## **BIS vs OFAC**

The first gatekeeper of Cuba rules is BIS. If they don't prohibit your operation, eg. Part 91 – then you proceed to the second gatekeeper – OFAC, and look into whether you need a license, and what category your passengers are travelling under.

## **Categories of allowed travel**

There were 12 categories – or “reasons” to be allowed to go to Cuba. There are now 11. The one removed was known as “People to people”. These are set by OFAC.

## **What does Cuba say?**

Thanks to one of our members who called the **Cuba CAA** this morning, and got this:

*“In our country there is no regulation in this regard. They can fly over and land registrations of any nationality without any distinction provided they meet the requirements requested and that you know all right.”*

As we would expect, none of the restrictions come from the Cuba side. So everyone continues to be welcome in Havana, it's just the US government that is restricting matters for US operators.

## **A super simple FAQ**

Can I fly my private C172 to Cuba?

No.

**Can I fly my owner to Cuba in a G550, if he passes the ‘category test’?**

No. He can go, but has to go on a commercial service.

**Can I operate a Corporate Jet to Havana, for business reasons?**

No. Regardless of the reason the principles might want to go to Cuba, you cannot operate any aircraft under Part 91.

**But I see in the rules that you can apply for an exemption from BIS?**

Yeah, you can, but they will say no. "License applications for the temporary sojourn to Cuba of those vessels and aircraft are subject to a general policy of denial."

**Can I operate a charter flight to Cuba?**

Yes. BIS rules don't prohibit this. But you then need to look into the OFAC rules.

**Can I go to Mexico first, and then to Cuba?**

No. In their lengthy FAQ, "A license from the Bureau of Industry and Security (BIS) is required to fly private or corporate aircraft to Cuba, even if the aircraft stops in another country first.". And y'all ain't gettin' no license.

**I am a Canadian operator. Can I operate to Cuba?**

Yep. This is all about US operators being restricted. You can fly direct to Havana like you always did, and under the Part 129 bit in the new rule, you can also operate from the US to Cuba.

So, we think we have this all correct as the final version. If we don't hear any objections, we'll add this to the OPSGROUP databank, and make a blog post. From here, we will post this in the new Forum, and the discussion can continue there!


**THANKS EVERYONE!**

Great team effort today to get this into an understandable-by-humans format. Well done!

---

## **Another Pakistan overflight route reopens**


David Mumford  
13 August, 2019



Three months since the Pakistan airspace closure began, there are now finally some options for overflights between Pakistan and India.

Since April, there has only been one airway available for flights between the two countries – airway **P518**, for **westbound flights only**.

At that time, Pakistan also published a bunch of Notams saying that they would allow **eastbound overflights** on a few airways which connect Oman and India through Pakistan's airspace over the Gulf of Oman, but initially India did not authorise the use of these.



That changed on 2nd June, when India published a Notam saying they would allow eastbound flights to enter Indian airspace at waypoint TELEM.


So now, piecing together the Notams issued by both countries, here are the options for overflights:

### Westbound


Airway P518, from waypoint KABIM on the Pakistan/India border in the south, to either KEBUD or ASVIB on the the Pakistan/Iran border in the north.

### Eastbound

Choice of two routes from waypoint ALPOR on the Oman/Pakistan border in the west, to waypoint TELEM on the Pakistan/India border in the east.



Some airlines have started using both these eastbound and westbound routes, although many continue to avoid Pakistan by routing south over the ocean instead.



India and Oman both therefore remain congested with extra flights – they have published Notams showing all the restrictions on the various different overflight routes, are advising operators to carry extra fuel, and to expect lower flights levels than requested.

Most of the Pakistan airspace restrictions which were introduced in Feb 2019 have been **extended to 27 July**: specific routes remain open for international flights to all the main airports in Pakistan, and for east-west overflights of the country (i.e. between China and Iran).

**Why?**

On Feb 26, Pakistan shot down an Indian military jet and captured a pilot in a major escalation between the two countries over disputed Kashmir. This came a day after India launched air strikes on militant bases across the border in Pakistan, which itself was a response to a deadly attack on Feb 14 when a militant killed more than 40 Indian troops in Kashmir. The captured pilot has since been returned to India, but tensions remain heightened between the two countries in wake of airstrikes by each side in areas in the border region.

### **Airspace warning**

The US FAA has since updated its airspace warning for Pakistan, which now notes that military activity by Pakistan and India in the disputed Kashmir region poses a potential inadvertent risk to aviation at all altitudes. The US continues to warn against flying into or over Pakistan due to the risks posed by “extremist and militant activities”, although it does not recommend any specific minimum safe altitude for overflights; other countries advise FL250 or above, but we think FL300 is more sensible. More info

If you have further ops info to report, please do! Email us at [blog@ops.group](mailto:blog@ops.group), or comment below.

---

## **New rules for ops to Japan**

David Mumford  
13 August, 2019



Operators to all the main airports in Japan must now sign a statement saying they will take measures to ensure objects don't fall off the aircraft. The authorities also want you to agree to pay compensation for any incidents where damage is caused by falling objects – potentially also when the falling objects don't even come from your aircraft!

For the past ten years, Japan has required its own airlines to report any objects falling off aircraft during take-off or landing. But from March 2019, this applies to all foreign operators too.

Japan published **AIC 7/19** on 28 FEB 2019, which outlines the measures they require all crews to take when operating at Japan's airports. It comes with two attachments which both need to be signed and returned to the Japanese authorities **by post**, prior to ops.

Technically, you must send **hard copies** of these to **each airport** you will fly to in Japan. However, local handler Aeroworks has told us that operators can email them copies of everything by email, along with a power of attorney letter, and they are authorised to pass everything on to local authorities - they can provide this service for most airports in the country.

**Attachment 1:** This lists all the measures to take, including: completely draining the lav/waste pipes prior to take off to prevent ice blocks from forming, confirming all panel doors are closed, inspecting for leaks, removing rainwater or snow from cargo when loading.

**Attachment 2:** This is a strange one. It says the following:


"In case that it is unable to identify one specific aircraft which caused the damage by falling objects from aircraft (hereinafter referred to as "the causing aircraft") and to identify a person responsible for the compensation of the damage, and if the Falling Object Confirmation Committee established in Regional Civil Aviation Bureaus of Ministry of Land, Infrastructure, Transport and Tourism determines a presumably causing aircraft (hereinafter referred to as "the acknowledged aircraft"), the operator of the acknowledged aircraft shall bear the amount of expenses for compensation of the damage, proportionally divided by the number of the acknowledged aircraft."

If we're reading that right, that basically means if something falls off a plane and causes damage, and they can't figure out which specific one it came from, whichever aircraft were in the area at the time may all be required to share the cost of paying for any compensation that may be due!


Over the past few years there have been a number of high-profile incidents in Japan where objects have fallen off aircraft. In September 2017, an aircraft panel fell onto a car driving on a busy street in Osaka; and in May 2018, a hospital in Kumamoto was sprayed with metal fragments from an aircraft that had suffered engine failure after taking off from RJFT/Kumamoto Airport.

With the Tokyo Olympic Games coming up in July 2020, local authorities are keen to ensure no such incidents occur here.

### Current Flight Routes



### New Flight Routes



#### Percentage of a south wind operation

About 40% (Annual average)

#### Operation time of new flight routes in a south wind

15:00 ~ 19:00  
(including a switching time)

### Change of Runway Operation and Flight Routes (South wind operation)

Airport authorities are looking at ways to increase slot capacity at Tokyo's airports, and one such measure will be to revise the arrival routes to RJTT/Tokyo Haneda, which will mean that flights will operate almost directly over the city centre – and these new rules regarding objects falling off planes have been implemented in response to this.

### Further reading

- The presentation made by the Japanese delegation to ICAO's Air Navigation Oct 2018 Conference, regarding the various measures taken to prevent objects falling off airplanes in Japan. Check it out [here](#).
- IFALPA has published a Safety Bulletin which provides some great info on the various different approaches that are available at RJTT/Tokyo Haneda, depending on the wind direction and the time of the day, with a focus on the reduced options available if operating overnight. Definitely worth a read if operating to RJTT. Check it out [here](#).

## Goose Bay: “Our runway is broken”

David Mumford  
13 August, 2019




Larger jets will not be allowed to land on three out of four runways at Goose Bay for the next three months, as they've found cracks after the winter thaw.

The airport has settled on a final version of their "Our runway is broken" Notam, and it looks like this:

**05/037** - CYYR RWY 08, 26 AND 34 NOT AVBL FOR ACFT WITH TIRE PRESSURE OF 1.0MPA (145 PSI) OR GREATER AND ACFT WITH ACN/PCN OF 40 OR GREATER, EXC MEDEVAC AND AVBL AS EXTENDED RANGE TWIN-ENGINE OPS (ETOPS) ALTERNATE.

21 MAY 14:01 2019 UNTIL 17 AUG 23:59 2019. CREATED: 21 MAY 14:06 2019

So not the most pilot-friendly piece of information! Unless you happen to know your tire pressure off-hand, best head for **RWY 16**, which is the only one that remains fully open and operational to all aircraft (the only reason RWY 34 is restricted is because aircraft using that runway touch-down on the intersection with RWY 08/26 - which is where some of the cracking damage has been found).



The Notam does state that the other three runways at CYYR **can still be used an ETOPS alternate**, meaning that you're allowed to divert there in an emergency regardless of size, weight, tire pressure, or ACN. However, with the deteriorating runway conditions they're also warning of possible aircraft damage due to loose sealant and asphalt:

**05/038 (190206) - CYYR RWY 08/26 SFC IS DETERIORATING AND CRACKING AND MAY PRODUCE FOREIGN OBJECT DEBRIS (LOOSE SEALANT AND ASPHALT) ACFT DAMAGE MAY OCCUR. 23 MAY 18:20 2019 UNTIL 23 AUG 23:59 2019. CREATED: 23 MAY 18:24 2019**

## ACN vs PCN

The mention of "ACN/PCN" in Goose Bay's Notam made us close our eyes and try to imagine a world where Notams just made immediate sense.

Knowing your tire pressure is one thing, but trying to work out your **ACN number** is a much more tricky business, as it has to factor in the aircraft's maximum centre of gravity, maximum ramp weight, wheel spacing, tire pressure, and other factors. Your AFM should have a bunch of pages which tell you this (or you can have a quick look here instead).

Once you know your ACN number (or rather, 'numbers' – as there are different ACN numbers for each aircraft depending on the strength of the runway you'll be landing on), you can then check it against the runway **PCN number** – the number issued for each runway which tells you what kind of surface it is, how strong it is, and what level of stress it is able to withstand.

**Ultimately, if your aircraft's ACN is equal to or less than the runway's PCN, you're good to go.**

In the AIP, Goose Bay's runway PCN is **076FBXU**. The important bits here:


- the PCN number here is **76**
- the **F** means that the runway is 'Flexible' (i.e. made of asphalt rather than concrete)
- the **B** means it is of 'Medium' strength
- the **X** means it has maximum tire pressure of 1.75 MPa.

So, under normal circumstances, CYYR has a runway PCN of **76**, meaning most aircraft would be able to operate here:


But with all the runway cracking that's been going on, Goose Bay's PCN number is no longer accurate. It's probably safer to assume the **B** is more like a **D** right now – runway strength 'Very low'. And the new CYYR Notam suggests the new PCN number is **40** (as aircraft with an ACN number higher than that are not allowed to go there).

### **Other NAT alternates?**

A quick check on GoCrow shows us there's really nothing available to the north of CYYR:



But there are some decent options to the south:



This isn't the first time Goose Bay has had problems with its runways. In Nov 2017, the airport was closed due to **'sticky' runways** – during snow removal crack sealant was found on vehicles after they were used on the runways.

#### Further reading:

- United Airlines has downgraded Goose Bay Airport's suitability for diversions, after one of its flights with 250 passengers on board diverted there on 19th Jan 2019, and was then forced to spend 16 hours on the ground as there were not enough customs staff available to process everyone on board to enter Canada. Customs opening hours at the airport are 8am to midnight daily.

## What's going on in the Strait of Hormuz?


David Mumford  
13 August, 2019



Amid rising tensions between the US and Iran, on 16th May the US FAA issued a new Notam and Background Notice advising operators to exercise caution in the overwater airspace above the Persian Gulf and Gulf of Oman.

The US has deployed warships and planes to the region, and withdrawn embassy staff from Iraq in recent days, and Iran has allegedly placed missiles on boats in the Persian Gulf.

In their Background Notice, the US FAA say that **"Iran has publicly made threats to US military operations"**, and are concerned about **"a possible risk of miscalculation or misidentification, especially during periods of heightened political tension and rhetoric."** They also warn of increased GPS jamming by Iran throughout this region.



The US published another airspace warning for Iran back in September 2018, but that was mainly focussed on the risks of overflying Iran itself due to missiles fired from sites in the far west of the country against targets in Syria. That warning only made passing reference to the Gulf region – the only tangible risk at that time being due to Iran’s “test launches” in the area between Iran and Dubai, where the Iranian military regularly fire missiles during drills to practise blockading the Strait of Hormuz.

In May 2018, the US pulled-out of the Iran nuclear deal, and re-imposed sanctions. Since then, the relationship between the two countries has rapidly gone downhill. This week, the White House Press Secretary said that Washington would continue its “maximum pressure” campaign on Iran, adding the US would like to see “behavioural change” from the country’s leadership.

With the military build-up in the Gulf region, the US government has been quick to defend its actions, but the message seems to be clear: **we don't want war, but we're ready for one.**

As National Security Adviser John Bolton said in a statement this week: **“The United States is not seeking war with the Iranian regime... but we are fully prepared to respond to any attack, whether by proxy, the Islamic Revolutionary Guard Corps or regular Iranian forces.”**

The full FAA Notam and Background Notice text is below. SafeAirspace.net is now updated with the new information.



## 16-May Iran


New FAA Notam: Exercise caution in the overwater airspace above the Persian Gulf and Gulf of Oman region. [Notam KICZ A0015/19]

## 16-May Iran

[US FAA Background Notice]

## 04-May Pakistan

German Notam updated, advice remains the same: potential risk of attacks at all airports in Pakistan. [Notam B0321/19]

**KICZ NOTAM A0015/19**

SECURITY..UNITED STATES OF AMERICA ADVISORY FOR OVERWATER AIRSPACE ABOVE THE PERSIAN GULF AND GULF OF OMAN.

THOSE PERSONS DESCRIBED IN PARAGRAPH A BELOW SHOULD EXERCISE CAUTION WHEN OPERATING IN OVERWATER AIRSPACE ABOVE THE PERSIAN GULF AND THE GULF OF OMAN DUE TO HEIGHTENED MILITARY ACTIVITIES AND INCREASED POLITICAL TENSIONS IN THE REGION, WHICH PRESENT AN INCREASING INADVERTENT RISK TO U.S. CIVIL AVIATION OPERATIONS DUE TO THE POTENTIAL FOR MISCALCULATION OR MIS-IDENTIFICATION. ADDITIONALLY, AIRCRAFT OPERATING IN THE ABOVE-NAMED AREA MAY ENCOUNTER INADVERTENT GPS INTERFERENCE AND OTHER COMMUNICATIONS JAMMING, WHICH COULD OCCUR WITH LITTLE TO NO WARNING.

A. APPLICABILITY. THIS NOTAM APPLIES TO: ALL U.S. AIR CARRIERS AND COMMERCIAL OPERATORS; ALL PERSONS EXERCISING THE PRIVILEGES OF AN AIRMAN CERTIFICATE ISSUED BY THE FAA, EXCEPT SUCH PERSONS OPERATING U.S.-REGISTERED AIRCRAFT FOR A FOREIGN AIR CARRIER; AND ALL OPERATORS OF AIRCRAFT REGISTERED IN THE UNITED STATES, EXCEPT WHERE THE OPERATOR OF SUCH AIRCRAFT IS A FOREIGN AIR CARRIER.

B. PLANNING. THOSE PERSONS DESCRIBED IN PARAGRAPH A PLANNING TO OPERATE IN THE ABOVE-NAMED AREA MUST REVIEW CURRENT SECURITY/THREAT INFORMATION AND NOTAMS; COMPLY WITH ALL APPLICABLE FAA REGULATIONS, OPERATIONS SPECIFICATIONS, MANAGEMENT SPECIFICATIONS, AND LETTERS OF AUTHORIZATION, INCLUDING UPDATING B450.

C. OPERATIONS. EXERCISE CAUTION DURING FLIGHT OPERATIONS DUE TO THE POSSIBILITY OF INTERRUPTIONS TO INTERNATIONAL AIR TRAFFIC DUE TO HEIGHTENED MILITARY ACTIVITIES AND INCREASED POLITICAL TENSIONS IN THE REGION. POTENTIALLY Affected OVERWATER AIRSPACE ABOVE THE PERSIAN GULF AND THE GULF OF OMAN INCLUDES PORTIONS OF THE TEHRAN FIR (OIX), BAGHDAD FIR (ORBB), KUWAIT FIR (OKAC), JEDDAH FIR (OEJD) , BAHRAIN FIR (OBBC), EMIRATES FIR (OMAE), AND MUSCAT FIR (OOMB). THOSE PERSONS DESCRIBED IN PARAGRAPH A MUST REPORT SAFETY AND/OR SECURITY INCIDENTS TO THE FAA AT +1 202-267-3333.

## **FAA Background Information Regarding U.S. Civil Aviation - For the Overwater Airspace Above the Persian Gulf and Gulf Of Oman Region.**

Due to increased political tensions and heightened military activities in the region, there is an increasing inadvertent risk to U.S. civil aviation operating in overwater airspace above the Persian Gulf and Gulf of Oman. As a result, on 16 May 2019, the FAA issued Notice to Airmen (NOTAM) KICZ A0015/19, advising U.S. civil flight operations to exercise caution when operating in the above area.

Iran has publicly made threats to U.S. military operations in the Gulf region. In addition, Iran possesses a wide variety of anti-aircraft-capable weapons, including surface-to-air missile systems (SAMs), man-portable air defense systems (MANPADS) and fighter aircraft that are capable of conducting aircraft interception operations. Some of the anti-aircraft-capable weapons have ranges that encompass key international air routes over the Persian Gulf and the Gulf of Oman. Additionally, Iran recently conducted a military exercise in the region, demonstrating their unmanned aircraft system (UAS) capabilities. Although Iran likely has no intention to target civil aircraft, the presence of multiple long-range, advanced anti-aircraftcapable weapons in a tense environment poses a possible risk of miscalculation or misidentification, especially during periods of heightened political tension and rhetoric.

There is also the potential for Iran to increase their use of Global Positioning System (GPS) jammers and other communication jamming capabilities, which may affect U.S. civil aviation operating in overwater airspace over the Persian Gulf and the Gulf of Oman.

The FAA will continue to monitor the risk environment for U.S. civil aviation operating in the region and make adjustments, as necessary, to safeguard U.S. civil aviation.

---

## **No more slots misery at Toronto**

David Mumford  
13 August, 2019



The ongoing slots-related misery at CYYZ/Toronto airport looks like it may be coming to an end.

The airport has always required GA/BA flights to obtain slots for flights operating overnight (0030-0630 local time), but in mid-Feb 2019 they made this a requirement for flights H24.

This was a new system, and there were a few teething problems, the main one being that operators had to do everything themselves, as local handlers were not allowed to arrange slots on their behalf. Added to that, unless you were a Toronto-based operator, you could only request slots 3 days in advance!

The screenshot shows a flight booking form with the following fields and annotations:

- Mandatory fields:** Season (dropdown), Local time (checkbox), Operator (dropdown), Serv No (dropdown), Date (dropdown), Seats (dropdown), A/C (dropdown), Origin (dropdown), Time (dropdown), Dest (dropdown), ST (dropdown), ParkLoc (dropdown), Offer Time Range (dropdown).
- Arrival information:** Arr (dropdown), Dep (dropdown).
- Departure information:** More > (button), Submit All (button).
- Other controls:** Submit (button), Erase (button).

Red arrows point to the Season, Local time, Operator, Serv No, Date, Seats, A/C, Origin, Dest, ST, ParkLoc, Offer Time Range, and the dropdowns for Arr and Dep. A green arrow points to the 'More >' button under Departure information.

But the system has now changed, with the airport authority saying that **local handlers are now allowed to arrange slots on behalf of all operators**. Of those local handlers, Skyservice has decided not to provide this service, but Skycharter & Signature say they can arrange slots for operators **up to 30 days in advance**.

If you do want to arrange slots yourself instead of getting a local handler to do it for you, that's still an option, but you will only be able to request these 3 days in advance. Various flight planning providers have said they can arrange these slots for operators too, but they all seem to be restricted to 3 days too. Toronto is a busy airport, and this restriction may mean that you won't be able to get the arrival/departure times that you want.

If you want to try doing it yourself, the official guidance is here. If you want an FBO to do it for you, get in touch with Skycharter or Signature, and spare yourself some misery.

**One last thing to note:** Toronto still has a curfew between the hours of 0030-0630L. If you need to arrive between those hours, you need to contact the after-hours slot team (+1-416-776-3480), who will consider your request. But watch out! For ops approved during the curfew hours they usually charge you around 20 times the landing fee!

If you have further info to report, please do! Email us at [blog@ops.group](mailto:blog@ops.group), or comment below.

## Other interesting stuff at CYYZ/Toronto:

- All the approach charts now make reference to a new procedure, implemented in Feb 2019, called **Continuous Descent Operations** (Jepp chart 10-2). This is designed to help reduce airport noise levels, and involves aircraft flying a continuous descent in the lowest power and drag configuration possible. ATC may instruct pilots to do this during daytime and evening periods when traffic is relatively light. More info
- Updated advice has been issued about the **runway selection criteria** at Pearson. When the north-south runways are in use (RWY 15/33) the airport sees an arrival capacity reduction of around 40%. So crosswind component guidelines have been included in AIC 12/19 for dry, wet and contaminated runways.

---

## Beijing Airport is filling up fast

David Mumford

13 August, 2019



There always seems to be some kind of random event going on in Beijing making life hard for GA/BA ops. This month it's the Conference on Dialogue of Asian Civilizations, and already the parking situation for GA/BA is starting to look pretty bleak.

**ZBAA/Beijing**

There are two main periods with heavy restrictions:

**0800L on 13 May to 0800L on 17 May**  
**0800L on 21 May to 0800L on 24 May**

(Beijing local time is UTC+8, so you can read those times as 0000z).

During these periods, only one slot will be made available per hour for aircraft not connected with the event, and no overnight parking will be allowed. So that means short turnarounds might be possible, but you'll be lucky to get a slot.

Plus there's the other standard ongoing rule at ZBAA to keep in mind:

**Daily between 0900-2200L, GA/BA can only make one movement per aircraft.**

So this means that if you arrive during this period you then have to wait til 2200L before you're allowed to depart again! Confusing? You bet.


### **ZBTJ/Tianjin**

Many operators like to use cheeky ZBTJ/Tianjin as an alternative to ZBAA/Beijing, but it's now getting busy here too. Local handlers here are saying that ZBTJ is not allowing any overnight parking for GA/BA at all right now, and even some requests for short-term parking are being denied as well.

This is related to ongoing construction work planned through to the end of June, which means a bunch of stands are closed, and with an influx of aircraft shifting over from ZBAA, there's less space all round.

### **ZBSJ/Zhengding**

Where?? Fair question. We had to find it on a map. Zhending! Home to... well, not very much, by the looks of it. Unless temples, towers, and Olympic table tennis training centres are your thing.



But the good news is that the airport currently has no restrictions on GA/BA flights. Although they don't have an FBO or VIP lounge here (#notsurprised), the airport has a nice long 11,000ft runway, and is open H24. You can get in touch with Mainland GroundExpress to arrange handling here.

---

## Fly it like you stole it - free speed on the NAT

Mark Zee  
13 August, 2019



This is a new one, and it's a good one for pilots! Being introduced slowly is a new flexibility - flying without a fixed Mach speed. In simple terms, you get to decide how fast you fly.

Like all new things on the NAT, we have an acronym. This one is **OWAFS**. *Operations Without an Assigned Fixed Speed*. But you'll also see it as referred to as "Variable Mach", and "Resume Normal Speed".

### **When does this start?**

It already has! It's starting out as a trial (everything on the NAT starts out as a trial), and some members are already reporting getting "RESUME NORMAL SPEED" messages from Shanwick. The official start date is April 8, 2019. Three OACC's are doing this - Shanwick, Santa Maria, and New York Oceanic (not WATRS).



For no good reason, here's a picture of the Shanwick Oceanic control room in 1989. Much has changed since!

### How does it work?

You'll get a normal oceanic clearance, with a fixed Mach Number, like you always did. Somewhere after the Oceanic Entry Point, if you are selected for the trial, you'll get a CPDLC message saying **RESUME NORMAL SPEED**. You should reply with **WILCO**. What that means is: **Fly ECON, or a Cost Index with Variable Mach**.

### So, once I get that, no restrictions on speed?

Correct! But, ATC will expect you to fly ECON/Cost Index, and normally, that should be pretty close to your cleared Mach (within 0.01 up or down). If you're doing something different, tell them. If the resulting speed differs from your Oceanic Clearance Mach by **0.02**, or more, you must tell ATC.

### Rules for Shanwick (Don't ask for it)

- Flight must be data link connected to EGGX
- Flight must be eastbound and operating solely in Shanwick Oceanic airspace and exiting into UK/Ireland/Continental European airspace
- Flight cannot exit into Santa Maria
- RESUME NORMAL SPEED will be offered on a "manual" tactical basis
- **Do not request RESUME NORMAL SPEED**

## **Rules for New York and Santa Maria (You can ask)**

- Flight must be data link connected to LPPO or KZFY
- Flights must be wholly within Santa Maria and New York East Oceanic airspace and not enter Gander or Shanwick airspace
- Flights can enter New York East Oceanic airspace or Santa Maria airspace from Gander airspace or Shanwick airspace and receive RESUME NORMAL SPEED uplink message
- New York West (WATRS airspace) is excluded
- RESUME NORMAL SPEED **can be requested** if not offered

## **Background and History**

*(Thanks, Jeff Miller @IATA, for this and the condensed info above!)*

Both Airbus and Boeing advocate cost index (ECON) as the most efficient way to fly. Operators use cost index (ECON) globally, except for the North Atlantic (NAT) where flights are assigned a fixed Mach by ATC and flight crews are required to fly the assigned Mach. Depending on the distance from the departure airport to the oceanic entry, most operators flight plan the aircraft with cost index to the oceanic entry point and again after oceanic exit. Flight crews use the desired fixed Mach number from the computer flight plan that is generated by the cost index, as the requested Mach number for the crossing. It is possible the flight crew may request a Mach greater than or less than the flight plan Mach to improve scheduled arrival time. IATA led the ICAO NAT, Operations Without an Assigned Fixed Speed (OWAFS) project team to enable the use of a variable Mach in the NAT. The North Atlantic Systems Planning Group (NAT SPG) is expected to fully endorse OWAFS late June 2019 for an official implementation in late 2019 for all NAT OCAs. Full automation for all Air Navigation Service Providers (ANSPs) is expected by Q1 2020.

## **So I can use this for turbulence speed changes?**

Yep, but remember, if you're slowing down or speeding up significantly (0.02 or more), tell ATC your new speed.

## **Anything else?**

That's it for now. Remember, it's a trial - later in the year full implementation is expected. Don't ask for it if you aren't offered, unless you're in New York or Santa Maria airspace. Tell ATC if you're changing by 0.02 or more from the Oceanic Clearance.

And most importantly, keep us posted on your experiences with this!

---

# “THIS NOTAM IS AN EMERGENCY ORDER” - FAA on Venezuela

Mark Zee

13 August, 2019



At 8.30pm tonight, the FAA issued a new “**Do Not Fly**” instruction to US operators, barring all operations into or over Venezuela, unless operating at or above FL260, and giving a **window of 48 hours** to leave the country.

The order comes on a day of an information battle waged between Maduro and Guaidó, and although the coup status is uncertain, one thing is clear: taking your aircraft to Venezuela is not a good idea.

The new Notam, KICZ A0013/19, has as postscript: “THIS NOTAM IS AN EMERGENCY ORDER ISSUED UNDER 49 USC 40113(A) AND 46105(C).” **It gives US operators 48 hours to leave Venezuela.**

Over the past year, the situation in Venezuela has steadily declined, and in OPSGROUP we have issued multiple alerts and warnings, most recently today, on the back of several member reports:



FSB News APP 7:38 PM

**SVZZ/ Venezuela - Risk** SVZZ/Venezuela A coup may be happening right now, but even if it doesn't work, the situation remains dicey. Member report from their flight last night: National Guard inspects all aircraft in and out. Taxiway and runway conditions worsening. Many areas of missing asphalt and uneven surfaces. Hazardous to tires.


The Venezuelan authorities had also published a Notam on 30 APR banning all GA/BA flights from operating to/from airports in the country, but this has since been cancelled.

The new FAA Notam leads with:

**"ALL FLIGHT OPERATIONS IN THE TERRITORY AND AIRSPACE OF VENEZUELA AT ALTITUDES **BELLOW FL 260** BY THE PERSONS DESCRIBED IN PARAGRAPH A BELOW ARE **PROHIBITED UNTIL FURTHER ADVISED** DUE TO INCREASING POLITICAL INSTABILITY AND TENSIONS IN VENEZUELA AND THE ASSOCIATED INADVERTENT RISK TO FLIGHT OPERATIONS."**

and is issued as a Permanent Notam with no expiration date.

Rerouting options for overflights choosing to avoid, would be either west via Colombia, or east via Guyana and Piarco.



The full FAA Notam text is below. SafeAirspace.net is now updated with the new information.



SVZZ / Venezuela

30-Apr


A coup may be happening right now, but even if it doesn't work, the situation remains dicey. Member report from their flight last night: National Guard inspects all aircraft in and out. Taxiway and runway conditions worsening. Many areas of missing asphalt and uneven surfaces. Hazardous to tires.



FQZZ / Mozambique

29-Apr

With the increase in ad-hoc traffic - mostly helicopters and cargo movements - and challenges of the aftermath of the 2 Cyclones which hit Mozambique in early 2019, we've had reports of ATC being overwhelmed in dealing with the extra traffic. Advice your crews caution when



### FAA Notam KICZ A0013/19 issued May 1st, 2019, 0025Z.:

KICZ A0013/19 - SECURITY..UNITED STATES OF AMERICA PROHIBITION FOR VENEZUELA

ALL FLIGHT OPERATIONS IN THE TERRITORY AND AIRSPACE OF VENEZUELA AT ALTITUDES BELOW FL 260 BY THE PERSONS DESCRIBED IN PARAGRAPH A BELOW ARE PROHIBITED UNTIL FURTHER ADVISED DUE TO INCREASING POLITICAL INSTABILITY AND TENSIONS IN VENEZUELA AND THE ASSOCIATED INADVERTENT RISK TO FLIGHT OPERATIONS.

A. APPLICABILITY. THIS NOTAM APPLIES TO: ALL U.S. AIR CARRIERS AND COMMERCIAL OPERATORS; ALL PERSONS EXERCISING THE PRIVILEGES OF AN AIRMAN CERTIFICATE ISSUED BY THE FAA, EXCEPT SUCH PERSONS OPERATING U.S.-REGISTERED AIRCRAFT FOR A FOREIGN AIR CARRIER; AND ALL OPERATORS OF AIRCRAFT REGISTERED IN THE UNITED STATES, EXCEPT WHERE THE OPERATOR OF SUCH AIRCRAFT IS A FOREIGN AIR CARRIER.

B. PERMITTED OPERATIONS. THIS NOTAM DOES NOT PROHIBIT PERSONS DESCRIBED IN PARAGRAPH A (APPLICABILITY) FROM CONDUCTING FLIGHT OPERATIONS IN THE ABOVE-NAMED AREA WHEN SUCH OPERATIONS ARE AUTHORIZED EITHER BY ANOTHER AGENCY OF THE UNITED STATES GOVERNMENT WITH THE APPROVAL OF THE FAA OR BY A DEVIATION, EXEMPTION, OR OTHER AUTHORIZATION ISSUED BY THE FAA ADMINISTRATOR. OPERATORS MUST CALL THE FAA WASHINGTON OPERATIONS CENTER AT 202-267-3333 TO INITIATE COORDINATION FOR FAA AUTHORIZATION TO CONDUCT OPERATIONS.

C. ALLOWANCES. PERSONS DESCRIBED IN PARAGRAPH A ABOVE WHO ARE IN THE TERRITORY AND


AIRSPACE OF VENEZUELA AT THE TIME THIS NOTAM IS ISSUED MAY DEPART THE TERRITORY AND AIRSPACE OF VENEZUELA BY THE MOST EXPEDITIOUS POSSIBLE ROUTE WITHIN 48 HOURS FROM THE TIME THIS NOTAM IS ISSUED, IF THE PILOT IN COMMAND DETERMINES THAT THE OPERATION CAN BE CONDUCTED SAFELY.

D. EMERGENCY SITUATIONS. IN AN EMERGENCY THAT REQUIRES IMMEDIATE DECISION AND ACTION FOR THE SAFETY OF THE FLIGHT, THE PILOT IN COMMAND OF AN AIRCRAFT MAY DEVIATE FROM THIS NOTAM TO THE EXTENT REQUIRED BY THAT EMERGENCY.

THIS NOTAM IS AN EMERGENCY ORDER ISSUED UNDER 49 USC 40113(A) AND 46105(C).  
SFC - FL259; 01 MAY 00:25 2019 UNTIL PERM. CREATED: 01 MAY 00:28 2019

## Sudan airspace reopens

David Mumford  
13 August, 2019



Sudan airspace reopened at 1200Z on Apr 12, having been closed for 24hrs following a military coup.

So the HSSS FIR is now once again open for overflights. As for flights to HSSS/Khartoum Airport, all the airlines who were forced to cancel flights during the airspace closure have now resumed operations, and Opsgroup members have reported receiving landing permissions from the authorities again. Local handlers have told us: "The airport is now functioning normally with more security support".

The military has declared a three month state of emergency, and has deployed soldiers to secure key sites around Khartoum, with armoured vehicles and tanks parked in the streets. Protests against the new military government are still ongoing, although there have not been many reports of any violence. A nightly curfew was introduced on 11 APR for Khartoum between the hours of 10pm and 4am, but this was later lifted.

In response to the military coup, the U.S. has now issued an updated Travel Advisory for Sudan and raised its level of advice from "Level 3: Reconsider Travel" to "Level 4: Do Not Travel."

Despite all this, still only one international airspace warning exists for Sudan, which was issued by France last year and modified in Jan 2019, recommending **overflight above FL200** in the country's **southern edge** (where Sudan borders with South Sudan) and **western edge** (where Sudan borders with Central African Republic and Chad). France's warning for **South Sudan** remains the same: overflights should be at FL240 or above. More info at Safeairspace.