

# Rolling the dice with de-ice

OPSGROUP Team

22 March, 2021



Snow might look lovely on a Christmas card, but on the wing of an airplane (especially if it is the wing of the airplane you're about to go fly in, and *especially if it is 3am and you've got a long flight ahead of you*) then I think we can all agree it is less 'pretty winter frosting' and more 'horrid winter frustration'.

Snow, ice, sleet, hail - basically anything made out of really, really cold water means one thing - **delays!** Sorry, I meant to write **de-icing** there.

## Feeling frosty

There are a few reasons why folk feel frosty about de-icing. **First, it is a bit annoying - it does often mean delays.** It also means extra things to think about, work out, and worry over. De-icing is an extra, and often slippery step, in an otherwise nicely structured turn-around.

**Secondly, it is pricey.** De-icing and anti-icing fluids are expensive stuff. For a small private jet you are probably looking at about \$1200, and more like \$15000 for a large airliner. The call out fee alone is generally a few hundred bucks, and although we all have safety as a priority, most of us have called the de-icing rig out only to watch them spray copious amount of fluid all over the place while we wonder whether that little patch of frost on the wing really wouldn't have melted off as we taxied out.

Lastly, and maybe not one everyone worries about, but anything with glycol in it creates high level of biochemical oxygen demand. What does that mean? Well, just that it is a bit bad for fish or anything that lives in water and likes to breath oxygen. **So it ain't the friendliest stuff for the environment.**

Let's be honest though, **point 2 (with a bit of 1 thrown in) are probably the main reasons** why we sometimes wait, fingers crossed, and fuel pumps a-swilling in the hope it just melts off before we go.



That middle of the night 2 hour wait for de-icing

### **De-ice-iding to go**

There is of course a big reason why we do need to de-ice. We are all fairly well aware of it – **safety!** Or more specifically – **performance!** Because a little bit of ice means a big bit of (lost) lift. (*Don't worry, not an icy accident movie, just a video of a poor de-icing decision*).

### **Let's re(snow)cap on it**

Most airlines and operators apply something close to a “clean aircraft” policy, which means that all **critical surfaces should be clear** of contaminant.

Simple – see something on a bit of the airplane that's used for getting the airplane up in the air? **Get it off before you go.** This rule applies to bits like the wings, the horizontal stabilizer, and don't forget in the engines – ice shedding after a prolonged taxi in wintery weather is going to help shake off any chunks of ice clinging to them.



Ground ice-shedding might be necessary

Back to those critical surfaces though - if you see a bit of frost (less than 3mm thick and so you can see the paint markings through it) underneath the wings? **That's ok.**

Look out for **clear ice** - not always very visible (being *clear* and all).

**So, step 1 in the “Do I need to de-ice?” decision making process is pretty straightforward:**

- Is there ice or contaminant anywhere on the airplane?
- Is it more than a little bit of frost on the underside of the wing?
- Is it more than really thin layer that won't melt once warmer fuel is added in, or with the airplane sat out in the sunshine?

If you answer 'Yes' to any of these than you probably need to de-ice. If you're not sure, get a second opinion from your co-pilot or engineer.





Hard to say if this needs de-icing or not

### **Snow idea if you need to anti-ice?**

De-icing is the process of getting any contaminant off. Sometimes blowing hot air is enough, sometimes a Type I fluid is used to melt it off. This one-step process is fairly quick and unless there is a big old queue you probably won't be delayed too much.

Anti-icing comes in when there is a chance ice and stuff will build up again. So if you send the FO out on the walk around and they return red nosed with icicles on their eyebrows then you probably need to anti-ice as well. Simple in theory: **de-icing takes it off, anti-icing stops more getting on.**

So what options do we have for this, aside from wrapping the airplane up in a giant woolly sock until it is time to take-off?

Well, you have **four types of de-icing/anti-icing fluid options** open to you. Not all airports will carry all options so if you think you need something specific, check with an agent before heading there. These four fluids are all typically made out of ethylene glycol or propylene glycol, with a bunch of thickening agents, wetting agents, corrosion inhibitors, colors and some UV-sensitive dye thrown in.

- **Type I** ain't gonna give you much of a holdover time, but it's useful for clearing stuff off. If applied heated it does provide some anti-icing protection as well. It is usually orange. The good thing with this stuff is it is thin and shears off easily so there is no restriction on your rotation speed.

- **Type II** is clear or strayed colored and needs at least 100knots rotation speed. Its pretty common to see this being used either 100% or diluted to 75%, and as part of a two step process.
- **Type III** is less common. This yellowy green fluid as a much lower rotation speed requirement - just 60 knots - so its good for smaller, slower aircraft.
- **Type IV** is your good 'n' thick stuff, great for longer hold over times, less great for aircraft that rotate slower than 100 knots.

**Our top tip:** Let your passengers know you're going to de-ice. If they haven't seen it before, having dinosaur like rigs pull up to the airplane, or seeing the windows fog up with thick smoky smoggy fluid has been known to panic one or two..



Larger aircraft use 2 or even 4 de-icing rigs at a time

## HOT Stuff

Your HOT - 'Holdover Time' - is what we really worry about when we need to anti-ice. **There is no definite "this fluid will last this long" calculation.** Instead we have tables for checking how long you're probably ok for, depending on a few factors:

- What sort of fluid was used.
- Whether it was diluted.
- What is going on outside.

The table is going to give you two times - a minimum and a maximum, and **your best bet is to take the minimum one** and if you reach it, take a look at your critical surfaces and see what is going on with the fluid. Actually, a pre-departure contamination inspection is mandatory in most cases. If its look ok (really

looks ok) then you're good to takeoff. Exceed that though and you're going to need to taxi back, clear it off and start over.

In nasty conditions, keeping an eye on the fluid and the hold over times is super important. There are actually **no published HOTS for anything more than light freezing rain**. Snow pellets and hail also get messy because these sticky morsels and strong and like to stick to anti-icing fluid, instead of getting melted by it.

Outside Air Temperature <sup>1</sup>	Fluid Concentration Fluid/Water By % Volume	Freezing Fog or Ice Crystals	Very Light Snow, Snow Grains or Snow Pellets <sup>2,3</sup>	Light Snow, Snow Grains or Snow Pellets <sup>2,3</sup>	Moderate Snow, Snow Grains or Snow Pellets <sup>2</sup>	Freezing Drizzle <sup>4</sup>	Light Freezing Rain	Rain on Cold Soaked Wing <sup>5</sup>	Other <sup>6</sup>
-3°C and above (27°F and above)	100/0	3:30 - 4:00	2:00	1:35 - 2:00	1:00 - 1:35	1:20 - 2:00	0:45 - 1:25	0:10 - 1:30	CAUTION: No holdover time guidelines exist
	75/25	1:50 - 2:45	2:00	1:20 - 2:00	0:40 - 1:20	1:10 - 1:30	0:30 - 0:55	0:06 - 0:50	
	50/50	0:55 - 1:45	0:45	0:25 - 0:45	0:10 - 0:25	0:20 - 0:30	0:10 - 0:15		
below -3 to -8°C (below 27 to 18°F)	100/0	0:55 - 1:45	2:00	1:15 - 2:00	0:45 - 1:15	0:35 - 1:30	0:25 - 0:45		
	75/25	0:25 - 1:05	1:45	0:55 - 1:45	0:30 - 0:55	0:25 - 1:10	0:20 - 0:35		
below -8 to -14°C (below 18 to 7°F)	100/0	0:55 - 1:45	1:50	1:05 - 1:50	0:40 - 1:05	0:35 - 1:30 <sup>7</sup>	0:25 - 0:45 <sup>7</sup>		
	75/25	0:25 - 1:05	1:20	0:40 - 1:20	0:20 - 0:40	0:25 - 1:10 <sup>7</sup>	0:20 - 0:35 <sup>7</sup>		
below -14 to -18°C (below 7 to 0°F)	100/0	0:30 - 0:50	1:10	0:25 - 1:10	0:08 - 0:25				
below -18 to -25°C (below 0 to -13°F)	100/0	0:30 - 0:50	0:30	0:10 - 0:30	0:03 - 0:10				
below -25 to -29°C (below -13 to -20°F)	100/0	0:30 - 0:50	0:20	0:07 - 0:20	0:02 - 0:07				

A generic Type II HOT Table

If you are looking at rain or **light freezing rain on cold soaked wings** then your HOT could be as low as 9 minutes. If you have snow pellets or snow grains bouncing off the windows, and it is colder than about -14°C (so anywhere in Canada, Russia etc in the midst of winter), then these blighters are going to reduce your HOT to as little as 1 to 2 minutes (good luck getting anywhere in that time!)

Hitting the hold over time might suck, but there isn't much you can do about it except call the cabin for another, stronger coffee, and settle in for a long, cold flight.

**Another top tip** - check those HOTS and if they are unrealistic then wait for the weather to clear, ask for remote de-icing, go for a different fluid dilution... whatever you do don't ignore it though and think it'll all be ok.





Looks like this outside? Probably need to anti-ice

### **Messing with your schedule**

Back to Point 1... or was it 2? The one about **delays and messing up of your schedule**. Winter weather is going to mean delays. There are no two ways about it. The extra steps added into our pre-flight process also raises the risk of forgetting bits we need to do. So here is a handy checklist of items to remember to remember:

- **Flaps** - we usually leave these up for the de-icing process, and to avoid picking up any chunks of ice during the taxi. Don't forget to set them before you try to take-off.
- **Control checks** - often recommended that you do these after de-icing to make sure there are no sticky fluids gumming up your flight controls.
- **The gear** - if you are taxiing through slush and sludge then check that performance and if possible, leave the gear down just a little longer to let all the pieces drop off before retracting.

### **The future looks cold**

So de-icing delays aren't going away anytime soon, but there are some interesting technologies out there being trialled.

Our favorite is this one - originally developed as a de-frosting method for cars, it could eventually be applied to aircraft too. It works off the principle that ice actually has an electric charge, so the idea is if you pass a big charged-up electrode over a frosty surface, it will remove it.

This isn't a totally new idea either, inflight de-icing technologies are also starting to look at using electromagnetic induction over traditional heating methods to prevent ice build up.

Until then, all we can do is **buy a big cup of coffee** from the airport, prepare for a long wait, and remember to **"keep it clean" (and safe)**.

## **Fancy reading a bit more?**

- International Airport Review have an interesting Winter Operations talking about the airport side of de-icing that is worth a read if you want to know what goes on on the other side of the windows when you're getting de-iced.
- Canada and the US publish info each year on HOTs and de-icing guidance. You can find links to those [here](#).
- OPSGROUP article: 5 Tips For Safer Winter Ops.
- OPSGROUP article: Fuel Facts: Let's get to the (freezing) point.