

UK: No more LPV approaches after June

OPSGROUP Team

26 March, 2021



On June 25 the UK's current EGNOS working agreement comes to an end, and they are not renewing it. This means their access to EGNOS will stop – which means **LPV approaches at UK airports will no longer be possible**.

So let's talk LPVs. What exactly are they? What on earth is EGNOS? And what has Brexit got to do with all of this?

What is an LPV approach?

If you read this and are thinking "That isn't something I've ever flown" then you can probably stop reading (unless you're interested in a bit of aviation geekery), because this probably won't have much of an impact on you. If you do fly these, and fly them in the UK, then read on.


LPV means **localizer performance with vertical guidance**. It is a GPS based approach sort of like LNAV/VNAV but also, confusingly, sort of like an ILS.

More confused? Us to. Let's dig deeper.

An LPV has vertical guidance but is not a precision approach (which your standard ILS of course is). Instead, it is classified as an 'approach with vertical guidance', or APV for short.

So an LPV is an APV? Yes, and the point of this distinction is that it's a lot cheaper, quicker and easier to implement than an ILS because there is a lot less paperwork involved, but it still offers "nearly" the same precision as an ILS – meaning you get down low if you need to.

You might also see the term SBAS used in the same breath. SBAS stands for **satellite-based augmentation system**, and is a generic term for the use of geostationary satellites which broadcast augmenting information.



What uses what and where

That's the basics, but how does it actually work?

They provide lateral and guidance down to a DA, just like an ILS. And just like an ILS, they get more sensitive the closer to the runway you get, which is what allows you to operate down to lower minimas than, say, your **less sensitive LNAV option**.

There are a few things you also need to know – first up, **you need a special receiver** on your plane for it (which is probably why a lot of folk are scratching their chins and wondering what on earth an LPV is).

Secondly, if you're planning on using an airport without an ILS or some sort of ground based navaid as your alternate, then the FAA wants you to plan on LNAV minimas.

Why do we like them?

Well, because they get us nice and low so we can see the runway in not so nice weather.

They also use GPS, so the equipment you need is on your plane. An ILS needs a whole bunch of ground and plane equipment meaning there is a lot more that can fail on us. **RNP and SBAS approaches are the future.**

INSTRUMENT APPROACH CHART - ICAO

JERSEY

RNP

RWY 08

(ACFT CAT A,B,C,D)

EGNOS

CH 61428 E08A

MIN TEMP -5°C


TRANSITION ALTITUDE 5000



ATC 125.205, 120.450
APP 120.305, 118.555
TWR 119.455
121.905
ATIS 134.680

JERSEY CONTROL
JERSEY APPROACH
JERSEY TOWER
JERSEY GROUND
JERSEY INFORMATION

AD ELEVATION 277
THR ELEVATION 271
OBSTACLE ELEVATION 812 AMSL
(541) (ABOVE THR)
BEARINGS ARE MAGNETIC




RECOMMENDED PROFILE LPV/VNAV Vertical Path Angle 3.0°(LNAV 5.24%), 320FT/NM

NM to RW08	5	4	3	2	1
ALT(HGT)	1910(1639)	1590(1319)	1280(1009)	960(689)	640(369)

TCH 52

MAPt (LNAV): RW08

Continuous climb to 3000. Initially climb straight ahead to JJM01, then turn right to JJM02 and GAMDU to join the hold or as directed by ATC.



Aircraft Category	A	B	C	D	Rate of descent	G/S KT	160	140	120	100	80
OCA (OCH)	LPV 471(200)	471(200)	471(200)	471(200)	FT/MIN	850	740	640	530	430	
	LNAV/VNAV 571(300)	571(300)	571(300)	571(300)							
	LNAV 621(350)	621(350)	621(350)	621(350)							
VM(C)OCA (OCH AAL)	Total Area 730(453)	730(453)	1210(933)	1210(933)							
	South of RWY 08/26 700(423)	700(423)	870(593)	970(693)							

NOTE Aircraft will normally be required to hold not lower than 3000.

CHANGE (11/20): RNP REFERENCES ADDED. JJ08F PROFILE HEIGHT REFERENCES. MAP TEXT.

AERO INFO DATE 08 JUN 20

AD 2-EGJJ-8-3

The LPV minima is the same as the ILS Cat I minima

Okay, so what is EGNOS?

Not to be confused with the delicious Christmassy drink, EGNOS stands for 'European Geostationary Navigation Overlay Service'. It is basically a bunch of European satellites, (actually just 3 out of the Galileo GNSS system, and a network of 30 referencing stations), that improves positioning measurements and gives much better accuracy than GPS alone.

In fact, it has **95% accuracy**, which translates into the locating of a position to 1-3 meters horizontal accuracy, and between 2-4 meters vertical accuracy.

So EGNOS is what gives LPVs their precision.

Brexit...

Yep, we're pretty bored of it now too. Brexit means the leaving of the UK from the EU. Not to be confused with Europe the continent – the UK is still part of that. But leave the EU it has, which means leaving all EU related programs including EGNOS (even though the UK's NATS was one of the founders of EGNOS...)

Anyway, the EGNOS working agreements are not going to be renewed, so as of **25 June 2021, the UK will not longer participate in the EGNOS program** and their LPV approaches will no longer have the accuracy assurance that EGNOS provided.



EGNOS RIMS stations (Ranging Integrity Monitoring Stations)

How many airports are affected?

The UK has 125 licensed aerodromes and out of these 69 have at least one instrument approach (surprisingly low given how miserable the weather often is in the UK.)

Anyway, **ILS is still the most popular in the UK** with 81 runways having an ILS approach available on them. **Only 45 runways use LPVs** and 20 of those have an ILS as well anyway, but that does leave a few airports where the other option is your old school, much higher minima non-precision approach.

Like poor old **EGPL/Benbecula** for example, which only has a VOR. A very old VOR which they are really hoping to retire. Or **EGHE/St Mary's** which has a timed NDB...



Benbecula airport out in the Outer Hebrides

The first LPV approach in the UK only went operational in 2014 at EGTE/Exeter airport, with Flyer magazine saying the country no longer needed to “hang its head in shame” because they had finally caught up with the rest of the modern aviation world...

The Impact

It isn't huge – most airports have alternative approaches. However, there are a few points to think about:

- Where there is an ILS, the minima will be the same, but the redundancy for approaches is now reduced.
- Where this is only an LNAV, or non-precision approach, the minima will be higher so watch out for that poor weather.

The official word on it all

Here are the official FAQs on the UK leaving the EGNOS program.

The FAQs have the following statement in them –

If EGNOS or an alternative SBAS SoL service becomes available before 31st December 2021, the LPV may be notified subject to the following:

- An impact assessment to confirm nothing has changed since the time of approval before implementation.
- IFPs shall be safeguarded against the latest obstacle data to ensure the procedures are obstacle clear.

Alas, unless the UK renegotiate the EGNOS Working Agreements (EWAs), or are able to find a replacement solution, then from **25 June 2021 the LPV approaches in the UK will stop.**

Up for some further reading?

- **AOPA UK** put out a great article explaining LPVs which you can find [here](#).
- To find out which space programs the UK is still involved in, you can find the government website on it [here](#).
- The **UK CAA Skywise site** promises to keep you up to date with all this UK aviation (although are yet to update their info on LPVs).
- **The FAA** probably explain all this better with their info on Wide Area Augmentation System (WAAS).

New ICAO SID/STAR Phraseologies from 10 November 2016 (or not?)

Declan Selleck
26 March, 2021



This is not going to be a short story.

But here's the summary. In June 2016, ICAO updated Doc 4444 (the Air Traffic Control bible) with **Amendment 7**.

One of the main things this new bit does, **is to change what the controller will say to the pilot**, on a Standard Instrument Departure (SID), and on a Standard Instrument Arrival (STAR).

The new phraseology headline is “CLIMB VIA” and “DESCEND VIA”, but there are many more new parts to it.

So, here's the problem. Doc 4444 is the master document, but each country has to implement the changes. And many are not - because they haven't had time to train the controllers, or because they haven't done a safety case (ie. figured out if anything in the new phraseologies might be dangerous), or ... other reasons.

Some states have even published AIC's to say that they **won't** be implementing the changes (Australia, Switzerland). Others have already published the changes (Iceland, for example).

Confusing? You bet. For now, do two things:

1. Read the new rules, because you'll hear them from November 10th, but we're not exactly sure where yet.
2. Comment below and tell us any additional info you have.

The new rules are here:

1. ICAO State Letter (the official version, with the verbatim changes to Doc 4444)
2. A summary leaflet from ICAO - the highlights.
3. SID/STAR Scenarios and Example Phraseologies from ICAO (a longer document).

We'll keep this page updated as we hear more ...

Will be implementing the change

Iceland

Latvia

Sweden (if we read AIP Supp 89 correctly)

Won't be implementing the change - yet

Finland

Singapore

Australia

Switzerland

United Kingdom (not until late 2017, earliest)