

David Mumford
24 June, 2024

Greetings from

SANFAM

RAMP INSPECTION PROGRAM

DOUGLAS

DOUGLAS

DOUGLAS

MCDONNELL DOUGLAS

- **The Top 5 SAFA Ramp Check Findings are Flight Planning, Aircraft Documents, Defects, Charts, and Cabin Safety**
- **It's not a knowledge test, so feel free to say "I don't know"**
- **Alcohol testing is now common, see below for a guide**

Well, here they all are, in a handy little guide. Download, print, attach to wall-of-your-choice, and enjoy.



RAMP CHECK FINDINGS *Top Offenders*



Flight Planning




Documents



Defects



Charts



Cabin Safety

Flight Planning

- * Flight planned for an unavailable alternate. LFMD, LFOB, LFLX and LFBE are the usual suspects here.
- * Had no weather briefing or PPR.
- * Bogus flight planning to alternates. (Planning straight lines, outrageous speeds below FL100, and ridiculous fuel computations.)
- * Had the wrong number of pax onboard, or pax sitting in the wrong places. The same errors were found for luggage.
- * Pilot bafflement when asked about the various empty/operating/maximum masses of the aircraft.

Documents

- * Different versions of the same manual or checklist found onboard.
- * No instructions for challenging airports.
- * No procedure for in-flight fuel checks.
- * Dangerous goods not listed properly (i.e. lithium batteries).
- * Outdated versions of the QRH found onboard, or sometimes not found at all!
- * Mismatch between the aircraft configuration and the QRH, or the equipment on the aircraft and the MEL.
- * (O) or (M) procedures inadequate or missing.

Charts

- * Outdated navigation databases or charts (in one case by up to a decade).
- * Missing instrument charts.
- * Use of an unapproved EFB.
- * No storage device installed for the EFB.

Defects



- * Maintenance action from the MEL hadn't been done.
- * Inoperative equipment not mentioned in the tech log, or missing info from engineers.
- * Flight operations conducted beyond the due dates.

Cabin Safety

- * Beds open during critical phases of flight and taxi, blocking emergency exits.
- * Luggage stored in the toilets, left on the floor or seats or in front of an emergency exit.
- * Straps or nets not used to secure stuff in the cargo hold.
- * Household coffee machine installed in the galley.

What do we base this on? Well, something pretty special happened recently. The French DSAC partnered up with IS-BAO to take a look at **hundreds of de-identified ramp check findings** in order to analyse **the most frequent CAT 2 and CAT 3 findings in business aviation**.

This is “special” for three reasons

1. It's great that an aviation regulator has actually shared this info because **now we can see the top things we're getting wrong**.
2. If we can see the top things we're getting wrong, we can stop getting them wrong, and then **ramp checks become faster and more efficient for everyone**.
3. It's great that this specific aviation regulator happens to be the one from **France - because that's where a lot of ramp checks seem to occur!**

So, all good. IS-BAO published the results here, and it's worth giving that a read first before we press on...

The Top 5 Offenders

As the good folks from IS-BAO point out – EASA Ramp checks cover **52 inspection items** spread over 5 areas: **flight deck, cabin, aircraft condition, cargo, and general/other**.

But some of those 52 items generate more findings than others. The DSAC/IS-BAO study found that the **top inspection items by number of CAT2 and CAT3 findings for business aviation** were these ones:


1. Flight preparation (RI checklist item A13)
2. Mass and balance calculations (A14)
3. Manuals (A04)
4. MEL (A07)
5. Checklists (A05)
6. Defect notification and rectification (A23)
7. Navigation/instrument charts (A06)

So essentially, these findings all relate to five key areas: **Flight Planning, Documents, Defects, Charts, Cabin Safety**. Get these right, and your “sweatin over a ramp checkin” days are over, partner!

Have you been ramp checked recently?

Let us know! **Where did it happen? How did it go? What things surprised you?**

As always, we will de-identify anything you share with us before we tell anyone else about it. But we'd love to hear your stories, and other people will too! Our idea is to gather together as many of these stories as possible, and put them into a little book to **help give other pilots and operators an idea of what to expect**. So if you've got a story to share, send us an email at news@ops.group



Limited edition SAFA Ramp Check postcards.

In related news: the EASA RIM has been updated.

What's the EASA RIM? Europe's version of the Pacific Rim movie only with **ramp inspectors saving the aviation industry from danger**? Or just an updated version of a rather boring manual?



EASA Ramp Inspectors, heading out to work.

Sadly, just an updated manual.

EASA have made some amendments, corrections and added some other details to their **Ramp Inspection**

Manual, so here is **our guide to their 131 pages of guidance** (and an Appendix).

What's up?

The Changes to the RIM are contained in a 131 page document here. So this is the doc that **crew** might want to read. (The massive doc that ramp inspectors use is called the Appendix – we'll get to that later).

The big stuff to look out for (that we could see) is stuff on **Alcohol testing** and they've changed the name of the **"Standard Report" to "Safety Report"**.

Page 76.

Let's start with something small.

This isn't actually a change, but just something we think might be of particular use. It is the Checklist for on-the-job training for ramp inspectors. Basically, it is a long list of all the stuff they need to check. Which means it's **a long list you might want to check so you know what you are going to get checked on.**

Alcohol Testing.

Scroll to page 98 (section 10.3) and it lays out all the info on alcohol testing and how it should be carried out. There is a lot of info here (most of it for the inspecting agents rather than you) but still not uninteresting to read.


The general principles are that **it should be done somewhere private**, out of sight of anyone else, and if you aren't happy with the spot they pick then chose another.

They're testing to see if you blow **more than 0.2 grams of blood alcohol concentration**. If you blow below that then you pass. If you test above then don't panic straight out, **they must do a follow up confirmation test** which mustn't happen before 15 minutes, or outside of 30.

Certain drinks can mess up the results:

- "Aromatic beverages" like fruit juice (*never heard them called that*)
- Mouth sprays with alcohol content
- Medical juices (*I don't even want to know what that might be*)
- Burping on the test can create false positives.

Here is a particularly hideous flow chart of the entire process.



We think it's easier to sum up stuff like this:

1. **Don't ever go to work drunk.** Most operators/states specify a minimum time between drinking and working but if you aren't sure 12 hours is a generally decent one to work off.
2. Of course even **12 hours won't get you sober in time** if you've been on a mega bender the night before. So don't do that.
3. If you wake up before you're report time and realise you're drunk/potentially drunk then **CALL SICK!**
4. If you think a colleague is drunk, **stop them from going to the airport!** Report them if you need to.
5. If you are at work, and get picked for a random test, **make sure they do it correctly**, in a

private space following the right procedures.

6. **If you blow positive then don't panic** (unless you are drunk in which case do panic, you've messed up bad, partner). Have a think if you've maybe ingested something that could cause a false positive. Tell the inspector and wait for the confirmation test. They leave it at least 15 minutes, but don't push for more than 30.

Moving onto The Appendix.

The Appendix to the RIM is a whole 304 pages filed with **information on ramp check instructions and pre-described findings.**

Many of which have just been updated.

Now, you might be thinking "*why do I care how they're instructing their inspectors on stuff?*". But you should care because if you know how they're inspecting stuff, then it makes it a whole lot easier to not mess up on ramp checks and getting told off.

If you just want to scroll through **the list of changes**, then take a look here at the first 7 or so pages.

If you want a **full description** in standard EASA English, then read the whole 304.

If you want a **summary of the changes** then check this out.

Other useful stuff.

We wrote a whole post on ramp checks a while back and the stuff we wrote in that hasn't really changed that much.

While ensuring you are complaint is important, remember it works both ways. **Ramp Inspectors need to follow the rules and procedures as well.** Particularly when it comes to not delaying you or disrupting your duties too much.

The manual only recommends they must give you **8-10 minutes of quality quiet time** to set up for a flight. If you need more for safety reasons then tell them the time you need them to complete their checks by.

Final note.

Ramp checks can be frustrating. The best way to reduce that is make sure everything is in order and be prepared for them.

There are some airports we've heard are particularly *vigorous* with them:

- Anywhere in France
- Florence, Italy
- Edinburgh, Scotland
- London Heathrow
- Copenhagen, Denmark (*keen on the breath tests*)
- Amsterdam, Netherlands (*also keen on the breath tests*)

Let us know where you've experienced them so we can update the list!